
Middle Flint River Watershed

Stormwater Management Plan



Febuary 28, 2008





ACKNOWLEDGEMENTS

Prepared by the Middle Flint Watershed Work Group:

Atlas Township

• Paul Amman, Supervisor

Brandon Township

- D'Anna Keeble, Carlisle Wortman Representative
- Carlisle Wortman, Agency Representative

City of Burton

• Charles Smiley, Mayor

City of Davison

• Pete Auger, City Manager

City of Fenton

Leslie Bland, DPW Director

City of Grand Blanc

Matt Wurtz, City Administrator

City of Swartz Creek

• Thomas Svrcek, Public Services Director

Clayton Township

- Rod Shumaker, Supervisor
- Sally Lurvey, Clerk

Davison Township

• Kurt Soper, Supervisor

Elba Township

• John Kosiara, Supervisor

Fenton Township

- Jack Wheatley, Township Engineer
- Bonnie Mathis, Supervisor

Flint Township

- Patrick Parrott, Citizen Representative
- Linda Barber, Supervisor

Gaines Township

Paul Fortino, Supervisor

Genesee Township

• Scott Streeter, Supervisor

Genesee County Drain Commissioner

- Jeffrey Wright, Drain Commissioner
- Susanne Kubic P.E., Drain Engineer

Genesee County Road Commission

 Mike Mansfield, Director of Traffic Engineering and Permits

Grand Blanc Township

- Dan Potter, Township Engineer Groveland Township
- Robert DePalma, Supervisor Hadley Township
- William Dutko, Supervisor Holly Township
- Dale M. Smith, Supervisor

 Taxable Taxabl

Independence Township

• Stephen Salter, Representative Lapeer County Drain Commissioner

John Cosens

Mundy Township

Karen Bond, Supervisor

Oakland County Drain Commissioner

• Jim Wineka, Environmental Unit Supervisor

Oregon Township

• Eldon Card, Supervisor

Richfield Township

Jim Jacques, Supervisor

Springfield Township

Nancy Strole, Clerk

Village of Goodrich

• Jakki Sidge, Village Manager

Village of Ortonville

Paul Zelenak, Village Manager

With Guidance From:

Michigan Department of Environmental Quality

• Stephanie Barney, Water Division

Tetra Tech MPS Staff

- Dan Christian
- Stephen Pennington

With Technical Assistance From:

University of Michigan Flint Center for Applied Environmental Research

Brent Nickola

Tetra Tech MPS Staff

Valerie Sangler

Main Author:

Susanne Kubic P.E., Genesee County Drain Commissioner's Office, SWM Thomas Jones, P.E., Genesee County Drain Commissioner's Office, SWM

Funding Provided By:

County of Genesee *Atlas Township City of Burton Clavton Township City of Davison City of Fenton City of Grand Blanc City of Swartz Creek Davison Township Fenton Township Flint Township *Gaines Township Genesee Township *Village of Goodrich Grand Blanc Township

(*Non Phase II Communities)

Mundy Township *Richfield Township

For copies of the plan, please contact:

Genesee County Drain Commissioner's Office 810-732-1590 4608 Beecher Road Flint MI 48532

www.GCDCWWS.com/SWM

Contents

SECTION 1 - Executive summary	IX
SECTION 2 - Introduction	1
MIDDLE FLINT RIVER WATERSHED	1
PURPOSE OF THE WATERSHED MANAGEMENT PLAN	
WHAT IS A WATERSHED	3
PLAN REQUIREMENTS	
RELEVANT FEDERAL, STATE AND REGIONAL PROGRAMS	
Clean Water Act	
NPDES Municipal Storm Water Phase II Total Maximum Daily Load Program (TMDLs)	
Public Act 451 of 1994 – Natural Resources and Environmental Protection Act	
Public Act 40 of 1956 – The Drain Code	
State Programs and Permits	
Additional Programs	
SECTION 3 - CHARACTERISTICS OF THE WATERSHED	9
SUBWATERSHEDS	
POLITICAL JURISDICTIONS	
LAND USE AND GROWTH TRENDS	
Land Cover – Past, Present and Future	
Urbanized Land Use	
Agricultural Land Use	
Riparian Buffer	
Wetlands	
CLIMATE AND TOPOGRAPHY	
GEOLOGY AND SOILS	
HYDROLOGY	
POINT SOURCES OF POTENTIAL POLLUTANTSSEWER AND SEPTIC SYSTEM SERVICE AREAS	
SIGNIFICANT NATURAL FEATURES TO BE PROTECTED	
SECTION 4 - Water quality indicators	33
RIVERINE HABITAT STUDIES	33
Fisheries Studies	
Macroinvertebrate Studies	
Water testing with Project GREEN	38
E. Coli Water Sampling (Health Department or Local Agencies)	38
WATER CHEMISTRY AND HYDROLOGY STUDIES	
POLLUTANT LOAD ANALYSIS	
I OLLO I / III I LO/ ID / III/IL I OIO	

SECTION 5 - COMMUNITY OUTREACH	43
Public Participation Process	43
SECTION 6 - CHALLENGES AND GOALS	51
WATER QUALITY ISSUES AND CONCERNS	51
Water Quality Issues	
Water Quality Concerns	
DESIGNATED USES IN THE STATE	
Designated Uses Not Being Met Threatened Designated Uses	
Watershed Desires	
GOALS AND OBJECTIVES	
Minimum Permit Requirements	
GOAL 1: PROTECT PUBLIC HEALTH	58
GOAL 2: ESTABLISH WATERSHED STEWARDSHIP AWARENESS AND RESPONSIBILITY	
AMONG THE PUBLIC	
GOAL 3: REDUCE IMPACTS FROM PEAK FLOW AND HIGH VOLUMES	
GOAL 4: CREATE, RESTORE, AND ENHANCE RECREATIONAL USE	
GOAL 5: RESTORE AND PROTECT AQUATIC LIFE, WILDLIFE, AND HABITAT	
GOAL 6: CONDUCT MUNICIPAL GOOD HOUSEKEEPING ACTIVITIES	
GOAL 7: ADOPT REQUIREMENTS FOR POST CONSTRUCTION CONTROLS	
PUTIING IT ALL TOGETHERPUTIING IT ALL TOGETHER	
SECTION 7 - Watershed Planning Process	63
PUBLIC EDUCATION PLAN	64
Monitoring and Mapping	
DESIGN REVIEW PROCESS & BMP'S	71
SECTION 8 - ACTION PLAN	81
Goal #1 – Protect Public Health	82
GOAL #2 – ESTABLISH A WATERSHED STEWARDSHIP ETHIC AMONG THE PUBLIC	
GOAL #3 – REDUCE IMPACT FROM PEAK FLOWS	
GOAL #4 - CREATE, RESTORE & ENHANCE RECREATIONAL USE	
GOAL #5 - RESTORE & PROTECT AQUATIC LIFE, WILDLIFE & HABITAT	
GOAL #6 – MDEQ REQUIREMENT – GOOD HOUSEKEEPING ACTIVITIES	
GOAL #8 – OPPORTUNITIES FOR SUSTAINABILITY	
SECTION 9 - Evaluation methods for measuring such	CCESS
	123
Introduction	
PERMIT REQUIREMENTS	
PROGRAM PLANNING (Section 6)	
Goal and Objective Development (Section 6) Action Development (Section 8)	
Measures of Success	127

Assessment	128
PROGRAM IMPLEMENTATION	128
EFFECTIVENESS ASSESSMENT	129
Water Quality Assessment	129
Program Assessment	130
Integrated Assessment Summary	131
SECTION 10 - Steps for plan sustainability	133
OPTIONS FOR SUSTAINABILITY	133
Watershed Councils- Michigan's Local River Management	
Watershed Councils- Voluntary Partnerships	133
Phase II Legal Relationship	
SECTION 11 - References	

APPENDICES

Appendix "A": Table 3-5 Point Sources

142

$L_{\text{IST OF TABLES AND FIGURES}}$

Table 2-1 Description of the Various Watershed Management Units	
Table 3-1 Political Jurisdiction by Subwatershed	10
Table 3-2 Population Changes	13
Table 3-3 Livestock	
Table 3-4 Temperature & Precipitation	
Table 3-5 Point Sources (in Appendix "A")	27
Table 3-6 Threatened and Endangered Species	31
Table 4-1 Fish Advisory Information	
Table 4-2 Benthic Monitoring Results	
Table 4-3 Michigan Section 303d TMDL Water Bodies	
Table 5-1 Meeting Dates	
Table 6-1 Impaired Waterbodies in the Middle Flint River Watershed	
Table 6-2: Concerns, Desires, Goals & Objectives of the Middle Flint River Watershe	
Table 8-1: Benefits of each Objective	
Table 10-1 Summary of Phase II Storm Water Leadership Options	134
Figure 2-1 Location Map	1
Figure 2-2 Watershed Management Units	3
Figure 3-1 Subwatersheds	
Figure 3-2 Political Jurisdiction by percentage	
Figure 3-3 Local Units of Government	
Figure 3-4 Ecosystems, circa 1830s by percentage	
Figure 3-5 Ecosystems, circa 1830s	15
Figure 3-6 Current Land Covers	
Figure 3-7 Current Land Cover by percentage	19
Figure 3-8 Wetlands	22
Figure 3-9 Hydrologic Soil Groups	23
Figure 3-10 Effect of urbanization on runoff	26
Figure 3-11 Point Sources	27
Figure 3-12 Sewer Service Areas	
Figure 3-13 Natural Features Area(s)	31
Figure 4-1 Flint River Watershed	
Figure 4-2 E. Coli Test Sites Within Genesee County	39
Figure 4-3 Phosphorus Pollutant Load	41
Figure 4-4 BOD Pollutant Load	42
Figure 4-5 Sediment Pollutant Load	42
Figure 6-1 Impaired Waterbodies	
Figure 7-1 Organizational Chart	
Figure 7-2 Flowchart for new development	
Figure 9-1 Program Elements	123
Figure 9-2 Success Levels	127

ACRONYMNS

The following is a list of acronyms and definitions that are useful for understanding the contents of this report:

AOC Area of Concern

BMP Best Management Practice Biological Oxygen Demand BOD

Center for Applied Environmental Research CAER CAFOs Concentrated Animal Feeding Operations

CMI Clean Michigan Initiative COC Certificate of Coverage

CREP Conservation Reserve Enhancement Program

CVT City, Village or Township

CWA Clean Water Act

CWP Center for Watershed Protection EPA **Environmental Protection Agency** Evaluation and Revision Plan ERP Fish Contaminant Advisories **FCAs** Flint River Watershed Coalition **FRWC**

Genesee County Drain Commissioner's Office GCDC

Geographic Informational System GIS **GLNPO** Great Lakes National Program Office

GPS Global Positioning System

Global Rivers Environmental Education Network GREEN

IDEP Illicit Discharge Elimination Plan

JPA Joint Permit Application

MDEQ Michigan Department of Environmental Quality Michigan Department of Natural Resources MDNR MS4s Municipal Separate Storm Sewer Systems **NRCS** Natural Resources Conservation Service National Pollution Discharge Elimination System

NPDES

OCDC Oakland County Drain Commission

Public Education Plan PEP

Publicly Owned Treatment Works POTWs

PPP Public Participation Plan RAP Remedial Action Plan

Soil Erosion Sedimentation Control SESC

STELP Spreaksheet Tool for Estimating Pollutant Loads SWPPI Storm Water Pollution Prevention Initiative

SWAG Subwatershed Advisory Group SWM Surface Water Management TMDL Total Maximum Daily Load UAW **United Auto Workers**

USACE United States Army Corp of Engineers

United States Environmental Protection Agency USEPA

USGS United States Geological Survey USLE Universal Soil Loss Equation Watershed Advisory Group WAG

Watershed Information Management System WIMS

WMP Watershed Management Plan WQS Water Quality Standards

SECTION 1 - EXECUTIVE SUMMARY

The goal of the Middle Flint River Watershed Management Plan is to recognize and catalog the current conditions impacting the water quality of The Flint River and its tributaries, address actions that can be taken to resolve existing problems and prevent future degradation. In 2004-2005, the representatives from both county and local communities have worked together to develop this plan by:

- Developing a Public Participation Plan
- Identifying stakeholders
- Gathering available information on: water quality, stormwater flow, habitat
- Identifying known impairments to the river and its tributaries
- Identifying and prioritizing the sources of the pollutants
- Obtaining input from community officials, stakeholders and the general public
- Establishing and prioritizing goals for the watershed
- Identifying the actions for which the communities would take responsibility
- Highlighting areas where gaps existed between the goals and the actions
- Developing a list of recommended activities to be implemented by the local governmental agencies
- Presenting this information to stakeholders and the general public

This plan has since been revised in 2007-2008 to reflect changes required by the watershed review. The above planning process resulted in a Stormwater Management Plan that fulfills Genesee & Oakland Counties and those Phase II community's requirements under the Michigan Department of Environmental Quality (MDEQ) Phase II Watershed-based Stormwater Permit. This plan also allows the county's agencies and communities to qualify for future grant funding for implementation of the activities recommended in this plan.

BACKGROUND

The initial emphasis of the National Pollution Discharge Elimination System (NPDES) under the Federal Clean Water Act of 1972 was to control discharges from industrial and large municipal wastewater treatment plants. Once these discharges were substantially under control, it became apparent that the combined impact of various smaller widespread (non-point) pollution sources was preventing many streams and receiving waters from meeting state water quality standards. These diffuse sources include failing septic systems, stormwater runoff from residential lawns, agricultural fields, parking lots, roadways and construction sites, illegal dumping, and airborne deposition. Adequate control of all these point and non-point sources is necessary to restore and maintain the use of the nation's water resources.

Instead of imposing discharge limitations and stormwater control programs, the Michigan Department of Environmental Quality is allowing local units of government to establish goals to improve water quality through development and implementation of a watershed management plan. In 2001, Genesee County designated the Drain Commissioner's Office as the county agency responsible to engage in watershed management activities

and establish a system of stormwater management services under Act 342, Public Acts of Michigan, 1939, as amended ("Act 342"). Although not all of the communities located within Genesee County are regulated under the NPDES Phase II program, all the communities have signed a contract under Act 342 with the Genesee County Drain Commissioner's Office to provide stormwater management services which includes:

- Applying for Certificate of Coverage on communities' behalf under Michigan's Phase II Watershed-based Stormwater Permit.
- Organize and direct the development of a Public Participation Plan
- Organize and oversee the Public Education and Participation Sub Committee
- Organize and oversee the New Construction Standards and Post Construction Practices Sub Committee
- Organize and oversee the Monitoring and Mapping Sub Committee
- Organize and direct the watershed workgroup in developing the Stormwater Management Plan.
- Assist the contract communities in preparing individual SWPPIs
- Coordinating between the communities and the school districts that have signed contracts as nested jurisdictions.

The Oakland County Drain Commissioner's Office (OCDC) is the agency for the Oakland County Phase II Stormwater Permit. The OCDC coordinates communication between Oakland County departments, as well as acting as a resource for watershed and sub watershed groups. Phase II communities within Oakland County are either implementing the watershed plan(s) on their own or are making arrangements to partner with other watershed groups within adjoining watersheds.

Lapeer County and its Middle Flint Watershed communities are not regulated under the NPDES Phase II program, but are invited to participate in the development of the Stormwater Management Plan.

By working together, these public agencies designed a watershed management plan that is built on the strengths of existing programs, resources, and addresses local water quality concerns.

SECTION 2 - Introduction

MIDDLE FLINT RIVER WATERSHED






Figure 2-1 Location Map

The Middle Flint River Watershed is located in southern Genesee County. Northern Oakland County and a small area along the western Lapeer County border in Michigan's peninsula. The 329 square-mile (210,628 acres) watershed is comprised of smaller watersheds. From west to east the watersheds are the Swartz Creek, Thread Creek, Gibson Drain & the Kearsley Creek. These watersheds all drain into a 7.5 mi stretch of the Flint River that flows through the City of Flint. The Middle Flint River Watershed contains 745 lakes, covering approximately 4235 acres and more than 406 miles of rivers and drains, providing many values, including water quality, habitat for indigenous species and recreation opportunities where access to the public is available.

Everything in this watershed is connected from the rain that falls on the ground until it flows to the swales that drain to the ditches into the creeks and finally into the Flint River. From there it goes on northwest out of the City of Flint where it joins the Shiawassee River in Saginaw County. The Shiawassee, Tittabawassee, and Cass rivers merge to form the Saginaw River, near Saginaw. The Saginaw River flows into Saginaw Bay and Lake Huron.

Land use in the Middle Flint watershed varies greatly from commercial and residential areas in the north half of the watershed to rural residential and agricultural throughout much of the headwaters in the south. Within the last decade the agricultural land uses are rapidly being converted to urban and suburban uses by increased development. The change in land use this basin is facing today will have profound effects on the Flint River and its tributaries for many decades to come. Through watershed planning, there is the opportunity for consideration of alternative strategies for protection, rehabilitation, and enhancement of the health of the Flint River and it's tributaries with the hope of also raising its recreational and aesthetic aspects. Much like the Watershed Planning process, which is, developed through many sources from political entities, to stakeholders and the general public's input, the health of the Flint River and its tributaries are determined by many sources from hydrologic, geomorphic, and biologic realities to ordinances, land changes and the release of pollutants into the watershed. What the Flint River and its tributaries become in the future will depend not only on our actions and desires, but also on the nature of its catchments and its connections to larger, regional systems.

The Flint River serves as the drinking water back up supply for the City of Flint. The upper reaches of Kearsley Creek has been was identified as a second quality cold water stream. What this means is that the stream was classified to contain significant trout population maintained by stocking.

The Middle Flint River Watershed has gone through many changes throughout the years, most recently a significant portion of this watershed has been changed from agricultural to developed residential and commercial land.

Problems within the watershed include bank erosion, increased sediment carried into the watercourses from both new development and agricultural runoff. As areas are urbanized there is a reduction or loss of wetlands and low areas that hold or detain water.

PURPOSE OF THE WATERSHED MANAGEMENT PLAN

The goal of the Middle Flint River Watershed Management Plan is to recognize and catalog the current conditions impacting the water quality of The Flint River and its tributaries, address actions that can be taken to resolve existing problems and prevent future degradation.

Watershed planning is an innovative way to address Phase II NPDES permit requirements. Michigan is one of the few states to offer this permitting option. With over 300 communities in Michigan needing to apply for Phase II Permit coverage, over 250 have decided to use the watershed planning option, due to its many benefits over a traditional permitting program.

Some benefits of the watershed approach include, access to grant funding including the State Bond Fund known as Clean Michigan Initiative (CMI), expanded schedules for watershed management planning, and choices on how and when implementation will occur. A watershed approach involves coordination with both public and private sectors focusing efforts to address the highest priority problems.

WHAT IS A WATERSHED


A watershed is any area of land that drains to a common point. That common point may be a lake, the outlet of a river, or any point within a river system. Throughout this Watershed Management Plan, the terms basin, sub-basin, watershed, sub-watershed, and catchment are used to describe the drainages of the river.

The largest watershed management unit is the basin. A <u>basin</u> drains to a major receiving water, such as a large river, estuary or lake. Within each <u>basin</u> are a group of <u>sub-basins</u>, that are a mosaic of many diverse land uses, including forest, agriculture, range and urban areas. <u>Sub-basins</u> are composed of a group of <u>watersheds</u>, which, in turn, are composed of a group of <u>sub-watersheds</u>. Within <u>sub-watersheds</u> are <u>catchments</u>, which are the smallest units in a watershed, defined as the area that drains an individual development site to its first intersection with a stream (Center for Watershed Protection)

			<u> </u>
Watershed	Typical Area	Influence of	Sample
Management	(square miles)	Impervious Cover	Management
Unit			Measures
Catchment	0.05 to 0.50	Very strong	BMP and site
			design
Subwatershed	1 to 10	Strong	Stream
		-	Classification and
			management
Watershed	10 to 100	Moderate	Watershed-based
			zoning
Subbasin	100 to 1,000	Weak	Basin planning
Basin	1,000 to 10,000	Very weak	Basin planning
(C)MD 4000)			

(CWP, 1998)

Figure 2-2 Watershed Management Units



PLAN REQUIREMENTS

According to the MDEQ NPDES Permit for Storm Water Discharges from municipal separate storm sewer systems, subject to watershed plan requirements, the WMP shall contain the following, at a minimum:

- an assessment of the nature and status of the watershed ecosystem to the extent necessary to achieve the purpose of the WMP;
- short-term measurable objectives for the watershed;
- long-term goals for the watershed (which shall include both the protection of designated uses of the receiving waters as defined in Michigan's Water Quality Standards, and attaining compliance with any TMDL established for a parameter within the watershed);
- determination of the actions needed to achieve the short-term measurable objectives for the watershed;
- determination of the actions needed to achieve the long-term goals for the watershed:
- assessment of both the benefits and costs of the actions identified above (a "cost/benefit analysis" is not required);
- commitments, identified by specific permittee or others as appropriate, to implement actions by specified dates necessary to achieve the short-term measurable objectives;
- commitments, identified by specific permittee or others as appropriate, to implement actions by specified dates necessary to initiate achievement of the long-term goals; and
- methods for evaluation of progress, which may include chemical or biological indicators, flow measurements, erosion indices, and public surveys.

RELEVANT FEDERAL, STATE AND REGIONAL PROGRAMS

Clean Water Act

Growing public awareness and concern for controlling water pollution led to enactment of the Clean Water Act (CWA). The Act established the basic structure for regulating discharges of pollutants into the waters of the United States. It gave EPA the authority to implement pollution control programs such as setting wastewater standards for industry. The CWA also continued requirements to set water quality standards for all contaminants in surface waters. The Act made it unlawful for any person to discharge any pollutant from a point source into navigable waters, unless a permit was obtained under its provisions. It also funded the construction of sewage treatment plants under the construction grants program and recognized the need for planning to address the critical problems posed by nonpoint source pollution.

Subsequent enactments modified some of the earlier CWA provisions. Revisions in 1981 streamlined the municipal construction grants process, improving the capabilities of treatment plants built under the program. Changes in 1987 phased out the construction grants program, replacing it with the State Water Pollution Control Revolving Fund, more commonly known as the Clean Water State Revolving Fund. This new funding strategy addressed water quality needs by building on EPA-State partnerships.

NPDES Municipal Storm Water Phase II

As authorized by the Clean Water Act, the National Pollutant Discharge Elimination System (NPDES) permit program controls water pollution by regulating discharges of pollutants into waters of the United States. Phase I of the NPDES storm water program required permit coverage for large or medium municipalities that had populations of 100,000 or more. Phase II of the NPDES Storm Water program builds upon the existing Phase I program by requiring smaller communities, also known as small municipal separate storm sewer systems (MS4s), to be permitted.

Once a permit application is submitted by the operator of a regulated small MS4 and a permit is obtained, the conditions of the permit must be satisfied and periodic reports must be submitted on the status and effectiveness of the program. The Final Phase II Rule requires small MS4 operators to design programs for permit compliance to:

- reduce the discharge of pollutants to the "maximum extent practicable" (MEP);
- protect water quality; and
- satisfy the appropriate water quality requirements of the Clean Water Act.

Michigan's Department of Environmental Quality (MDEQ) has developed a strong permitting process for Phase II and is the responsible permitting agency for the State of Michigan. Michigan developed two permitting options including a jurisdictional based permit and a watershed based general permit. PA 451 of 1994 sections 3103 and 3106 Part 21 R 323.2161a of Michigan Law regulate municipal storm water discharge requirements and the minimum permit requirements for the State of Michigan.

Michigan is unique nationally as one of the few states that have formalized their NPDES Storm Water Phase II compliance through the use of a general permit based on watershed management planning. This special permitting approach has resulted in a large majority of Michigan's regulated Phase II communities using watershed management planning as a tool to implement their Phase II Program.

Total Maximum Daily Load Program (TMDLs)

A TMDL is an acronym used to describe a scientific study conducted on how much pollutant load a lake or stream can assimilate. TMDLs are conducted when a lake or stream does not meet (or the pollutant exceeds) water quality standards (WQS). An individual lake or stream can be tested for several pollutants such as: sediment, pathogens, pesticides, mercury or metals also it will be tested for normal levels of dissolved oxygen, temperature, pH, nutrients and Organics in the water. The TMDL takes into account point source discharges, such as discharge from a wastewater treatment plan, and nonpoint source discharges, such as stormwater runoff.

The Clean Water Act, section 303, establishes the water quality standards and TMDL programs. Water quality standards are set by States, Territories, and Tribes. They identify the uses for each waterbody, for example, drinking water supply, contact recreation (swimming), and aquatic life support (fishing), and the scientific criteria to support that use. Within the Middle Flint River Watershed those water bodies that do not meet water quality standards are on the Genesee County Impaired water bodies map on page 51.

The State of Michigan administers the TMDL Program in Michigan. These rules define the water quality goals for a lake or stream. MDEQ defines Water quality standards as "state rules established to protect the Great Lakes, the connecting waters, and all other surface waters of the state". The goals are in three areas, including the uses of the lake or stream, such as swimming and fishing; safe levels to protect the uses, such as the minimum oxygen level needed for fish to live; and procedures to protect high quality waters." (MDEQ website summary)

Public Act 451 of 1994 – Natural Resources and Environmental Protection Act

Michigan Act 451 of 1994 is an act to protect the environment and natural resources of the state; to codify, revise, consolidate, and classify laws relating to the environment and natural resources of the state; to regulate the discharge of certain substances into the environment; to regulate the use of certain lands, waters, and other natural resources of the state; to prescribe the powers and duties of certain state and local agencies and officials; to provide for certain charges, fees, and assessments; to provide certain appropriations; to prescribe penalties and provide remedies; to repeal certain parts of this act on a specific date; and to repeal certain acts and parts of acts.

Notable parts of the act relating to storm water include: Part 41 – Sewerage Systems; Part 31 – Water Resources Protection; Part 91 – Soil Erosion & Sedimentation Control; Part 87 – Groundwater and Freshwater Protection; Part 301 – Inland Lakes and Streams; Part 303 – Wetland Protection; and Part 305 – Natural Rivers Act.

Public Act 40 of 1956 - The Drain Code

Michigan Act 40 of 1956 in an act to codify the laws relating to the laying out of drainage districts, the consolidation of drainage districts, the construction and maintenance of drains, sewers, pumping equipment, bridges, culverts, fords, and the structures and mechanical devices to properly purify the flow of drains; to provide for flood control projects; to provide for water management, water management districts, and subdistricts, and for flood control and drainage projects within drainage districts; to provide for the assessment and collection of taxes; to provide for the investment of funds; to provide for the deposit of funds for future maintenance of drains; to authorize public corporations to impose taxes for the payment of assessments in anticipation of which bonds are issued; to provide for the issuance of bonds by drainage districts and for the pledge of the full faith and credit of counties for payment of the bonds; to authorize counties to impose taxes when necessary to pay principal and interest on bonds for which full faith and credit is pledged; to validate certain acts and bonds; and to prescribe penalties.

State Programs and Permits

State programs that directly enforce and assist in compliance with federal and state storm water regulations include the following MDEQ Water Division groups: Storm Water, Soil Erosion and Sedimentation Control, NPDES Permits, and Nonpoint Source Pollution. State-level funding programs that support storm water related projects include: the Water Pollution Control Revolving Fund, the Strategic Water Quality Initiative Fund, and the Clean Michigan Initiative.

Despite the NPDES permitting process that covers storm water-specific issues, other permits may apply for a specific case. Many state and federal permits are covered

under the MDEQ/U.S. Army Corps of Engineers Joint Permit Application (JPA) package. The JPA covers activities relating to: wetlands, floodplains, marinas, dams, inland lakes and streams, great lakes bottomlands, critical dunes, and high-risk erosion areas. Other permits not included in the JPA include: the Sewerage System Construction Permit and the Groundwater Discharge Permit.

Additional Programs

The MDEQ maintains a number of programs that may relate to storm water issues, including: Dam Safety, National Flood Insurance, Wetlands Protection, Watersheds, Surface Water Enforcement, Source Water Assessment, Septage, Sanitary and Combined Sewer Overflow, Land Development, Inland Lakes, and Groundwater Discharge. Other MDEQ, Michigan Department of Natural Resources, regional, or local programs may also relate to storm water issues.

Specific situations may invoke numerous other federal, state, and local programs that directly or indirectly relate to storm water issues. The following list presents some of these:

- The federal Safe Drinking Water Act establishes wellhead protection provisions that are implemented at the state (MDEQ Water Wellhead Protection program) or local level. Wellhead protection may involve managing and treating storm water to prevent aguifer pollution.
- Coastal and shoreline areas invoke numerous federal laws such as the Shoreline Erosion Protection Act and the Coastal Zone Act, state laws, and state programs such as Coastal Management, Sand Dune Protection, and Shoreland Management.
- Commercial/industrial facilities (mines, landfills, agriculture facilities, etc.) have numerous laws and regulations controlling on-site materials use and site-related runoff control requirements that are designed to minimize environmental impacts. Example laws include: the Surface Mining Control & Reclamation Act, the Resource Conservation and Recovery Act, and the Federal Insecticide, Fungicide, and Rodenticide Act.

SECTION 3 - CHARACTERISTICS OF THE WATERSHED

SUBWATERSHEDS

It was decided that each of the 4 subwatershed that comprise the Middle Flint River Watershed needed to be divided into smaller subwatersheds each with an area from 2mi² to 20mi². This would allow specific areas within the Middle Flint River Watershed to be looked at based on their unique conditions. This assisted with Total Maximum Daily Loads (TMDL) & identifying problems that may be specific to that location. Most of the Middle Flint watershed within Genesee County contained existing drainage districts. These existing drainage districts were used to divide the 4 watersheds into smaller subwatersheds. Any drainage districts Smaller than 2mi² were incorporated within larger drainage districts. Because the Main Channels of the Swartz Creek, Thread Creek and Kearsley Creek were natural watercourses and extremely long, the watercourses were divided into more manageable lengths. Areas without a drainage district used contours whenever possible to divide districts. Otherwise a jurisdictional boundary was used when necessary. Within Oakland County, subdistricts were established based on natural contours or a jurisdictional boundary not drainage districts. Within Lapeer County the county line was used to create 3 subwatersheds. In total 52 subwatersheds were developed.




Figure 3-1 Subwatersheds

POLITICAL JURISDICTIONS

Table 3-1 Political Jurisdiction by Subwatershed

Table 3-1 Politi	icai Ji	urisaid	ction	by Su	bwate	ersnec	וב		1	1		1	Т
	Atlas Twp	Brandon Twp	City of Burton	Clayton Twp	City of Davison	Davison Twp	Elba Twp	City of Fenton	Fenton Twp	*City of Flint	Flint Twp	Gaines	Genesee Twp
0043 Seaver													
0069 Lum & Extension												1.38	
0082 Indian Creek & Ext.									5.38				
0122 Swartz Creek West Br				0.16						0.19	2.68	1.96	
0123 Call										0.63	1.56		
0129 Crapo & Ext.				0.15								3.73	
0141 Alger Creek & Ext									2.35			5.40	
0201 Bare IC													
0257 Dawe									1.77				
0382 Howland											0.06		
0423 Gibson			0.76								0.82		
1253 Slocum		ļ	4.00					ļ		0.00		2.46	
8517 Swartz Cr Outlet		ļ	1.88					ļ		3.82	1.15		
8518 Swartz Cr 2										1.60	1.56		
8519 Swartz Cr 3		ļ			ļ		ļ		0.12		ļ		
8520 Swartz Cr Oakland 1								0.30	2.53				
8521 Swartz Cr Oakland 2													
8522 Swartz Cr Oakland 3													
8523 Swartz Cr Oakland 4													
Swartz Creek Total	0.00	0.00	2.64	0.31	0.00	0.00	0.00	0.30	12.15	6.24	7.83	14.93	0.00
0007 Bush	0.33												
0063 Slack Lake	0.51												
0224 Lasalle	3.16												
0225 Liscomb & Stanton	2.63		0.44										
0344 Robinson & Curtis			2.11										
0385 Layman													
0408 Myers	0.00		0.14										
1305 Thread Creek	3.33		0.44										
1319 Thread Creek, Pierson Br			2.11							4.40			
8512 Thread Cr Outlet			2.38							4.18			
8513 Thread Cr 2			0.82										
8514 Thread Cr 3	3.00												
8515 Thread Cr Oakland 1													
8516 Thread Cr Oakland 2	40.07	0.00	7	0.00	0.00	0.00	0.00	0.00	0.00	4.40	0.00	0.00	0.00
Thread Creek Total	12.97	0.00	7.55	0.00	0.00	0.00	0.00	0.00	0.00	4.18	0.00	0.00	0.00
0017 Gilkey Creek & Br.	0.25	0.00	8.01	0.00	0.00	0.12	0.00	0.00	0.00	4.01	0.00	0.00	0.00
0080 Phillips			1.33		0.44	3.04							0.00
0130 Brier Creek	4.00		0.36		0.11	1.44							0.09
0454 Cummings	1.82				0.10	0.64 2.21							
0614 Long Lake 0704 Black Creek IC					0.19 1.62	7.36							
0750 Big Swamp IC	0.19				1.02	6.15							
0750 Big Swamp IC 1001 Kipp - IC	2.49					0.15							
	2.49		2 22			1 27				1 10			6.05
8501 Kearsley Cr Outlet 8502 Kearsley Cr 2	3.45	1	3.32			1.37 9.51		1		1.19	1		6.95
8502 Kearsley Cr 2	6.16	-				9.51		-			-		
8504 Kearsley Cr 3	0.16	1						1			1		
8505 Kearsley Cr Oakland 1	0.03	1.71						 			 		
8506 Kearsley Cr Oakland 2	0.40	0.60	-					 			 		
8507 Kearsley Cr Oakland 3		9.45						 			 		
8508 Kearsley Cr Oakland 4		10.94						 			 		
8509 Kearsley Cr Lapeer 1		10.84						 			 		
		 						 			 		
8510 Kearsley Cr Langer 2						Ī	1	l	1	1	1	1	ļ
8510 Kearsley Cr Lapeer 2 8511 Kearsley Cr Lapeer 3							3 80						
8511 Kearsley Cr Lapeer 3	15 22	22 70	5.02	0.00	1.92	31.73	3.89 3.89	0.00	0.00	1.19	0.00	0.00	7,04
8511 Kearsley Cr Lapeer 3 Kearsley Creek Total	15.22 28.43		5.02 23.22	0.00	1.92 1.92	31.73 31.85	3.89	0.00	0.00	1.19 15.62	0.00 7.83	0.00 14.93	7.04 7.04
8511 Kearsley Cr Lapeer 3	28.43	22.70	5.02 23.22 7.07%	0.31	1.92	31.73 31.85 9.69%	3.89 3.89	0.30	0.00 12.15 3.70%	15.62	7.83	14.93	7.04

Village of Goodrich	City of Grand Blanc	6.71	Groveland Twp	Hadley Twp	diysuwot VIIOH	Village of Holly	Independence Twp	0.06 3.04 3.45 4.47 1.93 4.57 3.00 4.81 1.70	Oregon Twp	Village of Ortonville	Richfield Twp	Springfield Twp	City of Swartz	6.76 4.42 8.83 12.60 4.12 3.88 12.31 3.35 4.78 4.87 9.99 2.46 6.86 6.11	2.06% 1.34% 2.69% 3.83% 1.25% 1.18% 3.75% 1.02% 1.45% 1.48% 3.04% 0.75% 2.09% 1.86%
		1.21						6.11						7.44	2.26%
		0.36			7.16 2.53			0.03						10.38 2.53	3.16% 0.77%
					5.34	0.50								5.83	1.77%
0.00	0.00	16.02	2.88 2.88	0.00	8.99 26.34	0.12 0.61	0.00	36.10	0.00	0.00	0.00	0.70 0.70	3.14	12.70 130.19	3.86%
0.00	0.76	2.52		0.00		0.0.	0.00	00.10	0.00	0.00	0.00	00	0	3.61	1.10%
		2.72 0.36	0.77		1.76									5.75 3.53	1.75% 1.07%
0.11		0.50												2.74	0.83%
	0.73	3.15												2.11 3.87	0.64% 1.18%
	0.73	2.76												2.90	0.88%
		0.29 0.67												3.63 2.78	1.10% 0.85%
		0.17												6.72	2.04%
	0.88	1.73												3.43	1.04%
	1.12	2.47	8.22											6.59 8.22	2.00% 2.50%
0.44	0.40	40.00	12.55	0.00	0.98	0.00	0.00	0.00	0.00	0.00	0.00	1.76	0.00	15.29	4.65%
0.11	3.49 0.00	16.83 0.28	21.54 0.00	0.00	2.73 0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.76 0.00	0.00	71.16 12.67	3.86%
														4.37	1.33%
											0.60			2.61 2.46	0.79% 0.75%
											0.50			2.40	0.73%
											2.53			11.52 6.34	3.50% 1.93%
0.01														2.50	0.76%
0.05											0.82			13.66 13.01	4.16% 3.96%
2.07														8.23	2.50%
			1.88 3.77							0.34				2.53 6.28	0.77% 1.91%
			5.86							0.21		0.24		6.91	2.10%
			0.06				1.97			0.44				11.48 11.38	3.49% 3.46%
				1.94						0.44				1.94	0.59%
				2.49					0.65					2.49 4.54	0.76% 1.38%
2.13	0.00	0.00	11.57	4.42	0.00	0.00	1.97	0.00	0.65 0.65	0.98	3.96	0.24	0.00	114.62	1.36%
2.24	3.49	33.13	35.99	4.42	29.08	0.61	1.97	36.10	0.65	0.98	3.96	2.70	3.14		100.00%
U.68%	1.06%	10.08%	10.95%	1.35%	8.85%	0.19%	0.60%	10.98%	0.20%	0.30%	1.20%	0.82%	0.96%	100.00%	




Figure 3-2 Political Jurisdiction by percentage

Political jurisdiction regarding the Flint River and it's tributaries are controlled by federal and state laws, county and municipal ordinance, and municipal by-laws. Regulatory and enforcement responsibility for water quantity and quality is multi-layered. Within the Middle Flint River Watershed alone there are 27 Cities, Townships, and Villages and 3 counties. Of the 27 communities, only 18 are Phase 2 communities, and although the City of Flint is included in the Middle Flint River Watershed area calculations, it is a Phase I community.




Figure 3-3 Local Units of Government

DEMOGRAPHICS

The Middle Flint River Watershed population has grown in the last 15 years. Most of that growth has occurred along the major state road corridors. As the land is developed along these corridors the communities in these areas are experiencing large growth. Development has grown along the expressway corridors outward from the urban areas. Within the last 15 years the developed area along 75 and 23 has been moving south from Flint and north from Detroit and Ann Arbor within the Middle Flint Watershed. The largest population increase by percent has been along State Road (M-15).

Table 3-2 Population Changes

Community	1990 Population within watershed	2000 Population within watershed	% Change from 1990 - 2000	Area within watershed Square Miles
Atlas Township	3,818	4,990	30.7%	28.43
Brandon Township	6,941	8,503	22.5%	22.70
City of Burton	27,617	30,308	9.7%	23.22
Clayton Township	45	46	2.4%	0.31
City of Davison	5,693	5,536	-2.8%	1.92
Davison Township	14,671	17,238	20.8%	31.85
Elba Township	579	625	7.9%	3.89
City of Fenton	453	568	25.3%	0.30
Fenton Township	3,718	4,796	29.0%	12.15
Flint Township	10,228	10,115	-1.1%	7.83
Gaines Township	2,171	2,614	20.4%	14.93
Genesee Township	7,859	7,867	0.1%	7.04
Village of Goodrich	1,032	1,349	30.7%	2.24
City of Grand Blanc	7,760	8,242	6.2%	3.49
Grand Blanc Township	25,392	29,827	17.5%	33.13
Groveland Township	4,699	6,141	30.7%	35.99
Hadley Township	247	296	19.8%	4.42
Holly Township	2,998	3,400	13.4%	29.08
Village of Holly	1,147	1,258	9.7%	0.61
Independence Township	674	888	31.8%	1.97
Mundy Township	11,511	12,191	5.9%	36.10
Oregon Township	108	131	21.2%	0.65
Village of Ortonville	1,589	1,948	22.6%	0.98
Richfield Township	919	1,033	12.4%	3.96
Springfield Township	975	1,311	34.4%	2.70
City of Swartz Creek	3,682	3,873	5.2%	3.14
Total	146,526	165,094		

U.S. Census Bureau Data,

LAND USE AND GROWTH TRENDS

Land Cover – Past, Present and Future

Prior to European settlement of the area, vegetation of the Middle Flint Watershed consisted of forested land with Beech-Sugar Forest (sugar maple, basswood, red oak, and white ash) to the north and Oak-Hickory Forest (red oak, white oak, hickory) in the south of Genesee County and Oakland County. Isolated pockets of Mixed Oak Savannah are present in Grand Blanc and Groveland Townships. Black Oak Barren is predominant in the headwaters of the Kearsley Creek in Groveland, Brandon, Hadley and Atlas Townships. Swamp Forest are scattered throughout the watershed in depressed areas, but most of the deeper water bodies are located in the headwaters in the south half of the watershed.

When the first European explorers arrived in the Saginaw Valley, they found it populated by Chippewa and Ottawa Indians, with the Chippewas being more numerous (Ellis 1879). However, Chippewa history tells that when they came into the area the Sauks and Onottoways inhabited the valley.

When early French fur traders moved into the Flint River Valley, they established an encampment at a natural river crossing used by Native Americans. The Indian name for this river was Pewonigowink meaning "river of fire stone" or river of flint. The crossing was located on the "southern bend" of the Flint River on the "Saginaw Trail" that ran between villages at the outlet of Lake St. Clair (Detroit) and encampments at the mouth of the Saginaw River. It was located very near the mouth of the Swartz Creek. This crossing became known as the "Grand Traverse" or great crossing place. A permanent trading post was established when Jacob Smith arrived in 1819 (Crowe 1945).




Figure 3-4 Ecosystems, circa 1830s by percentage




Figure 3-5 Ecosystems, circa 1830s

The City of Flint grew up at the site of the "Grand Traverse" and the pioneer immigrants who were largely from the "Genesee Country" of Western New York, concentrated along the banks of the Flint River, taking up farming, lumbering, and manufacturing. Permanent human settlement brought great change to the landscape as the land began to be altered for human benefit.

In the 1830's, much of the County of Genesee, including most of the Middle Flint River Watershed, had been sectioned off and land sold, mostly in parcels of 80 to 200 acres. Much of this area was first logged for personal use and farming. Through the 1800's and most of the 1900's farming remained the predominant land use in the Middle Flint River.

Although Michigan was primarily an agricultural state, including much of Genesee County, before the Civil War, lumbering became the principal economic activity in the new state during the second half of the 19th century. Within Genesee County, the completion of the railroad in 1862 afforded practicable communication with outside markets; and this, with increased demand created by the great civil war, inaugurated for the lumber interests an era of prosperity from 1866 to 1873, such as they had never known before.

With a good supply of high quality lumber and the ability to move supplies from town to lumbering camps, it is not surprising that Flint became a center for transportation producing horses, horse harnesses, horse drawn vehicles and ox carts. By 1900, Flint was building 150,000 vehicles per year, both wagons and carts. As the pine forests were exhausted, Flint's attention turned to other industries and the transition to automobile manufacturing was natural (Crowe 1945). In 1903, Buick Motor Company began production of the Buick automobile. Under the business genius of Will Durant, formerly of Durant-Dort Carriage Company, Buick Motor Company convinced suppliers such as Champion Spark Plug Company, Weston-Mott (Axle) Company, and Fisher Body Company to relocate in Flint. Flint became the birthplace of General Motors and the United Auto Workers (UAW) union. Even today, Flint is often referred to as Buick City and its prosperity centered on the manufacture of automobiles.

After World War II, prosperity fostered population increase and diversifying communities. Gasoline was inexpensive, new highways were built, and General Motors, the UAW and Flint flourished. Outlying communities of Lapeer, Davison and Grand Blanc experienced growth and were desirable locations to live and work. Advancements in the gasoline engine allowed for increased agriculture and farming dominated watershed land use.

Presently the Middle Flint River Watershed is changing. A community, whose economic welfare traditionally was tied to the prosperity of General Motors, has had to seek economic stability through diversification. New businesses have become important and development of industrial properties to attract new business has been a challenge. More recently, the increased demand for new residential and small commercial development is being built alongside agriculture.

There is no consistent source for future land cover within the Middle Flint River Watershed. The Genesee County Land Bank has been compiling a comprehensive inventory of Master Plans and Ordinances for Municipalities within Genesee County. The inventory covers all ordinances including environmental. This can provide a resource to measure a community's ordinance for effectiveness against what other communities are doing. This inventory will be made available once it is complete.

Currently each Municipal Master Plan may have a future land use. It may be for ultimate build out or for a defined period of time. Currently there is no standardized method for classifying Current or Future Land Use among the Municipalities. Below is a list of Community Master Plans with future land use and when they were prepared. Each community has their master plan on file.

<u>1990</u>	<u>2002</u>	City of Swartz Creek
Village of Goodrich	Atlas Township	
C	City of Burton	<u>2005</u>
<u>1995</u>	City of Davison	Groveland Township
Richfield Township	Davison Township	·
•	Elba Township	<u>2005-2006</u>
<u>1997</u>	Fenton Township	Village of Holly
Mundy Township	City of Grand Blanc	Oregon Township
•	Springfield Township	
2001		<u>2007</u>
Genesee Township	2004	Gaines Township
Clayton Township	City of Fenton	·
	Grand Blanc Township	<u>2008</u>
	Hadley Township	Flint Township
	Holly Township	·




Figure 3-6 Current Land Covers








Figure 3-7 Current Land Cover by percentage

Current land use for Genesee and Oakland Counties was determined by using the assessment classification for each parcel of land. Open/ Undeveloped areas are undeveloped residential and commercial properties. Open water and recreation were merged with the parcel map and given their own classifications. In Genesee County the Recreational land was determined to be County/ Municipal Parks only, golf courses are considered developed property. It is unclear what was included in the recreational land layer supplied by Oakland County.

City of Flint is a NPDES Phase I community and was not included. Within the City of Flint boundaries, the land is largely developed with residential and some commercial. There are several City Parks spread throughout the populated areas. In the southwest corner of the City's boundary is Bishop Airport.

Current parcel information for Lapeer County was not available to determine land use. Based on 1998 aerials, Hadley Township within the Middle Flint River watershed is predominantly open area/ undeveloped with approximately 25% of the total area being agriculture. There is some residential, both large and small lot, but they are clustered around the lakes.

In Elba and Oregon Townships within the Middle Flint River watershed is predominantly agricultural with only 20% of the land undeveloped/ open, and that is concentrated to the north. There are several large residential parcels spread throughout the area, but most of the small residential parcels are clustered around Potter Lake and along Davison Road.

Urbanized Land Use

Within the Middle Flint River Watershed the largest increases to population within the watershed have been along the state road corridors. When comparing the individual communities current land uses to future land use, many areas that are current open areas or agriculture are classified in the future land use as residential or commercial. Many of the open/undeveloped areas in figure 3-7 are already zoned and assessed as residential or commercial but as of 2003, they have not been developed.

Agricultural Land Use

Around the edges of the Middle Flint River Watershed, the land becomes more agricultural. According to the USDA office the 2 predominant cash crops are corn and soybean. On a much smaller scale other cash crops within the watershed are hay, wheat, and small grains.

Based on Conversations with the local USDA office, of the 15 diary operations in Genesee County approximately 10 of them are within the Middle Flint. Most of the dairy farms have an average of 50-150 head with the largest operation being 250 head of cattle.

The census of agricultural data for the below table is based on the entire Flint River watershed. It is broken up by County. Although there is census data for Lapeer County it has not been included because, the Flint River Watershed encompasses over half of Lapeer County, but less than 9 mi² is located within the Middle Flint River Watershed. Within Oakland County the agricultural boundary lines follow the Middle Flint River watershed boundary and this information is very accurate. Within Genesee County the numbers below reflect the Upper, Middle and lower Flint River Watersheds combined. There are no known Concentrated Animal Feeding Operations (CAFO's) in the Middle Flint River Watershed.

Table 3-3 Livestock								
Subwatershed	Beef Cattle	Dairy Cattle	Swine	Sheep	Horse	Chicken	Turkey	Duck
Genesee	896	1535	2485	853	1828	166	47	18
Oakland	60	38	43	100	314	110	6	2

USDA Census of Agriculture 1997

Riparian Buffer

Studies of impervious cover impacts to surface waters indicate that one of the key variables influencing watershed response is the presence or absence of an intact (wooded) riparian corridor or buffer. These riparian buffers act as a filter for storm water entering the stream corridor though overland flow. The riparian buffers are able to reduce erosive water velocities; extract sediment, nutrients, and other contaminants; and allow additional storm water to be infiltrated into the soil.

The Conservation Reserve Enhancement Program (CREP) is a state program through the Michigan Department Of Agriculture. This program has stabilized over 400 acres of erodible soil within Genesee County. The CREP program seeks to improve water quality and wildlife habitat by bringing conservation practices onto agricultural land. Of the 400 acres half has been stabilized by installed buffer strips and the other half has stabilized highly erodible soil with steep slopes by a practice called solid field. Most of the 400 acres that has been entered into CREP has been in the north half of Genesee County and not within the Middle Flint River Watershed.

Currently Buffer strips along sensitive areas are recommended as a Best Management Practice (BMP), but there are no current requirements. Within the Action Plan in Chapter 8 there is an action item to draft a buffer strip ordinance.

Wetlands

Wetlands can play critical roles in flood storage, nutrient transformation, and water quality protection and, as part of a healthy riparian corridor, may dampen the effects of impervious cover within the watershed. Important wetland functions and values include:

- Flood prevention and temporary flood storage, allowing the water to be slowly released, evaporated, or percolate into the ground and recharging groundwater.
- Sediment capture and storage.
- Wildlife habitat for a wide diversity of plants, amphibians, reptiles, fish birds, mammals, and related recreational values.
- Water quality improvement by filtering pollutants out of water.
- The support of approximately 50 percent of Michigan's endangered or threatened species (Cwikiel, 2003).

Other than the National wetland Inventory maps or the Michigan Department of Environmental Quality (MDEQ) assessments, locally there are not any wetland inventories or assessments. The Drain Commissioner's Office has on file MDEQ permits and wetland assessments for individual development properties that have been submitted for review. This information has not been compiled.

Another action item that is being proposed is to identify existing floodplains and wetlands that will then be ranked for value. This would allow a mechanism to choose which areas need to be protected first.

As the below map shows, most of the wetlands are in the southern half and outer edges of the watershed. The wetlands on the below map were identified in the Wetland Inventory Map from 1979. By then much of the City of Flint and surrounding area had already been developed and the land had been altered.




Figure 3-8 Wetlands

CLIMATE AND TOPOGRAPHY

Table 3-4 Temperature & Precipitation

	Average	Average	Average	Record High	Record Low
	High	Low	Precipitation		
January	29°F	13°F	1.57 in	65°F (1950)	-25°F (1976)
February	32°F	15°F	1.35 in	63°F (1984)	-22°F (1967)
March	43°F	24°F	2.22 in	78°F (1990)	-12°F (1978)
April	56°F	35°F	3.13 in	87°F (1990)	6°F (1982)
May	69°F	45°F	2.74 in	93°F (1988)	22°F (1966)
June	78°F	55°F	3.07 in	101°F (1988)	33°F (1998)
July	82°F	59°F	3.17 in	101°F (1995)	40°F (1965)
August	80°F	57°F	3.43 in	98°F (1988)	37°F (1982)
September	72°F	49°F	3.76 in	97°F (1953)	26°F (1991)
October	60°F	39°F	2.34 in	89°F (1963)	19°F (1974)
November	46°F	30°F	2.65 in	79°F (1950)	-7°F (1949)
December	34°F	19°F	2.18 in	67°F (1982)	-12°F (1989)

The Middle Flint River Watershed is predominantly made up of gently rolling hills with relatively flat areas. The highest elevation is in Brandon Township at 1140 per the USGS 5' contour map. Most of the southern boundary within Oakland County is consistently near elevation 1100. As the watershed outlets to the Flint River, the elevations range from 725 to 710 and, as it leaves the City of Flint to the west, the lowest elevation is 690. Water erosion of the glacial formations produced the present landscape.


GEOLOGY AND SOILS

Several ice sheets advanced over Genesee County and retreated during the glacial period. The most recent ice sheet or glacier was during the Late Wisconsin glacial period, some 9,000 or more years ago. Several distinctive geological features were formed in Genesee County during this last period of glaciation. Soon after the southernmost part of Genesee County emerged from the retreating Saginaw ice lobe. the lobe halted and built the Fowler Moraine. This moraine starts in Lapeer County, continues southwesterly across Genesee County until it reaches the western part of Grand Blanc Township, and then turns west. Melt waters from the ice lobe were dammed up by the Portland Moraine, and following the path of least resistance, they flowed westward to form the Shiawassee River. This would be the southwest Border of the Middle Flint River Watershed. Masses of material known as glacial till were deposited from the melt off. Later the climate changed again, and the Saginaw lobe halted and built the Flint Moraine. This moraine is marked by a line running through Genesee, and Flint Townships and through the corner of Clayton and perhaps Gaines Townships. Creating the northwest border of the Middle Flint River Watershed. The Flint Moraine dammed up the water draining from the northeast and formed a large glacial lake that covered most of Burton, Mundy, Grand Blanc, Davison, and Richfield Townships. As the glaciers retreated, they left openings for lake waters to move northward. As a result, most drainage of the southern half of Genesee County, except for the Shiawassee River, comes to one point where the Flint River cuts through the Flint Moraine in the western part of the City of Flint.

Soil is produced by the action of soil-forming processes on materials deposited or accumulated by geological forces. The characteristics of a soil are determined by 1) the physical and mineral composition of the parent material; 2) the climate under which the soil material has accumulated and existed since accumulation; 3) the plant and animal life on and in the soil; 4) the relief or lay of the land; 5) the length of time the forces of soil development have acted on the soil material.

The Middle Flint River Watershed is made up of the below soils.

Figure 3-9 Hydrologic Soil Groups by percentage



BOYER-OAKVILLE-COHOCTAH (MI024)	1.1%
LENAWEE-TOLEDO-FULTON (MI008)	1.6%
SPINKS-HOUGHTON-BOYER (MI014)	12.6%
MARLETTE-CAPAC-PARKHILL (MI035)	11.1%
MIAMI-CONOVER-BROOKSTON (MI017)	20.6%
MIAMI-MARLETTE-LAPEER (MI016)	20.4%
MIAMI-SPINKS-OAKVILLE (MI015)	1.5%

CONOVER-BROOKSTON-PARKHILL (MI025) 25.2%

LENAWEE-DEL REY-KIBBIE (MI009) 5.9%

The USDA Natural Resources Conservation Service (Formerly the Soil Conservation Service) produced a soil survey for each county. The survey has classified and named the soils. Adjacent soils have been grouped into soil associations based on their landscape that has a distinctive proportional pattern of soils. These soil associations are useful for a general idea of what kinds of soils are present over a large area. Each soil has a corresponding hydraulic classification ranging from A-D and is referred to as hydraulic soil groups. The hydraulic soil groups are defined as:

A: (low runoff potential). Soils having high infiltration rate even when thoroughly wetted and consisting chiefly of deep, well to excessively drained soils with moderately fine to moderately coarse texture.

B: Soils having a moderate infiltration rate when thoroughly wetted and consisting chiefly of moderately deep to deep, moderately well to well drained soils with moderately fine to moderately coarse texture.

C: Soils having a slow infiltration rate when thoroughly wetted and consisting chiefly of soils with a layer that impedes downward movement of water or soils with moderately fine to fine textures.

D: (High Runoff potential). Soils having a very slow infiltration rate when thoroughly wetted and consisting chiefly of clay soils with a high swelling potential, soils with a permanent high water table, soils with a clay pan or clay layer at or near the surface, and shallow soils over nearly impervious material.

HYDROLOGY

The Middle Flint River Watershed contains 745 lakes, covering approximately 4235 acres and more than 406 miles of rivers and drains. Of the larger water courses that have base flow all year long there is the West Branch of the Swartz Creek, Swartz Creek, Thread Creek, Gilkey Creek, Kearsley Creek & its branch called the Black Creek. All these watercourses flow into a 7.5 mi stretch of the Flint River that flows through the City of Flint. Refer to Figure 3-11. Each of these watercourses is fed through a series of swales, road ditches and county drains. Many of the smaller drains and watercourses have intermittent flow and are dry most of the time. Many of the watercourses have been dedicated as county drains over the years and have had maintenance done on them. As areas are developed, it is common for enclosures to be placed to cross the drain watercourse or sometimes relocations are made. Some of the drains that have been petitioned for are entirely man made, meaning a ditch may be constructed where one did not exist before or a new storm system is placed in pipes. Historically since large areas of the Middle Flint River Watershed were agricultural there are many unmapped private farm tiles that drain low areas within the watershed.

The USGS has 3 stream gages within the watershed. Two are in the City of Burton for the Kearsley Creek and the Thread Creek. Within the City of Flint there is the Swartz Creek gage. Details on theses gauges are located in Chapter 4. When reviewing the flows from a Flint River gage located downstream of the City of Flint there were some dramatic flow changes. (Flow data reviewed from 2001) On several occasions a rapid increase in flow was recorded in the Flint River. The flow increase was compared to nearby rain gage data located upstream of the stream gage. During times where there were 3 or more days of no rain followed by a quick 0.5-inch rain event this resulted in a rapid increase of flow. For example the flow went from 401cfs on April 5, 2001 to 1450 cfs on April 6, 2001. In May the flow went from 420cfs to 1360cfs in 1 day under similar conditions. In June of the same year the flow went from 1180cfs to 2030cfs for a 0.8-

inch rain event. The Flint River has doubled or tripled its flow very quickly in response to what are relatively small rain events. This is called flashiness. This is a problem because stream flow is linked to and regulates ecological integrity. Changes in stream flows and flow regimes limit and sometimes eliminate many aquatic species within a stream system. Flow stability is critical to support balanced diverse fish communities and is an important component of habitat suitability.

There are four characteristics to hydrology, which become important for a watershed plan: volume, peak flow, time to peak (flashiness), and frequency of flows (particularly bankfull conditions). Development typically increases the volume, the peak, and the frequency and decreases the time to peak.

Development in a watershed changes the hydraulic characteristics. Urbanization tends to fill in low areas, that previously provided storage and pave over pervious areas, that had provided infiltration into the soil. Less flow is available to recharge ground water. Storm sewer pipe systems along with curb and gutter speed up how fast the water is concentrated and transported to the outlet. These activities change the four characteristics to hydrology. Volume and the peak flow are increased. The time to peak occurs quicker. And smaller rain events produce a larger frequency of flows. In addition, channels experience more bankfull flood events each year and are exposed to critical erosive velocities for longer intervals.

The physical, chemical, and biological integrity of a given stream system has been shown to be strongly correlated to the amount of impervious cover (the area covered by rooftops, streets, parking facilities, and other hard surfaces) in the subbasin or watershed (Schueler, 1994). Imperviousness appears to be one of the principal indicators of watershed "health," and analysis of stream systems across the country seems to indicate that there are thresholds at which watershed imperviousness results in degradation of water quality and physical stream processes.

The conversion of natural landscapes (i.e. farmland, forests, and wetlands) into urban landscapes creates a layer of impervious surface. Urbanization has a significant impact on hydrology, morphology, water quality and ecology of surface waters. The amount of impervious cover in a watershed can be used as an indicator to predict how severe differences are in character of urban watersheds and natural watersheds.

In natural settings, there is very little runoff, with most of the rainfall being filtered by the soils, and supplying deep-water aquifers. In urbanized areas, however, less and less rainfall is infiltrated, and as a result, less water is available to streams. Additional changes in urban streams due to increased impervious cover includes enlarged channels, upstream channel erosion contributing greater sediment load to the stream, in stream habitat structure degrades and declining water quality.

"Even small increases in impervious change stream morphology and degradation of aquatic habitat. The relationship between impervious cover and Subwatershed quality can be predicted by a simple model, projecting current and future quality of streams and other water resources." (CWP)




Figure 3-10 Effect of urbanization on runoff Source: FISRWG, 1998

Research indicates that zones of stream quality exist, most noticeably beginning around 10% impervious cover, with a second threshold appearing at around 25-30% impervious These thresholds are powerfully modeled in The Impervious Cover Model, classifying streams into three categories, sensitive, impacted, and non-supporting. Watersheds with less than 10 percent imperviousness appear to exhibit natural chemical, physical, and biological quality. Between 10 and 25 percent imperviousness river systems show signs of degradation. Beyond 25 percent imperviousness, the damage to physical, chemical, and biological integrity may be irreversible It Impervious Cover Model, a powerful model is important to understand the predicting quality of streams based on impervious cover change, is not without its limitations. (Schueler, 1994).




Figure 3-11 Point Sources

POINT SOURCES OF POTENTIAL POLLUTANTS

Table 3-5 Point Sources (in Appendix "A")

SEWER AND SEPTIC SYSTEM SERVICE AREAS

Wastewater is dealt with by either a system of sanitary sewers leading to a wastewater treatment plant or by on-site sewage disposal systems (OSDS). On-site sewage disposal systems typically include a septic tank and an absorption field. OSDS typically serve single-family residences in less urbanized settings, although community septic systems are becoming more common in newer developments. The Sewer Service Areas Map Figure 3-11 depicts the areas within the watershed that currently have access to sanitary sewers.

Within Genesee County the sanitary sewer systems has been predominantly constructed since 1960's. This system has been extended into Oakland County to serve isolated developments, and also has been extended into Lapeer County around Potter Lake to help correct high e-coli levels from failed septic systems. The only other sanitary system within the Middle Flint River Watershed is operated by the Village of Holly has their own sanitary system.

If properly designed, constructed and maintained, both OSDS and sanitary sewers can provide for disposal of sewage in a safe and environmentally responsible manner. If either type of system fails, inadequately treated sewage can be a threat to aquatic ecosystems and human health due to harmful bacteria and excess nutrients. Along with regulation, education is often considered central to addressing potential issues with OSDS. Owners, particularly those moving from areas with sanitary sewers to those with OSDS, often have limited understanding of the functioning and maintenance of OSDS. This lack of knowledge can lead to poor function and premature failure, leading to contamination of the ground and surface waters. Several action items in chapter 8 have been proposed to address both sanitary and OSDS.

The installation and maintenance of septic systems within the watershed are regulated by the Health Departments of each County; however there is no system currently in place to monitor the functioning and maintenance of these systems following installation. A solution is proposed in section 8.




Figure 3-12 Sewer Service Areas

SIGNIFICANT NATURAL FEATURES TO BE PROTECTED

Michigan has a number of significant natural features located across the State. These natural features can provide a number of public benefits, which may include recreation, bird watching, hunting, fishing, camping, hiking, off-roading, and water sports. These areas also include critical habitat for different species of plants, mammals, amphibians, reptiles, birds, fish, and macroinvertebrates.

The Michigan Department of Natural Resources provides information on threatened and endangered species in Michigan by watershed. This work is coordinated by the Michigan Natural Features Inventory.

A species is classified as **endangered** if it is near extinction throughout all or a significant portion of its range in Michigan.

A species is **threatened** if it is likely to become classified as endangered within the foreseeable future, throughout all or a significant portion of its range in Michigan.

A species is of **special concern** if it is extremely uncommon in Michigan or if it has a unique or highly specific habitat requirement and deserves careful monitoring of its status. A species on the edge or periphery of its range that is not listed as threatened may be included in this category along with any species that was once threatened or endangered but now has an increasing or protected, stable population.

A species is **extinct** if it can no longer be found anywhere in the world. An **extirpated** species is one, which doesn't exist in Michigan, but can be found elsewhere in the world.

A species is **stable** if it is not included in the above categories and the population is not declining drastically. A stable species is breeding and reproducing well enough to maintain current population in a given area.

A review of the Michigan Natural Features Inventory did not show any occurrence of species of plants or animals, which are listed as threatened, endangered, or of special concern within the Middle Flint River Watershed. Table 3-6 shows the species of plants and animals, which are listed as threatened, endangered, or of special concern. Since the watershed has experienced urbanization and population growth, certain types of land are less common than in the past. In order to protect these areas and species, sensitive areas in the watershed have been identified.

Threatened and endangered species information was taken from the Michigan Natural Features Inventory. Those animals/plants listed above are within the Middle Flint River Watershed. Most of the above animals/plants are found in southern Genesee and Oakland Counties.




Figure 3-13 Natural Features Area(s)

Table 3-6 Threatened and Endangered Species

Scientific Name	Common Name	Federal	State
		Status	Status
Astragalus neglectus	Cooper's Milk-vetch		SC
Buteo lineatus	Red-shouldered Hawk		T
Calephelis mutica	Swamp Metalmark		SC
Carex lupuliformis	False Hop Sedge		T
Carex richardsonii	Richardson's Sedge		SC
Cypripedium candidum	White Lady-slipper		T
Emys blandingii	Blanding's Turtle		SC
Falco peregrinus	Peregrine Falcon		Е
Flexamia huroni	Huron River Leafhopper		SC
Isotria verticillata	Whorled Pogonia		T
Jeffersonia diphylla	Twinleaf		SC
Linum sulcatum	Furrowed Flax		SC
Muhlenbergia richardsonis	Mat Muhly		T
Oarisma poweshiek	Poweshiek Skipperling		T
Panicum microcarpon	Small-fruited Panic-grass		SC
Platanthera ciliaris	Orange or Yellow Fringed Orchid		T
Platanthera leucophaea	Prairie Fringed Orchid	LT	Е
Potamogeton vaseyi	Vasey's Pondweed		T
Scirpus torreyi	Torrey's Bulrush		SC
Sistrurus catenatus catenatus	Eastern Massasauga	C	SC
Wilsonia citrina	Hooded Warbler		SC

(Source: Michigan Natural Features Inventory)

Key: SC = Special Concern E = Endangered T = Threatened PE = Proposed Endangered C2/C3 = Candidate

Page 32 Middle Flint Watershed M	lanagement Plan

SECTION 4 - Water quality indicators

RIVERINE HABITAT STUDIES

Fisheries Studies

The original fish communities of the Great Lakes region are of recent origin. Melt water from the Wisconsinan glacier created aquatic environments for fish. Original fish gained access through migration from connecting waterways. A description of the fish community in the Flint River Watershed at the time of European settlement (early 1800's) is not available. However anecdotal accounts of the time mention several species. Surveys on the Flint River and several tributaries in 1927 provide a reasonable account for additional indigenous fish species (MDNR, Fishery Division). Seventy-seven species are believed to indigenous to the Flint River Watershed. The Original fish habitat of the Flint River watershed has been greatly altered by human settlement. The 1900's gave rise to the industrial era and the urbanization of the Flint River watershed. City's and towns located near the river became more developed as their population increased. The discharge of human wastes and synthetic pollutants into the river degraded water quality to the extent that only the most tolerant fish species could survive. Dams were built for flood control, flow augmentation, and water supply to municipalities and industry. The biologic communities in the Flint River and its tributaries have improved significantly since the 1970's with water quality improvements. Continued efforts to improve water quality will most probably result in greater biological integrity. Although 77 species of fish remain present, at least 5 fish species that once used the Flint River for spawning (lake sturgeon, muskellunge, lake trout, lake herring, lake whitefish) are believed extirpated from the river. The status of 8 other fish species remains unknown. Present day biological communities must adapt to human alteration of the watershed. The geological and hydrological characteristics of the watershed and the development of an extensive drainage system result in an unstable flow and reduce habitat and only biological communities that can adapt will persist. Management options are available to minimize stream degradation and preserve biological integrity.

Fish communities have been altered through intentional and inadvertent introduction of exotic species. Fish stockings by the MDNR, Fisheries Division has focused on improving recreational fishing opportunities. In the early 1920's, many headwaters tributaries were stocked with brook trout. Although brook trout are indigenous to Michigan, no evidence exists to suggest they were native to the Flint River. Brown trout stocking in the Kearsley and Thread Creeks continue as successful recreational fishery programs. No other non-indigenous species introduction has altered or affected the Flint River watershed fish communities like the common carp. This exotic was first introduced into Michigan waters in 1885 and spread rapidly.

Advisories to limit the consumption of certain fish species and sizes (fish contaminant advisories [FCAs]) have been published by MDEQ and the Michigan Department of Community Health for portions of the Flint River and the Thread Creek. All inland lakes, reservoirs, and impoundments within the State of Michigan are also under a fish advisory for mercury contamination. The latter is a general advisory applied to all inland

lakes in Michigan since not all inland lakes, reservoirs, and impoundments have been tested or monitored. Table 4-1 lists the FCAs published for watershed.

Table 4-1 Fish Advisory Information

Water Body	Location	Fish Species	Restricted Population	Restriction
Flint River	Holloway Reservoir	Channel Catfish	Women and children	One meal per month
Thread Creek	Thread Lake	Carp	General population	One meal per week
			Women and children	<14 inches - One meal per month
			Women and children	14-22 inches – 6 meals per year
Flint River	Downstream of City of Flint	Carp	Women and children	<30 inches - One meal per month
All inland lakes, reservoirs, and	Entire watershed	Crappie	General population	8-22inches - One meal per week
impoundments			Women and children	8-22 inches - One meal per month
All inland lakes, reservoirs, and	Entire watershed	Largemouth and Smallmouth	General population	14-30+ inches - One meal per week
impoundments		Bass	Women and children	14-30+ inches - One meal per month
All inland lakes, reservoirs, and	Entire watershed	Muskellunge	General population	30+ inches - One meal per week
impoundments			Women and children	30+ inches - One meal per month
All inland lakes, reservoirs, and	Entire watershed	Northern Pike	General population	22-30+inches - One meal per month
impoundments			Women and children	22-30+ inches - One meal per month
All inland lakes, reservoirs, and	Entire watershed	Rock Bass	General population	8-18 inches - One meal per week
impoundments			Women and children	8-18 inches - One meal per month
All inland lakes, reservoirs, and	Entire watershed	Walleye	General population	14-30+ inches - One meal per week
impoundments			Women and children	14-30+ inches - One meal per month
All inland lakes, reservoirs, and	Entire watershed	Yellow Perch	General population	8-18 inches - One meal per week
impoundments			Women and children	8-18 inches - One meal per month

^{*} Michigan Department of Community Health, 2001. Michigan 2001 Fish Advisory., Michigan 2001 Flint River Assessment

Macroinvertebrate Studies

In the spring of 1999 the Flint River Watershed Coalition (FRWC) and the Center for Applied Environmental Research (CAER) at UM-Flint established a twice-yearly volunteer monitoring program for the Flint River watershed. The program was funded originally by a grant from MDEQ. Benthic monitoring assesses the quality of the Flint River watershed and educates the public. The volunteer monitoring program uses trained volunteers to gather information about the relative health of the areas stream and rivers. In the past five years over 100 volunteer monitors have participated in the program. The volunteers have helped to build awareness of pollution problems, been trained in pollution prevention, provided valuable data for waters that may otherwise be unassessed, and increased the amount of water quality information available to citizens and decision makers. The data collected thus far has been used to characterize various watersheds, screen for water quality problems, and measure existing conditions and trends.

The major element of the program is the collection and analyzing of benthic macroinvertebrates at 30 locations across the whole Flint River Watershed, 8 of those sites are within the Middle Flint River Watershed. Invertebrates are valuable subjects for water quality studies because they stay put. They are not very mobile and unlike fish they cannot move to avoid pollution. Using these creatures to identify water quality conditions is based on the fact that every species has a certain range of physical and chemical conditions in which it can survive. The kinds of benthic invertebrates living in a stream indicate conditions within the stream because they cannot migrate to a different location if conditions are not conducive to survival. Some organisms can survive in a wide range of conditions and are more tolerant of pollution, and so are labeled "tolerant". Other species are very sensitive to changes in conditions and are "intolerant" of pollution. These are labeled "sensitive". The presence of tolerant organisms and few or no sensitive organisms indicates the presence of pollution, because pollution tends to reduce the number of species in a community by eliminating the organisms that are sensitive to changes in water quality.




Figure 4-1 Flint River Watershed

Table 4-2 Benthic Monitoring Results

				ing Resul			
Site/Location	Jun 1999	Sep 1999	May 2000	Oct 2000	Apr 2001	Oct 2001	Apr 2002
Brent Run	43.3	38.6	31.8	33.4	33.6	38.6	38.1
Montrose Twp	Good	Good	Fair	Fair	Fair	Good	Good
Brent Run Headwaters Mt. Morris Twp	N/M	20.2 Fair	17.2 Poor	10.2 Poor	N/M	N/M	N/M
Butternut Creek Genesee Twp	31.5 Fair	10.5 Poor	39.4 Good	N/M	39.9 Good	49.4 Excellent	26.6 Fair
Butternut Creek, Headwaters Forest Twp	N/M	N/M	42.8 Good	N/M	47.9 Good	34.7 Good	49.2 Excellent
Flint River, Flushing Twp	N/M	34.8 Good	26.0 Fair	N/M	27.5 Fair	N/M	29.5 Fair
Flint River, Richfield Twp	41.1 Good	41.6 Good	43.0 Good	22.4 Fair	16.5 Poor	29.9 Fair	26.5 Fair
Gilkey Creek City of Flint	29.5 Fair	11.2 Poor	13.3 Poor	18.8 Poor	5.1 Poor	15.3 Poor	9.5 Poor
Gilkey Creek Headwaters Burton Twp	N/M	N/M	N/M	N/M	N/M	N/M	N/M
Kearsley Creek Burton Twp	23.5 Fair	36.5 Good	N/M	N/M	23.2 Fair	N/M	42.0 Good
Kearsley Creek Headwaters Atlas Twp	N/M	21.2 Fair	10.1 Poor	32.6 Fair	40.8 Good	43.5 Good	49.7 Excellent
Misteguay Creek Headwaters Clayton Twp	N/M	32.0 Fair	40.0 Good	N/M	N/M	N/M	N/M
Pine Run Headwaters Vienna Twp	N/M	22.7 Fair	39.5 Good	N/M	N/M	N/M	N/M
Swartz Creek Flint Twp	26.9 Fair	5.1 Poor	11.3 Poor	41.5 Good	15.0 Poor	10.2 Poor	11.2 Poor
Swartz Creek Headwaters Fenton Twp	N/M	30.4 Fair	25.7 Fair	51.0 Excellent	N/M	N/M	N/M
Thread Creek Burton Twp	23.2 Fair	33.4 Fair	11.2 Poor	N/M	24.3 Fair	28.3 Fair	37.5 Good
Thread Creek Headwaters Grand Blanc Twp	N/M	41.7 Good	44.1 Good	46.8 Good	40.8 Good	37.3 Good	48.8 Excellent

Oct 2002	Apr 2003	Oct 2003	Apr 2004	Oct 2004	Apr 2005	Oct 2005	Apr 2006
53.0 Excellent	28.8 Fair	10.1 Poor	N/M	N/M	31.9 Fair	30.3 Fair	35.3 Good
N/M	N/M	N/M	4.3 Poor	N/M	30.1 Fair	N/M	26.7 Fair
45.0 Good	40.5 Good	45.0 Good	33.4 Fair	38.0 Good	40.2 Good	35.5 Good	36.3 Good
24.8 Fair	43.4 Good	31.0 Fair	38.2 Good	46.4 Good	45.5 Good	51.6 Excellent	60.9 Excellent
N/M	40.1 Good	24.5 Fair	26.8 Fair	40.0 Good	34.1 Good	N/M	27.2 Fair
N/M	28.2 Fair	24.7 Fair	26.3 Fair	N/M	23.4 Fair	N/M	N/M
23.8 Fair	11.3 Poor	4.4 Poor	16.4 Poor	N/M	15.6 Poor	17.5 Poor	19.4 Fair
24.5 Fair	N/M	30.9 Fair	N/M	35.8 Good	44.2 Good	N/M	34.8 Good
43.2 Good	54.0 Excellent	N/M	32.1 Fair	N/M	17.2 Poor	N/M	35.2 Good
18.1 Poor	N/M	31.2 Fair	N/M	N/M	26.4 Fair	N/M	N/M
N/M	N/M	N/M	35.5 Good	27.0 Fair	30.1 Fair	N/M	15.4 Poor
N/M	18.1 Poor	N/M	35.7 Good	N/M	19.3 Fair	N/M	25.6 Fair
18.5 Poor	30.8 Fair	N/M	9.4 Poor	N/M	40.6 Good	N/M	31.7 Fair
11.3 Poor	18.4 Poor	N/M	33.6 Fair	N/M	N/M	30.4 Fair	30.4 Fair
33.4 Fair	19.4 Fair	17.2 Poor	23.4 Fair	N/M	19.3 Fair	24.1 Fair	12.2 Poor
N/M	37.8 Good	21.2 Fair	31.5 Fair	N/M	22.2 Fair	N/M	40.0 Good

Source: Flint River Watershed Coalition N/M: Not Monitored

Water testing with Project GREEN

Global Rivers Environmental Education Network (GREEN) is a curriculum based, mentored program designed to propose solutions to local environmental problems using water quality testing. This project has been in existence for fourteen years in Genesee County under the direction of the Genesee County Intermediate School District (GISD). In late 2003 the Flint River Watershed Coalition was approached by Earth Force Green and General Motors to be the coordinator of the GREEN in the Flint River Watershed. FRWC was identified as the primary organization that could help improve program participation and effectiveness because of its focus on water quality monitoring and environmental education. The FRWC Board of Directors has endorsed this vision and has agreed to take full administrative control over the next two years. In 2004 the Genesee County Drain Office on behalf of the Phase II program partnered with the FRWC with funding and mentors. In the spring of 2005 and 2006, Hundereds of students had a combination of class time and field experience on the local rivers. The students learned about water quality and testing procedures and went to various sites on the Flint River and tributaries to take water samples for the following indicators.

- Dissolved Oxygen
- Nitrates
- PH
- Fecal Coliform

- Temperature
- Total Solids
- Turbidity
- Total Phosphorus

By testing for the above indicators the students can compare the results to the "norm" and draw conclusions on the health of the water. Chemical testing is a snapshot of water health, and the results should not be taken alone. By using chemical testing and other water quality indicators such as benthic monitoring or photo/ physical observations, changes to the water can be shown.

Although the data has not compiled at this time within Genesee County there was 16 school (24 teachers) and hundreds of students that had the opportunity to participate.

E. Coli Water Sampling (Health Department or Local Agencies)

The following language from the Michigan Water Quality Standards regulates the allowable limits of *E. coli* bacteria in surface waters of the State:

"R 323.1062 Microorganisms.

Rule 62. (1) All waters of the state protected for total body contact recreation shall not contain more than 130 Escherichia coli (E. coli) per 100 milliliters, as a 30-day geometric mean. Compliance shall be based on the geometric mean of all individual samples taken during 5 or more sampling events representatively spread over a 30-day period. Each sampling event shall consist of 3 or more samples taken at representative locations within a defined sampling area. At no time shall the waters of the state protected for total body contact recreation contain more than a maximum of 300 E. coli per 100 milliliters. Compliance shall be based on the geometric mean of 3 or more samples taken during the same sampling event at representative locations within a defined sampling area.

(2) All waters of the state protected for partial body contact recreation shall not contain more than a maximum of 1,000 E. coli per 100 milliliters. Compliance shall be based on the geometric mean of 3 or more samples, taken during the same sampling event, at representative locations within a defined sampling area."

The Genesee County Health Department performs Weekly e. coli test from May through September on the following water bodies within the Middle Flint River Watershed:

Thread Creek Potter Lake
Kearsley Creek Lake Helena
Lake Linda Lake Shinagaug

Genesee County Health Department Surface Water Sampling Locations




Figure 4-2 E. Coli Test Sites Within Genesee County

WATER CHEMISTRY AND HYDROLOGY STUDIES

Table 4-3 Michigan Section 303d TMDL Water Bodies

Water Body	Observations and Conditions	Pollutants	Suspected Pollution Source	Expected TMDL Date
Burdick Drain	Water tests	Pathogens Rule 100	Untreated sewage discharge	2004
Flint River	Water tests	FCA-PCB's	Historic	2010
Heron Lake	Fish Tissue	Mercury		2011
Potters Lake	Water tests	Pathogens Rule 100	Untreated sewage discharge	2004
Thread Creek	Water tests	FCA-PCB's	Historic	2010
Thread Creek & Thread Lake	Water tests	FCA-PCB's	Historic	2005

USGS Monitoring

There are 3 USGS stream gages within the Middle Flint River Watershed.

04148140 KEARSLEY CREEK	NE1/4 sec.12 City of Burton	October 1965 to current year.
04148300 SWARTZ CREEK	NW 1/4 sec. 26 City of Flint	January 1970 to December 1983 (operated as a continuous- record gauging station), October 1990 to current year operated as a crest-stage partial-record station.
04148440 THREAD CREEK	SE1/4 sec.28 City of Burton	January 1970 to December 1983 operated as a continuous-record gaging station, October 1990 to current year operated as a crest-stage gage partial-record station.

POLLUTANT LOAD ANALYSIS

The pollutant load analysis was conducted utilizing the Environmental Protection Agency's Spreadsheet Tool for Estimating Pollutant Loads (STEPL). Phosphorus, 5-day Biological Oxygen Demand (BOD), and sediment loadings were all calculated on a subwatershed basis, using this program. The methods used to calculate urban loadings of phosphorus, sediment, and BOD primarily utilized the runoff volume and land use specific pollutant concentrations for each Subwatershed to provide an average annual loading. Agricultural sediment calculations utilized the universal soil loss equation (USLE), widely used to calculate average annual soil losses from sheet and rill erosion (EPA, 2004). Phosphorus and BOD were calculated for agricultural areas by multiplying the soil load by a pollutant concentration for nutrients in the sediment. Graphical results of these calculations are presented in Figure 4-3 through Figure 4-5 and numerically in **Error! Reference source not found.** In **Error! Reference source not found.** the top five unit area loadings are highlighted in yellow with the number one loadings bolded.




Figure 4-3 Phosphorus Pollutant Load

.




Figure 4-4 BOD Pollutant Load




Figure 4-5 Sediment Pollutant Load

SECTION 5 - COMMUNITY OUTREACH

PUBLIC PARTICIPATION PROCESS

The Public Participation Plan (PPP) submitted on March 1, 2004 outlined the roles of the steering committee, stakeholder groups, and the general public in developing the watershed management plan and how the information would be used during the decision-making process.

The goal of the PPP was to effectively involve stakeholders and the public throughout the watershed management planning process so that they contribute during the process and understand the plan recommendations to gain support for implementation. Key stakeholders in the watershed were identified. Materials for stakeholders to use, to educate their constituents was developed. Lastly, the plan sought to obtain useful, measurable social feedback information throughout the public participation process.

One criteria was that the Public Participation Process needed to be flexible to allow for changes along the way. Obtaining sufficient public input on watershed projects takes creativity, persistence, and commitment. While the PPP for this watershed outlines specific activities that were to be completed, the activities were modified as needed to improve public participation.

The following list summarizes the main venues in which public involvement will be sought.

- Public Briefing
- Stakeholder Workshops
- Focus Groups
- Report to Municipal Officials

There have been 5 **stakeholder meetings** for the Middle Flint River Watershed. One meeting was used for a **focus group** with the superintendents of the school districts to discuss nested jurisdiction. Attendance has been very good for all the stakeholder meetings. Concurrently 4 **public meetings** were held. Due to the poor attendance to the public meetings, the workgroup for the Middle Flint decided to use a survey to solicit public opinion. A citizen survey was developed based on a survey done in the Anchor Bay Watershed. The Survey was mailed to 600 residents, 450 of those were riparian landowners and was limited to residential properties. 73 residents responded to the survey. Below are the survey results and public comments. The reports to the municipal officials have not been done at this time. Part of reporting to the **Municipal officials** was education. The Public Education survey was recently given to the elected and appointed municipal officials. This was to determine what their educational needs were. It is planned to go out to the Municipalities within the upcoming months. Updates have been developed to discuss what all the workgroups and subcommittees are doing.

Responces to Survey

25

Middle Flint Survey Results **Kearsley Creek** with 1 being most important and 5 being the least important:

Did not rank

Rank the following goals with a score of 1 to 5,	-	2
Remove paper/trash/debris in the river and tributaries to improve its appearance	9 2	2
Better control soil erosion and limit sediments entering the water.	2	9
Improve habitat conditions for fish and wildlife in the water	9	2 9
Minimize excessive flows that cause flooding, bank erosion and habitat loss	8	4
Encourage investments in land along water for recreation/wildlife protection	2	5 4
Expand public education about the benefits of protecting the MFRW	4	4 4
Better control sources of fertilizer reaching the Watershed & the Great Lakes	7	7 5
Remove sources of human waste in the Watershed that threaten public health	14 3	3
Protect the quality and accessibility of drinking water (wells)	12	4
	L	C

Are there any other goals that you feel should be included in this list? Please indicate any additional goals you would Ŋ Increase community planning to address development & protection of water qual

What issues concerning the management of the Middle Flint River Watershed are most important to you?

like to see added. How would you rank them from 1 (most important) to 5 (least important)?

What is the single most important improvement to the Watershed and its tributaries that you would like to see? How I can volunteer to help restore Watershed How homeowners can help prevent pollution Other What types of information about the Middle Flint Watershed interest you most? (Check as many as apply) How businesses can prevent pollution

Which of the following is the best approach to keep you informed regarding the progress in developing a plan to restore the Middle Flint River Watershed?

Parks and public recreation areas

Fish and wildlife Bacteria levels Nater quality

Public meetings/workshops Newspaper articles Cable TV Web page

Direct mailings to your home or business Community newsletters Other (specify), EMAIL

Page 44 Middle Flint Watershed Management Plan

Responces to Survey

Middle Flint Survey Results Thread Creek with 1 being most important and 5 being the least important:

5 Did not rank

Rank the following goals with a score of 1 to 5.	-	1 2 3	, E	•
Remove paper/trash/debris in the river and tributaries to improve its appearance	9	6 1 5	ည	
Better control soil erosion and limit sediments entering the water.	-	1 6 5	ഹ	
Improve habitat conditions for fish and wildlife in the water	4	4 3 1	-	
Minimize excessive flows that cause flooding, bank erosion and habitat loss	2	2 5 5	ß	
Encourage investments in land along water for recreation/wildlife protection	~ -0	1 2 4	4	
Expand public education about the benefits of protecting the MFRW	2	2 4 5	2	
Better control sources of fertilizer reaching the Watershed & the Great Lakes	2	2 6 2	2	
Remove sources of human waste in the Watershed that threaten public health	10	-		
Protect the quality and accessibility of drinking water (wells)	6	7		
Increase community planning to address development & protection of water qual	က	3 5 3	က	ı

Are there any other goals that you feel should be included in this list? Please indicate any additional goals you would ike to see added. How would you rank them from 1 (most important) to 5 (least important)?

What issues concerning the management of the Middle Flint River Watershed are most important to you?

What is the single most important improvement to the Watershed and its tributaries that you would like to see?

How I can volunteer to help restore Watershed How homeowners can help prevent pollution Other What types of information about the Middle Flint Watershed interest you most? (Check as many as apply) insect control How businesses can prevent pollution Parks and public recreation areas Fish and wildlife Bacteria levels Water quality

Which of the following is the best approach to keep you informed regarding the progress in developing a plan to restore the Middle Flint River Watershed?

Stream bank restoration

Public meetings/workshops
Newspaper articles
Cable TV
Web page

10 Direct mailings to your home or business
3 Community newsletters
2 Other (specify)

10

4

Responces to Survey

Middle Flint Survey Results Swartz Creek

with 1 being most important and 5 being the least important:

Increase community planning to address development & protection of water qual Remove paper/trash/debris in the river and tributaries to improve its appearance Remove sources of human waste in the Watershed that threaten public health Better control sources of fertilizer reaching the Watershed & the Great Lakes Minimize excessive flows that cause flooding, bank erosion and habitat loss Encourage investments in land along water for recreation/wildlife protection Expand public education about the benefits of protecting the MFRW Better control soil erosion and limit sediments entering the water. Protect the quality and accessibility of drinking water (wells) Improve habitat conditions for fish and wildlife in the water Rank the following goals with a score of 1 to 5,

Did not rank										
'n	7		-		က	7	τ-			-
4		-	က	-	ന	-			-	
က	က	4	က	S	4	ις.	က			4
7	<u>. </u>	က	9	က	ന	7	5		•	۳
•	ھ	9	2	9	-	4	Ŋ	16	16	ιζ
		3		BB 88	is e	tic .	ē		8 9	ŀ

Are there any other goals that you feel should be included in this list? Please indicate any additional goals you would like to see added. How would you rank them from 1 (most important) to 5 (least important)?

What issues concerning the management of the Middle Flint River Watershed are most important to you?

What is the single most important improvement to the Watershed and its tributaries that you would like to see?

How I can volunteer to help restore Watershed What types of information about the Middle Flint Watershed interest you most? (Check as many as apply) How businesses can prevent pollution

Parks and public recreation areas

Fish and wildlife Bacteria levels Water quality

Public meetings/workshops Newspaper articles

Web page

Which of the following is the best approach to keep you informed regarding the progress in developing a plan to restore the Middle Flint River Watershed? How homeowners can help prevent pollution

Direct mailings to your home or business

Community newsletters Other (specify)

Page 46 Middle Flint Watershed Management Plan Responces to Survey

with 1 being most important and 5 being the least important:

13

Middle Flint Survey Results Random Sampling

Remove paper/trash/debris in the river and tributaries to improve its appearance Minimize excessive flows that cause flooding, bank erosion and habitat loss Encourage investments in land along water for recreation/wildlife protection Better control soil erosion and limit sediments entering the water. Improve habitat conditions for fish and wildlife in the water Rank the following goals with a score of 1 to 5,

Increase community planning to address development & protection of water qual Remove sources of human waste in the Watershed that threaten public health Better control sources of fertilizer reaching the Watershed & the Great Lakes Expand public education about the benefits of protecting the MFRW Protect the quality and accessibility of drinking water (wells)

Did not rank		~	,	,-	·		.	•		-
2	7	က	7	7	ഗ	7	-	-	-	-
4		-	က	-	ê	-	-			_
က	က	7	7	4	7	ന	←			-
7	4	7	-	7	2	7	-	÷	•	9
•	4	2	ις	ന	-	7	2	19	10	2
	38	la	3	8 8	1 5 8	65	ē		le :	l

Are there any other goals that you feel should be included in this list? Please indicate any additional goals you would like to see added. How would you rank them from 1 (most important) to 5 (least important)?

What issues concerning the management of the Middle Flint River Watershed are most important to you?

What is the single most important improvement to the Watershed and its tributaries that you would like to see?

How I can volunteer to help restore Watershed How homeowners can help prevent pollution What types of information about the Middle Flint Watershed interest you most? (Check as many as apply) How businesses can prevent pollution

Which of the following is the best approach to keep you informed regarding the progress in developing a plan to restore the Middle Flint River Watershed?

Parks and public recreation areas

Fish and wildlife Bacteria levels Water quality

Public meetings/workshops Newspaper articles Neb page

Direct mailings to your home or business Community newsletters Other (specify)_EMAIL

73

Responces to Survey

with 1 being most important and 5 being the least important:

Middle Flint Survey Results

ncrease community planning to address development & protection of water qual Remove paper/trash/debris in the river and tributaries to improve its appearance Remove sources of human waste in the Watershed that threaten public health Better control sources of fertilizer reaching the Watershed & the Great Lakes Minimize excessive flows that cause flooding, bank erosion and habitat loss Encourage investments in land along water for recreation/wildlife protection Expand public education about the benefits of protecting the MFRW Better control soil erosion and limit sediments entering the water. Protect the quality and accessibility of drinking water (wells) Improve habitat conditions for fish and wildlife in the water Rank the following goals with a score of 1 to 5,

Did not rank	2	4	17 17 11 12 4 5	4	2	4	5	9	4	က
5	8	9	4	လ	15	9	4	9	7	က
4	2	ည	12	2	9	2	'n	3	-	8
က	15	20	;	20	12	17	12	0	2	÷
7	8	17	17	14	14	12	17	2	ω	22
Ť	27	Ţ	17	19	۵	12	21	20	47	15
		ı	1 8	1	l a 6	ls s	i.	G	l	I =

Are there any other goals that you feel should be included in this list? Please indicate any additional goals you would like to see added. How would you rank them from 1 (most important) to 5 (least important)?

What issues concerning the management of the Middle Flint River Watershed are most important to you?

What is the single most important improvement to the Watershed and its tributaries that you would like to see?

How I can volunteer to help restore Watershed How homeowners can help prevent pollution Other What types of information about the Middle Flint Watershed interest you most? (Check as many as apply) How businesses can prevent pollution 130 43

Which of the following is the best approach to keep you informed regarding the progress in developing a plan to restore the Middle Flint River Watershed?

Parks and public recreation areas

Fish and wildlife Bacteria levels Water quality

Public meetings/workshops Newspaper articles Cable TV Web page

Direct mailings to your home or business Community newsletters Other (specify), EMAIL

Table 5-1 Meeting Dates

	Table 5-1 Meeting Dates										
	Surface Water Advisory Committee	Monitoring and Mapping	Public Education and Participation	BMP Committe	Work Group	Stakeholders Workshops	Combined Stakeholder/ Public Meetings				
September 2004		20 th			2 nd						
October 2004		5 th &13 th	25 th								
November 2004	17 th		29 th								
December 2004	15 th										
January 2005			3 rd & 19 th			31 st					
February 2005	16 th		7 th								
March 2005	23 rd		2 nd & 21 st								
April 2005	20 th		18 th &25 th								
May 2005	18 th		5 th & 17 th			23 rd					
June 2005					29 th (2)						
July 2005					27 th (2)						
August 2005	17 th				31 st (2)		29 th (2)				
September 2005	21 st			10 th & 24 th	28 th (2)		- \ /				
October 2005	19 th				26 th (2)						
November 2005	16 th				(/		30 th (2)				
December 2005							` ′				
January 2006	18 th		23 rd		4 th (2) & 23 rd						
February 2006	15 th		27 th				1 st (2)				
March 2006	15 th		20 th				` ,				
April 2006	19 th										
May 2006	17 th		15 th		31 st						
June 2006	21 st		19 th								
July 2006			17 th								
August 2006						2 nd					
September 2006	20 th		18 th								
October 2006	18 th		16 th		25 th						
November 2006	22 nd										
December 2006	20 th		18 th								
January 2007	17 th		22 nd								
February 2007	21 st		26 th		16 th						
March 2007	28 th		19 th								
April 2007	18 th	23 rd									
May 2007	16 th	n.	21 st	15 th							
June 2007	20 th	5 th	n.	19 th							
July 2007		24 th	16 th	17 th							
August 2007	II.	II.	11.	21 st							
September 2007	19 th	25 th	17 th	18 th							
October 2007	17 th		15 th								

SECTION 6 - CHALLENGES AND GOALS


As more and more people live, work and interact within a watershed, maintaining a healthy, sustainable environment becomes a challenge. To address these challenges, goals and objectives are developed to direct the actions within the watershed that will improve and protect the environment.

The purpose of this chapter is to:

- 1. Outline the water quality issues discussed in Chapter 4, summarize public and stakeholder concerns, and identify which pollutants are perceived to be of most concern.
- 2. Define designated uses and identify the impaired or threatened water bodies within the watershed that do not meet their designated uses.
- 3. Define and identify the watershed desires identified through the stakeholder workshops.
- 4. List the goals and objectives and identify how they were developed.

WATER QUALITY ISSUES AND CONCERNS

It is important to distinguish between water quality issues and water quality concerns. Water quality issues are those water quality problems that have been identified through water quality monitoring. macroinvertebrate and fish sampling, and habitat surveys. Water quality concerns are problems that are observed or perceived to exist by residence and stakeholders within the watershed. **Note**: stakeholders in the Middle Flint River vary from lake associations to stakeholders that represent the whole County to stakeholders that represent an entire watershed such as the FRWC. All efforts were made to make sure the concerns were specifically for the Middle Flint River.



"Water is the most critical resource



Photo Courtesy: FRWC River Cleanup

Water Quality Issues

Water quality issues were extrapolated from chapters 3 & 4 are listed below:

- The loss of open space land by development to Residential and Commercial property
- Shortage of Wetlands, either naturally or through human intervention
- The availability and demand on the sewer and water systems
- Potential danger to endangered species
- Restriction on fish consumption due to pollutants
- Potential pollutant loading from developed land

Water Quality Concerns

Water quality concerns were solicited from the public and stakeholders though a series of workshops and meetings, Described in Section 5.

A list of the public's concerns is provided below:

- Flooding Problems
- Concerns Affecting Drainage Ditches
- Parking Lot Spills
- Landfill Runoff/Groundwater Leachate
- Car Wash
- Groundwater pumping, irrigation affecting local wells
- Over-fertilization
- Sedimentation and soil erosion
- Source of Funding to Address the Above Concerns

- Wetland Destruction
- Need for Ordinance and Permit Compliance Enforcement for Environmental Protections
- Development Concerns
- Negative Public Perception of Flint River
- Need for Cooperation with Health Department
- Lack of Citizen and Municipal Education
- Lack of access to recreational opportunities

The concerns identified by the stakeholders are ranked and presented below. The public and stakeholders ranked their concerns to determine which issues they felt were more important. Each Concern is labeled as Rural (R), Urban (U) or Both (B) to indicate where in the watershed the concern is of most relevance.

- 1. Funding (B)
- 2. Education for planning commissions and zoning boards-municipals, government officials (B)
- 3. Need innovative ideas and solutions implemented locally-pilot project w/education component (B)
- 4. Sanitary Connections to storm sewer (U)
- 5. Education for builders and developers (B)
- 6. Stormwater treatment with BMPs must be maintained (U)
- 7. Streets directly discharge into river within minutes of rain events (U)
- 8. Flooding due to new development (B)
- 9. Master Gardeners-Volunteer Work link to projects (U)
- 10. Promote education at a publicly planned event (B)
- 11. Time of Sale Homeowner Packet (U)
- 12. Education (B)
- 13. More recreational opportunities (B)

DESIGNATED USES IN THE STATE

The Michigan Department of Environmental Quality (MDEQ), acting under authority of the federal Clean Water Act, aims to make waters in the state meet certain designated uses (State of Michigan, 1999):

- Agricultural Water Supply
- Industrial Water Supply
- Public Water Supply
- Warm water Fishery
- Other Aquatic Life / Wildlife
- Partial Body Contact
- Coldwater Fisheries (specifically identified waterbodies only)
- Total Body Contact (May 1st October 31st)
- Navigation



Source: NCSU, 2004.

Example Pollutants Affecting Designated Uses

Agricultural Water Supply

- Hydrology (too little flow)
- Excess nutrients
- Toxic contaminants

Industrial Water Supply

- Hydrology (too little flow)
- Suspended solids

Public Water Supply

- Excess nutrients (nitrates)
- Pesticide contaminants

Warm Water Fishery

- Sediment
- Hydrology (flow variability)
- Dissolved oxygen (too little)

Cold Water Fishery

- Sediment
- Hydrology (flow variability)
- Dissolved oxygen (too little)

Other Aquatic Life / Wildlife

- Sediment
- Pesticides
- Temperature

Partial Body Contact

- Pathogens
- Nutrients

Total Body Contact

- Pathogens
- Nutrients

<u>Navigation</u>

Obstructions Source: MDEQ, 2000.

The designated uses are intended to:

- Protect health and public welfare
- Enhance and maintain the quality of water
- Protect the state's natural resources
- Meet the requirements of state and federal law (including international agreements)

One of the first things people envision when discussing water quality is drinking water. It is extremely important for communities to have a clean source of drinking water that is free from contaminants.

Communities in the subwatershed use groundwater for drinking water supplies, and although the designated uses apply to surface waters, the uses also help protect groundwater-drinking supplies because these two water sources are implicitly linked.

Contaminants in water can also affect human health when the water is used to irrigate food sources, when fish living in these waters are eaten, or when humans come in contact with these waters through swimming or boating.

While human health is the most important reason for protecting these resources, the designated uses are also intended to protect wildlife, commerce, and recreation. For example:

- The 'warmwater and coldwater fisheries' uses also ensure healthy fish populations, increases recreational enjoyment of fishing, and ensures a thriving fishing industry that results in fishing related consumer spending, travel, and tourism.
- The 'industrial water supply' use ensures that businesses have an inexpensive and sustainable process water supply that helps keep them competitive and providing jobs to Michigan's citizens.
- The 'navigation' use ensures that the state's waterways are passable and the 'body contact' uses ensure that people can safely swim.
 These uses contribute to the lure of many travelers vacationing during the summer.

Two locations in the Middle Flint Watershed are designated coldwater fisheries. These locations include the Kearsley Creek from Oakland County Line (T5N, R8E, Sect 1) upstream and the Thread Creek from Bristol Road (T7N, R7E, Sect 33) upstream to Groveland Road in Oakland County (T7N, R8E, Sect 5)

Designated Uses Not Being Met

As a result of the State's defined designated uses and the water quality data and impairments discussed in Section 4, the following designated uses are not being met:

- Warm Water Fishery in the Flint River, Heron Lake, Thread Lake, and Thread Creek, all other inland lakes, reservoirs and impoundments, due to PCBs and/or mercury in fish material
- Partial Body Contact in the Flint River, Potters Lake, Burdick Drain, and the Middle Branch of the Flint River due to untreated sewage discharge (pathogens)
- **Total Body Contact** in the Flint River, Potters Lake, Burdick Drain, and the Middle Branch of the Flint River due to untreated sewage discharge (pathogens)
- **Public Water Supply** in the Flint River due to untreated sewage discharge as noted in *The Flint Journal* and the Genesee County Health Department.
- Habitat modification in the Swartz Creek and Gilkey Creek due to channelization and insufficient habitat to support an acceptable biological community.

Threatened Designated Uses

Additionally, the following designated uses are being met but are threatened (meaning they may not be met in the foreseeable future) or insufficient documentation exist to classify items listed below as *designated uses not being met*:

- **Navigation** in the Flint River (may want to include Kearsley, Swartz and Thread), is limited by physical obstructions such as downed trees or sandbars.
- Other Aquatic life / Wildlife in Heron Lake and Thread Lake based on the presence of PCBs and / or mercury in fish material (implying the potential for these pollutants to bioaccumulate in other organisms)
- Partial Body Contact in the Crooked Lake due to high levels of E. Coli (pathogens)
- Total Body Contact in the Crooked Lake due to high levels of E. Coli (pathogens)

Meeting the state-defined designated uses is important to meet legal requirements to protect public health, provide a high quality of life, and protect natural resources. Programs such as the MDEQ TMDL program seek to obtain the restoration of these uses with the ultimate goal of restoring and maintaining the chemical, physical, and biological integrity of the state's waters.

It is important to note that the assessments presented herein are subject to change. Additional data, new pollution sources, changing use locations, and updated water quality standards all may affect the assessment. Waterbodies may be listed or de-listed on Michigan's 303d or 305b list, and the associated status of designated uses may change. Below is a summary of the impaired waterbodies in the Middle Flint River Watershed:

Table 6-1 Impaired Waterbodies in the Middle Flint River Watershed

		red waterbodies in th					
body	броq	body iption	body		body f Size	LEM	۲R
Water ID	Water Name	Water boo Description	Water Type	Water Size Water Unit of		PROBLEM	TMDL YR
210414D	Burdick Drain	Enters NE part of Potters Lake after crossing Davison Rd. & Olgelthorp Rd., Elba Twp. SE ¼ of the SW ¼ of sec. 6 (T7N, R9E)	River	0.50	M	Pathogens Rule 100	2004
	Flint River (Entire Watershed)	Confluence upstream to include all tributaries	River	847	M	FCA-PCB's	2010
210414F	Heron Lake	NW of Austin Corner & NW of Valley/Wildwood Lakes	Lake	132	A	Fish Tissue- Mercury	2011
210413F	Potters Lake	Vicinity of Elba Township	Lake	160	A	Pathogens Rule 100	2004
210414U	Thread Creek	Thread Lake upstream to Genesee and Oakland County line	River	26	M	FCA-PCB's	2010
210414F	Thread Lake	Upstream of Rt. 475. Vicinity of Flint	Lake	82	A	FCA-PCB's	2010
210414J	W. Br. Swartz Creek	Swartz Creek confluence upstream	River	17	M	Habitat modification- channelization	
210414H	Swartz Creek	Thread Creek confluence upstream	River	68	M	Habitat modification- channelization	
		just upstream of Western Road			A	FCA-PCB's	2010
210414G	Gilkey Creek	Flint River confluence	River	12	M	Habitat modification- channelization	

Through the revision process, the watershed plan will be updated I address any new TMDL's as they become available




Figure 6-1 Impaired Waterbodies

WATERSHED DESIRES

The term "watershed desire" is meant to invoke a vision of what watershed stakeholders would like their watershed to look like. The watershed planning committee members and the stakeholders have participated in determining goals and desires for the watershed, such as, developing a recreational trail along the river.

During the public participation process, the public was given the opportunity to express their watershed desires. The public identified the following watershed desires:

- Provide Demonstration projects for Bio-retention, Low Impact Development
- Enhanced recreational opportunity: (Access/opportunities)
 - Fishing/ Hunting: increase access and opportunities
- Coordinate with Michigan Lakes & Streams Program
- Enact Wetland Protection Ordinances & require County Road Commission to address impacts from Road projects.
- Change Local and County development standards and goals
- Protect natural features when developing new sites
- Restore/ prevent bank erosion, reestablish stream bank buffers





GOALS AND OBJECTIVES

Identified known pollutants, water quality concerns and desires of the public and stakeholders were used to develop a set of goals and objectives. The goals reflect the mission statement and are accompanied by a set of objectives and actions which when implemented will assist in meeting the corresponding goal. The actions associated with these objectives are listed in Section 8. Goals 1 through 5 were developed by the desires and concerns of the public and stakeholders during goal and objective development. Permit requirements were taken into account and make up Goals 6 through 8. The watershed management plan as a whole must contain the following:

- An assessment of the nature and status of the watershed ecosystem (Section 3 and 4)
- Long-term goals to include the protection of designated uses of the receiving waters and compliance with TMDLs (Sections 6 and 8)
- Short-term objectives (Sections 6 and 8)
- Action items to achieve goals and objectives (Section 8)
- The benefit and cost of the action items (Section 8)
- A responsible party, schedule, and evaluation mechanism for each action item (Section 8)

Minimum Permit Requirements

The objectives in this plan meet the Watershed-Based NPDES Permit requirements, but because of the significant public and stakeholder response, many additional objectives are included in the plan to expand on voiced desires. These additional objectives go beyond the jurisdictional permit requirements.

Because the Watershed-Based NPDES Permit has broad requirement language, and because of the implication that any implemented objective, directly or indirectly, must help protect the designated uses of the receiving water body, it was necessary to include the requirements from other sources. These sources include the U.S. Environmental Protection Agency (US-EPA) Storm Water Phase II Final Rule requirements and the Michigan Jurisdictional-Based NPDES Permit. These two sources were chosen because the Watershed-Based NPDES Permit is based on their requirements.

The Federal and State requirements as well as each specific Watershed-Based NPDES Permit requirement was reviewed to assure that at least one objective correlated with it. In the section below, each goal is prioritized according to what stakeholders deemed important. In Section 8, objectives are included in the table under each goal. A 'Yes' indicates that the objective fulfills one or more permit requirements at a minimum level. A 'No' indicates that the objective is considered beyond the minimum requirement of the permit, or that it extends a general effort beyond the minimum requirement of the permit, and may be eligible for certain types of grant funds. During goal and objective development, it became clear that some objectives fulfill minimum requirements, some objectives go beyond the minimum requirements, and some objectives are difficult to categorize. Discretion was used to determine how the uncategorical objectives are classified.

Note that each goal and objective should be considered in association with other goals and objectives, as applicable. For example, one of the aims of Goal 1 is to remove sources of pollutants including sedimentation. Goal 3 is to reduce impacts from peak flows and high volumes. Objective 3a addresses both of these goals. Through a Stormwater Ordinance, pollutants such as sediment can be reduced or removed and also reduce peak flows and high volumes.

Goal 1: Protect Public Health

This aim of Goal 1 is to remove sources of **P**athogens, **N**utrients, and **S**edimentation that threaten public health and recreation. It also seeks to:

- 1) Protect **D**rinking water supply (groundwater recharge areas)
- 2) Reduce Infiltration and inflow to decrease sanitary sewage overflows

Objectives Associated with Goal 1:

- a. Draft, adopt and implement Time of sale septic ordinance: P,N
- b. Deliver homeowner education at time of sale (public education about Septic, lawn, leaves, grass, carwash, etc) **P,N,S**
- c. Draft, adopt and implement Disconnect footing drains from sanitary sewers ordinance I
- d. Identify existing wellhead protection programs **D**
- e. Draft, adopt & implement a ordnance to test Drinking water well at time of sale **D**
- f. Map arsenic Levels for drinking wells **D**

Goal 2: Establish Watershed Stewardship Awareness and Responsibility among the Public

Goal 2 aims to increase public participation and the **U**nderstanding of their role in protecting the watershed. It seeks to promote the Flint River as a viable public **R**esource (i.e. dispel the myth of poor water quality in the Flint River to bring people back to the river). The Goal also recognizes the need for improved **C**ommunication of existing water quality and potential threats to public must occur to promote this goal.

Objectives Associated with Goal 2:

- a. Educate public about 7 required education elements. R, C, P, N, S, O
- b. Undertake a Direct mailing to riparian land owners (Rivers/Lakes) U, R, C, N, O
- c. Partner with existing household hazardous waste program committee to increase awareness and use **U**,
- d. Enhance existing benthic monitoring Program (see Section 4) U, R, C, O
- e. Enhance existing project GREEN Program (see Section 7) U, R, C, O
- f. Conduct a Stream Crossing watershed survey with photography C
- g. Conduct Hot Spot water quality monitoring as needed C

Goal 3: Reduce Impacts from Peak Flow and High Volumes

This goal seeks to minimize excessive Flows that cause flooding, bank erosion and habitat loss. This will be accomplished through environmentally friendly drain maintenance, community planning, ordinance development, and water quality monitoring. Establish minimum standards for stormwater infrastructure design countywide.

Objectives Associated with Goal 3:

- a. Draft, adopt and implement a county Storm Water Ordinance F, P,N,S
- b. Pursue restoration projects on natural watercourses F, W, S
- c. Preserve existing floodplains and wetlands from being filled or developed F, N, S
- d. Monitor Water Quantity to measure hydraulic change within watercourse **F**
- e. Produce demonstration projects for Low Impact Development. F, N, S, U

Goal 4: Create, Restore, and Enhance Recreational Use

This goal seeks to restore and enhance recreational uses through a variety of specific **O**bjectives.

Objectives Associated with Goal 4:

- a. Promote Local Recreational Opportunities O
- b. Protect /Expand Parks Trails and River Walk System O

Goal 5: Restore and Protect Aquatic Life, Wildlife, and Habitat

Goal 5 aims to restore and protect aquatic life, **W**ildlife and habitat by protecting high quality wetlands and floodplains. Also of interest are areas with **T**hreatened and endangered species and protect against invasive species.

Objectives Associated with Goal 5:

- a. Establish vegetative buffer areas adjacent to sensitive areas W, N, S
- b. Protect key locations of threatened and endangered species and habitat T

Goal 6: Conduct Municipal Good Housekeeping Activities

This goal is comprised of the permit requirements on the permitees' good housekeeping activities. Goal 6 aims to directs communities to undertake activities that manage their operations and activities in a manner that considers stormwater runoff and the pollution and flow associated with it. It is also intended to have local jurisdictions "lead by example" in an effort to change how stormwater is managed in the private sector as well.

Objectives Associated with Goal 6:

- a. Ensure Maintenance activities, schedules, and inspection procedures for storm water structural controls are appropriate
- b. Implement controls for reducing or eliminating the discharges of pollutants from streets, roads, highways, parking lots, and maintenance.
- c. Institute procedures for the proper disposal of operation and maintenance waste from the separate storm water drainage system (dredge spoil, accumulated sediments, floatables, and other debris) by street sweeping, catch basin clean out and vacuuming debris.
- d. Ensure that flood management projects assess the impacts on the water quality of the receiving waters.
- e. Reduce the discharge of pollutants related to application of pesticides, herbicides, and fertilizers applied in the permitees regulated area.

Goal 7: Adopt requirements for Post Construction Controls

This goal is comprised of the permit requirements on how the permitees handle third party or private development within their jurisdiction. It directs permitees to ensure that there are stormwater controls on private land and that there are provisions for their future maintenance.

Objectives Associated with Goal 7:

- a. Evaluate and implement site appropriate, cost-effective structural and nonstructural best management practices (BMPs) that prevent or minimize the impacts on water quality.
- b. Establish long-term operation and maintenance practices for storm water BMPs on private property.

Goal 8: Plan for long-term sustainability of the Phase II program

This last goal is intended to establish an institutional structure and to seek financial resources necessary to sustain the Phase II program.

Objectives Associated with Goal 8:

- a. Secure funding available for implementation.
- b. Institutionalize the committee structure.

PUTIING IT ALL TOGETHER

Table 6-2: Concerns, Desires, Goals & Objectives of the Middle Flint River Watershed

Table 0-2. Concerns, Desires, Goals & Objectives of the Middle P	IIII TAVCI VVAICISIICU
Concerns	Goal_Objective
Funding	1b, 8a
Education for planning commissions and zoning boards-	1a & c, 2a, 3a & e,
municipals, government officials	6a-e, goal 7a-b
Need innovative ideas and solutions implemented locally-pilot	
project w/education component	3e
Sanitary Connections to storm sewer	IDEP
Education for builders and developers	3a, 7a-b
Stormwater treatment with BMPs must be maintained	3a, 6a-e, 7a-b
Streets directly discharge into river within minutes of rain events	3a, 6b-d
Flooding due to new development	3a, 7a-b
Master Gardeners-Volunteer Work link to projects	2a
Promote education at a publicly planned event	2a
Time of Sale Homeowner Packet	1b
Education	1b, 2a-c, 6a-e, 7a-b
More recreational opportunities	4a-b
Desires	
Provide Demonstration projects for Bio-retention, Low Impact	
Development	3e
Enhanced recreational opportunity: (Access/opportunities)	4a-b
Fishing/ Hunting: increase access and opportunities	4a-b
Coordinate with Michigan Lakes & Streams Program	5a-c
Enact Wetland Protection Ordinances & require County Road	
Commission to address impacts from Road projects.	3c
Change Local and County development standards and goals	3a, 7a-b
Protect natural features when developing new sites	3a, 7a-b
Restore/ prevent bank erosion, reestablish stream bank buffers	3b, 5a

SECTION 7 - Watershed Planning Process

Under County Public Improvement Act (PA 342, 1939) in Section 10, the communities of Genesee County have signed a contract to supply time and money to Developing the Watershed plan and implementation. Phase II communities within the Middle Flint Watershed but outside Genesee have made other arrangements for implementation to satisfy their Certificate of Coverage.



Figure 7-1 Organizational Chart

Besides the watershed workgroup there are several other committees that are responsible for various aspects of the planning and implementation. The Middle Flint River Watershed is one of five watershed within Genesee under this committee. Because of this many of the decisions and timelines are county wide.

The **Advisory Committee** is the decision making body made up of those communities that have signed a contract. This group is responsible for voting on the proposed implementations developed by the subcommittees and workgroups. The members of the Advisory Committee were split into one of three groups to serve on one of the subcommittees. The **Public Education and Participation Subcommittee** is responsible for the development of the Public Education Plan. The **Construction**

Standards and Practices Subcommittee is responsible for establishing a unified review process and adopting a standard for best management practices. The **Monitoring and Mapping Subcommittee** is responsible for the methods that are going to be used to monitor the water for improvement or degradation. Each of these groups have workgroups made up of stakeholders, the public, and the municipal officials.

Public Education Plan EPA Required Elements

- Encourage Public to report Illicit Discharges or improper disposal into storm sewer
- Education of public on the availability, location and requirements of facilities for disposal or drop off of:
 - Household Hazardous Waste
 - Grass Clippings
 - Leaf Litter
 - Motor Vehicle Fluids
- Public education concerning application and disposal of pesticides and fertilizers
- Public education concerning materials and procedures for residential car washing
- Public education concerning the ultimate discharge point & potential impacts from the separate storm water drainage system serving their place of residence
- Public education for citizen responsibility and stewardship
- Public education concerning management of riparian lands to protect water quality

PUBLIC EDUCATION PLAN

The Public Education Subcommittee is responsible for the complete storm water education plan. The committee works with the Genesee County drain office and U of M's Center for Applied Environmental Research (CAER) Department to draft the Education Plan. Using the Michigan Department of Environmental Quality's (MDEQ) required elements as a starting point the committee has been working on the following items:

- Identify existing programs and organizations that are already educating on required elements
- Identify gaps in existing programs
- Develop baseline survey of
- o General publics knowledge
 - Focus groups knowledge
- o Quantify behaviors that need to be changed
- o Marketing preferences and influences
- o Demographics

0

- Identify target audiences and the behaviors that need to be changed.
- Draft Media Campaign
- Implementing the Website and resources for the educational campaign

The Public Education Workgroup developed a table of existing education programs that could possibly meet some or all our education requirements. More importantly the table can identify those requirements that are not being met at all. It is the intent of the Advisory Committee and the Public Education Workgroup to partner with existing programs whenever possible.

With the help of U of M CAER the Public Education Workgroup developed a baseline survey; 300+ random residents within Genesee County have responded to the survey by phone. Also the survey was sent in written form to the planning Boards and Elected officials for all Genesee County Communities. This will assist the Public Education workgroup in determining what education is needed for the communities. The results from the public survey are compiled below except the fill in responses. The final results of the survey will be summarized and made available to the public on the Center for Applied Environmental Research (CAER) website at www.umflint-outreach/caer

Storm Water Education Planning Project Survey Results

1)	In your opinion, whose job is it to maintain the quality of the water in your community?
2)	Is your residence connected to a municipal sewer system or does it include a septic system? (check only one)

3) Regarding the maintenance of the vehicles you own...how often do you...

79.8% Sewer

Every ti	ime it is c	lone			Never
	1	2	3	4	5
Change your own oil?	15.4%	3.5%	4.6%	3.5%	73.5%
Change your own antifreeze?	14.8%	2.5%	4.6%	1.8%	76.4%
Change you transmission fluid?	10.9%	2.1%	2.5%	1.4%	83.2%
Change your own brake fluid?	12.6%	3.9%	3.2%	0.4%	80.0%

20.2% Septic

4) How many cars do you have in the household? 42.5% have 2 cars

5)	On average, how many times per	year do you was	sh your cars?	_Times per year	
	0=6.7%,	1-5=17%,	12 = 10.2%,	24=8.1%,	<i>52</i> = <i>8.8</i> %

6) Are they washed at ? 57% At a car wash 6.8% At home 36.2% Both

\rightarrow 6 a) If you answered at home or both

	Always	Usually	Sometimes	Never
How often do you wash your car in the driveway?	25.4%	10.5%	57.9%	6.1%
How often do you wash your car in the street?	0.9%	0%	4.4%	94.7%
How often do you wash your car on the lawn or other	4.4%	7%	14.9%	73.7%
unpaved surface?				

7) On a scale of 1 to 5, with 1 being *Very likely* and 5 being *not likely at all*, if you learned that your typical car washing behavior is **not** the recommended method for protecting the waterways in your community, how likely would you be to change?

Very Likely				Not likely at all
1	2	3	4	5
68.3%	11.1%	7.6%	2.7%	10.3%

0.0% Don't Know

8) On a scale of 1 to 5, with 1 being Very Concerned (VC) and 5 being Not Concerned At All (NCAA), how concerned would you be if you saw your neighbor do each of the following...

	VC				NCAA
	1	2	3	4	5
Dumping liquid chemical waste to the dirt/lawn?	87.9%	6.8%	2%	<1%	2.6%
Dumping liquid chemical waste into a storm drain on the	89.3%	4.6%	3.6%	<1%	2%
street?					
Dumping liquid chemical waste onto his driveway?	79.7%	11.4%	4.2%	<1%	3.9%
D : 1.70 1:1: 0	00.107	0.20/	5.00/	1.607	2.20/
Dumping used oil from vehicles on his driveway?	80.1%	9.2%	5.9%	1.6%	3.3%
Dumping used oil from vehicles on his lawn?	83.7%	6.8%	3.9%	2%	3.6%
Dumping used oil from vehicles into a storm drain?	90.2%	4.9%	1.3%	1%	2.6%
			10.00		
Pushing grass clippings into a pile at the curb?	25.5%	7.5%	19.3%	8.2%	39.7%
Raking leaves into a pile on the street?	24.3%	6.2%	17.4%	9.5%	42.6%
Raking leaves into a ditch?	33.1%	11.9%	12.3%	5.6%	37.1%
Burn leaves	47.9%	8.9%	13.8%	3%	26.6%
Dumping travel trailer waste into drain sewers?	86.8%	4%	3.3%	1.3%	4.6%
Dumping travel trailer waste onto a roadside?	85.4%	5.3%	2.6%	2%	4.6%
	0.4.40.4	< 20.4	2 (0 (1.20/	1207
Dumping household cleaning products into a storm drain in the street	84.4%	6.3%	3.6%	1.3%	43%
Dumping household cleaning products into a sink or toilet	43.9%	6%	15.6%	9%	25.6%
Dumping household cleaning products onto the dirt/grass.	62.8%	9.6%	11%	6.3%	10.3%
Disposing of animal manure by burying	24.8%	6.7%	13.4%	7.7%	47.3%
Disposing of animal manure by throwing in ditch	49.5%	11.5%	11.2%	4.7%	23.1%
Disposing of animal manure by throwing in garbage	24.7%	6.8%	10.8%	8.1%	49.5%
Don't dispose of animal waste (leave where it falls)	56.1%	10.8%	9.8%	7.1%	16.2%

9) Which of the following possible methods of disposal is recommended for each of the following materials?

Unused garden pesticides?

Unused garden fertilizers?

Antifreeze?

Used engine oil?

Animal manure/pet waste?

Latex paint?

Oil based paint?

Household cleaning products?

- 10) If you discovered that your current method of disposal of these products was different than what is recommended, which of the following is most accurate? (check one)
 - a) 35.1% I would comply with the recommendations, regardless of cost (e.g. disposal fees)
 - b) 49.8% I would comply with the recommendations if there were little or no cost associated
 - c) 12.7% I would comply with the recommendations only if there was no cost associated
 - d) 2.4% I would not comply with the recommendations.
- 11) If you discovered that your current method of disposal of these products was different that what is recommended, which of the following is most accurate? (check one)
 - a) 52.2% I would comply with the recommendations regardless of inconvenience
 - b) <u>36.1%</u> I would comply with the recommendations as long as there is little inconvenience
 - c) <u>10.0%</u> I would comply with the recommendations only if it is convenient
 - d) 1.7% I would not comply with the recommendations.

each of the following would be for you to use as a				_				
waste?	V	-	our nuzu	dous no	NC			
Tuble.	1		2	3 4	5			
Local township/city hall	66%	10.3%	9%	1.7%	12.4%			
Local water treatment plant	34.3%	8.1%	12.7%	7.4%	37.5%			
County extension office (MSUE)	21.0%	9.8%	12%	9.4%	47.8%			
Local Business	70.7%	13.4%	3.8%	0.7%	11.4%			
Local University	42.8%	13.1%	16.6%	5.9%	21.7%			
County Heath Department	38.9%	10.9%	15.8%	6.7%	27.7%			
Local fire station								
a. If you have a question about how to dispos likely are you to find out the recommended Very likely	method of d 2 3			ne)	us, how			
13) Who would you contact to find out a recommended re		sposal fo	or a produ		ou think			
each of the following would be as a place or method				ciii do y	ou tillin			
each of the following would be as a place of method	V		mation:		NCAA			
	1		2 :	3 4	5			
Internet	58.3%	7.6%	6.9%	1%	26.2%			
Telephone Hotline	77.2%	11%	3.4%	1.4%	6.9%			
Educational flyers/mailers	49.1%	15.7%	17.8%	6.3%	11.1%			
Radio	43.3%	14.9%	16.3%	7.6%	18%			
Local Paper	47.1%	15.6%	14.9%	4.5%	18%			
Place of purchase	62.1%	11.9%	9.8%	5.3%	10.9%			
As part of local news broadcasting	49.8%	14.5%	19.7%	6.2%	9.7%			
Product label	79.6%	9%	5.5%	0.276	5.9%			
Community/school newsletter	41.9%	16.3%	13.5%	10%	18.3%			
Billboard	39.1%	13.5%	17%	10.4%	20.1%			
Dillocatu	39.1/0	13.370	1//0	10.4/0	20.170			
15) Are fertilizers, pesticides, herbicides used on your ho 46.5% yes 44.1% no 8.3% □ If yes →16 a) How many times per year do you estimatimes per year 0=1.5% 1=19.8% 2=32.1% →16 b) Who applies these products? 34.8% you 21.2% A member of your how applied and how much to apply to your yard?	Don't know ate these pro $3 = 19.1\%$ nousehold	1. oducts an 4: 43.9%	= <u>10.7%</u> A lawn c	d to you >4= are profe	= <u>16.8%</u> ssional			
 Does your community have an ordinance regarding for 7.7% yes 92.3% no What two bodies of water are located closest to your Approximately how far away is each of these from year. 	home?		ı't Know					
Name of body of water: 1)	_	D _	istance fi	rom hom	e:			
2)	=	_						

18) On a scale of 1 to 5, with 1 being *A great deal* and 5 being *None at all*, in your opinion, how much responsibility do each of the following have in maintaining a community's water quality?

	A Great Deal		No	one	
	1	2	3	4	5
Area Businesses	69.3%	12.0%	8.1%	6.0%	4.6%
Residents whose homes are located directly on a body of water	80.9%	7.4%	4.2%	3.9%	3.5%
Residents who live in a home located within 1Mile of a body of	59.2%	21.3%	11.3%	4.3%	3.9%
water					
Residents who live in a home located more than 1Mile from a	44.3%	16.8%	22.1%	7.5%	9.3%
body of water					
Elected officials in a community	82%	9.2%	5.6%	1.1%	2.1%
The Environmental Protection Agency (EPA)	89.8%	4.6%	1.8%	1.1%	2.8%
The Department of Environmental Quality (DEQ)	89.3%	4.3%	2.9%	.7%	2.9%
Local law enforcement	51.4%	16.5%	18%	5.6%	8.5%
The Department of Natural Resources (DNR)	82.1%	10%	3.2%	2.1%	2.5%
Local Conservation/Environmental groups	75.6%	11.8%	7.2%	2.5%	2.9%
County Drain Commissioner	89.2%	6.8%	2.2%	0%	1.8%
County Health Department	84.4%	7.8%	4.3%	1.4%	2.1%

20) On a scale of 1 to 5, 1 being *Very Confident* and 5 being *Not Confident At All*, how confident are you that you understand the concept of a "watershed"? Very Confident Not Confident at all

1 2 3 4 5 18.9% 11.1% 20.7% 7.8% 41.5%

21) Is your residence located in a watershed? <u>12.0%</u> yes <u>23.9%</u> no <u>64.1%</u>Don't know **If yes,**

23) Can you think of any other places they may end up?____

- 22) If hazardous chemicals are dumped into the street, where does that material ultimately end up?
- 24) On a scale of 1 to 5, with 1 being *Very Much* and 5 being *Not at all*, please indicate how much you

would trust information about stormwater pollution from each of the following sources: Very Much Not at all 1 2 4 5 Michigan Department of Environmental Quality 13.6% 67.4% 13.6% 0.7% 4.8% Drain Commissioner's Office 48.7% 18.6% 22.6% 4.3% UM-Flint 60.5% 18.1% 13.4% 5.1% 2.9% Local Government 27.2% 16.8% 31.9% 10% 14% Conservation District 26.8% 16.4% 2.2% 7.8% 46.8% 8.9% 8.9% 27.5% 21.8% 32.9% Private Companies 40.6% 23.0% 20.3% 9.6% County Extension Service 6.5% 44.5% 17.2% 12.5% Flint River Watershed Coalition 19.1% 6.6% County Health Department 58.6% 20.5% 12.6% 4.3%

25) In your opinion, which of the following age groups MOST needs to learn more about protecting local waterways?

37.4% Elementary age children (0 to 11)

18.1% Young adults 19 – 25 10.3% Adults 26-55

 $\overline{32.4\%}$ Middle and high school age children (11 to 18) $\overline{10.3\%}$ Adults 26-55

 $\overline{1.8\%}$ Adults > 55

26) Have you spent leisure time on a water body in Genesee County in the past 12 months?

<u>27.1%</u> yes <u>72.9%</u> no **27.1%** What water bodies?

on on the one of the o

			Y	es N	lo	
Do you canoe or kayak in Genesee County?			15.0	5% 84.	4%	
Do you fish in Genesee County?			48.	1% 51.	9%	
Do you boat, water ski, or use personal watercraft in Genes	ee Count	ty?	54.3	5% 45.	5%	
Do you hike along shorelines or stream banks in Genesee C	County?		48.	1% 51.	9%	
Do you swim in Genesee County lakes or streams?	•		48.	1% 51.	9%	
27) Regarding the quality of the water in the lakes, rivers, and streams in your communityis it(please select one) 2.9% Getting much better 22.1% Getting somewhat better 22.1% Getting somewhat better 37.3 Staying the same 28) Which ONE of the following do you think contributes the most pollution to lakes, rivers and streams in the community where you live? 9.4% Wastewater treatment plant discharges 36.7% Factories / industrial discharges 17.6% Stormwater (rainwater) runoff into storm drains and roadside ditches 30.3% Sewage overflows 6.0% Dirt eroded from stream banks and surrounding areas						
29) Where does stormwater (rainwater) go after it enters a community?	storm o	drain or	roadside	ditch	in your	
30) On a scale of 1 to 5, with 1 being Strongly Agree and 5 being level of agreement with the following statement:		gly Disag y Agree 2	St	rongly D		
"The quality of local streams where I live affects Saginaw Bay."	47.0%	11.6%	15.3%		20.1%	
"The quality of local streams where I live affects the Great Lakes."	55.8%	8.8%	14.2%	6.5%	14.6%	
31) Is your residence located directly on a		es	No		t Know	
Lake?	1.4		98.6%	0		
Wetland?	4.6		95.4%	0		
Swamp?	3.9		96.1%	0		
Marsh?	Marsh? 1.4%			0		

Road	Ditch?			27.0%	73.0%	0
		your household?	# of pe	1	. 5. 7	50/
1= <u>17.4%</u>	2= <u>31.7%</u>	3= <u>20.3%</u>	4= <u>14.6%</u>	5= <u>8.5%</u>	>5= <u>7</u>	5%

33) Are there any children under the age of 18 living in your household? <u>45.2%</u> yes <u>54.8%</u> no → *If yes*, What are their ages?

34) What is the highest level of education you have completed? (check one)

River? Stream?

2.5%

5.0%

97.5%

95.0%

0

0

35) Do you own or rent your home? $\underline{74.6\%}$ own $\underline{25.4\%}$ rent

36) Do you live in a single-family residence or a multiple family dwelling (e.g. an apartment building)? (check one) <u>87.5%</u> single family <u>12.5%</u> multiple family

Currently the Public Education Committee is in the implementation phase. Target audiences are identified for the required elements. The survey results provide a baseline for knowledge about the watershed and also help direct the development of the media campaign. In chapter 8 there are several action items that came out of the public/stakeholder goals and concerns. These action items will be integrated into the overall media campaign. The media campaign is being developed on a countywide basis and will be implemented on behalf of those Phase II Communities that have signed an Act 342 contract. Details of programs and implementation is in the annual report submitted to the MDEQ.

MONITORING AND MAPPING

The Monitoring and Mapping Committee evaluated a list of possible monitoring activities that can be used. Example activities that were discussed include:

- Aesthetic monitoring via canoe trip
- Biomonitoring
- Benthic monitoring
- Frog and toad monitoring (MDNR)
- Stream crossing watershed survey with photograph
- Water quality monitoring
- Photographic survey
- Meta/toxin/hydrocarbon constituents monitoring
- Observation by walking the streams

After reviewing their various options with their costs, advantages and disadvantages the Monitoring and Mapping Committee chose the following 5 options to monitor the water quality within the Middle Flint River Watershed.

Benthic Macroinvertebrate Monitoring

- Since the Flint River Watershed Coalition (FRWC) is already doing this at approximately 30 sites (some of them outside the areas we're looking at) we should look at promoting, enhancing and expanding the current activity through:
 - -Advertising
 - -Purchasing equipment
 - -Providing volunteers
 - -Providing a place to summarize information
 - -Expanding to more parts of the watershed
 - -Providing funding for administrative costs (current coordinator is a volunteer)
 - -Updating volunteer training
 - -Adding sampling sites
 - -Correlate all information (from all 5 monitoring activities) onto one centralized mapping site
- Have a joint meeting between the FRWC board members and members of this
 committee to assess the limitations of the current program and see where we
 could improve the quality of the program. This falls in line with the philosophy of
 partnering with existing community programs to comply with the NPDES Phase II
 Permit.
- Get public involved in collecting data.

- Brent Nickola explained how benthic macroinvertebrates are good indicators of the quality of water in a stream.
- Set the timeframe of Spring 2005 to determine what enhancements are most needed by FRWC and how they may be implemented.
- Deciding what percentage of the available funds should be allocated for this.

Basic Water Quality Monitoring

- Will test for Dissolved Oxygen, Fecal Coliform, Biochemical oxygen demand (BOD), Temperature, total Phosphorus, Nitrate, total solids, turbidity and pH
- "Snapshot" of the water quality
- Great for public involvement
 - -School classes
 - -Scouting groups
 - -Senior citizens
 - -Project GREEN (Global Rivers Environmental Education Network)
- Use same sights as for macroinvertebrate testing

Frog and Toad Survey

- DNR (Department of Natural Resources) program already in place
- Enhance program or fill gaps
- Use available data

Stream Crossing Watershed Survey with Photographs

- DEQ (Department of Environmental Quality) has procedure that they recommend
- Can be built into already existing municipal efforts
 - -Mostly GCRC and GCDC
- 1,100 crossings in Genesee County
 - -DEQ suggests 30% of crossings
- Drain office will handle the data base
- Results must be measurable
- Includes IDEP (Illicit Discharge Elimination Program)

Hot Spot Water Quality Monitoring

Done by professionals

DESIGN REVIEW PROCESS & BMP'S

Standards and Practices Subcommittee is responsible for establishing a unified review process and adopting a standard for best management practices. This group did much of their work in 2003. The below proposed review process was developed to allow environmental concerns to be addressed prior to the design phase. Currently many environmental concerns are treated as an afterthought if they are even considered in the design.

PROPOSED FUNCTIONAL FLOW OF PROJECT REVIEW FOR STORMWATER COMPLIANCE

INTRODUCTION

A county-wide ordinance will be developed to specify the general guidelines for stormwater management in new developments and significant changes. The following document outlines the major events and their sequence constituting the review process for a construction project that requires a permit.

STEP 1: Pre Development

For each project, developers, their designated design representatives (engineers or architects), representatives from the County Road Commission, Health Department, municipal officials (zoning, planner, engineer, DPW, building official), and Drain Commissioner's office (Water and Waste Services and Surface Water) will attend a preplanning conference. The purpose will be to provide design standards, development guidelines, and to identify the type of information developers and their representatives must furnish to comply with the new development procedures. Communication between the project designer and developer, as well as the relevant local officials and developer are two key components of this framework.

Note: different scheduling scenarios will be required for each development type (e.g., PUD, plat, mobile home park, site plans). Each development type has been provided a specific flow chart.

<u>Inputs</u>

- Location map
- Development description I Verbal with supporting maps (conceptual)
- 2 ft contour map
- Federal Wetland map -NWI (National Wetland Inventory)
- Drainage district ID
- Aerials Genesee County Planning Commission 1" = 200' w/ ¼ mile buffer around site
- Zoning Map
- Soils Map (from County soil survey)
- Floodplain maps FEMA & Available plats
- Traffic & utility information, including: sanitary, storm, water supply, gas, electric, road width, existing capacity

Outputs

Design Standards & Specifications, including:

- BMP Specifications
- Construction Standards and Methods
- Current fee & meeting schedules
- Permit Applications

STEP 2: Conceptual Site Plan

Review of the conceptual site plan for approval at County level by the appropriate personnel in Water & Waste Services, soil erosion, surface water, and the Road Commission and Health Department. Comments are returned to the owner/client and designer.

STEP 3: Coordination Review

- Designer
- Owner/Client
- Reviewers from agencies

NOTE: Review of BMP compliance will occur at the same time as the review of the construction prints.

STEP 4: Municipal Review

Guided by Zoning and general ordinances (design standards)

Local planning commission members will be educated about the new construction standards, and will be given a checklist for reference during site plan review.

STEP 5: Site Plan Approval

- Submit construction plans and documents for approval
- Obtain Permits: Federal, State, and County
- Obtain Building Permit from municipality




Figure 7-2 Flowchart for new development

Another responsibility of the BMP committee was to review available BMP's for both new construction and good housekeeping of existing sites. Currently once a private storm system is installed there is no mechanism to ensure that it is properly maintained.

The BMP sub-committee has adopted the Soil Erosion & Sedimentation Control Guidebook from the Michigan Department of Management and Budget as the basis for the BMP requirements. Below are amendments to individual BMP's to bring those best management practices into line with existing County requirements.

- E4: If the back slope of the Terrace is to be used as an access point the minimum width for the back slope will be 15' not 6'.
- E7: Temporary seeding should be applied to any areas that have earth changes that have been initiated but will not be completed within 2 weeks or disturbed areas on a site that have been cleared but are not worked for more than a week.
- E8: If preferable vegetation is proposed such as indigenous planting will be reviewed & approved on an individual site basis.
- E12: Filter fabric is required for riprap areas. If riprap smaller than that specified in the Guidebook is to be used then the riprap must be mortared together in place.
- E14: In addition to the Energy Dissipater choices provided, a spillway or drop structure may be used as an acceptable energy dissipater either in combination with the other methods outlined in the Guidebook or as a stand-alone measure.
- E15 & E16: Slope drains will be designed to have a non-erosive velocity at the discharge point.
- ES31: The distance between check dams will be such that the bottom of the upstream check dam will be at the same elevation as the top of the downstream check dam as Referenced in CD-exhibit 1 of the MDEQ guidebook for BMP's.
- ES32: the upstream sump for the Stone filter berm will be sized to accommodate
 the sediment for the contributing area by using The Universal Soil Loss Equation
 in Developing Areas. Reference Appendix 2D of the MDEQ guidebook for
 BMP's.
- ES35: For dewatering, an acceptable alternative to the gravel inlet protection could be a floated inlet with a filter bag.
- S55: The minimum requirements considered acceptable for permanent and temporary sediment basin design include:
 - Capacity of basin must be designed to be equal or greater to the volume of the sediment expected to be trapped at the site plus the volume of the 10-year rain event. The Oakland County Surface Area Method or The MDEQ BMP Guidebook: SB-5 Basin Capacity can be modified to meet this requirement. Other methods may be submitted with supporting documentation for consideration. Permanent basins will be designed to be dry. Temporary basins will be filled and stabilized once the construction site is stabilized, and prior to release of soil erosion permit.
- S56: The Sediment Trap length to width ratio shall be 5:1 not 2:1.
- S57: Grass Buffer/Filter Strip shall be a minimum of 30' from top of bank or edge of critical resource area.

Below are additional BMP Guidelines that are not addressed in the Soil Erosion & Sedimentation Control Guidebook.

- Stand Pipe: Should be designed to filter sediment. This structure should not to be designed as the outlet restrictor. Rim should be set at the elevation of the 10year storage. The overflow cover will have to be designed to pass the design flow.
- Excavated drop inlet sediment trap The MDEQ BMP Guidebook: Fil-6. An
 acceptable alternative to weep holes is edge drain set within a sand or stone
 bedding.
- Equipment Maintenance & Storage The MDEQ BMP Guidebook: EMS
- Stockpile Location: Must be set away from any critical areas or steep grades. Appropriate Filter and or Seeding BMP's to be applied.
- Vortex Separator: To separate debris from discharge.
- Oil & Grit Separator: This BMP is not to be used as a sediment basin during construction. Specific systems with supporting documentation may be submitted for approval. General Criteria:
 - o Planning considerations: Should serve impervious areas of less than 1 acre or per manufacturers recommendation.
 - o Design: supporting documentation will need to show method & capacity of suspended solids removed and buoyant contaminants removed. Low flow capacity of system and method used to bypass the high flow.
- Outlet: From the MDEQ BMP Guidebook; There should be no overfall from the end of the pipe/outlet to the outlet structure (i.e. the pipe/outlet should not be suspended above the outlet structure)
- Detention Basins: The MDEQ BMP Guidebook: EDB
- Underground detention basins: Specific systems with supporting documentation may be submitted for approval. General Criteria
 - o Cleanout is needed for maintenance.
- Infiltration Basins with underdrain: The MDEQ BMP Guidebook: IB.
- Construction Access Roads:
- Street Sweeping:
- Parking Lot Storage in Recessed Landscape

A Maintenance Schedule for the following permanent BMP's should be developed and included in the site plan or construction drawings to implement once the construction is complete.

- ES31Check Dams: Should be checked annually. Accumulated upflow sediment removed and any noted problems repaired.
- ES32 Stone Filter Berm: Should be checked annually. Accumulated upflow sediment removed and any noted problems repaired.
- ES37 Diversion Ditch: Sediment removed and any noted problems repaired.
- ES39 Streambank biostabilization: Should be checked annually. Check for additional eroding or deteriorating of the anchors or trees. Replace trees or anchors as needed.
- ES41 Wattles: Should be checked annually. Periodic pruning and replanting of live stake may be required.
- S55 Sediment Basin: Annual inspection. Keep outlet clear of debris and excess vegetation. Remove sediment when the design volume exceeds 50% of the sediment expected to be trapped.

- S57 Buffer Strip: Should be checked annually. Clip unwanted and invasive vegetation.
- Stand Pipe: Annual inspection. Keep outlet clear of debris and excess vegetation and any noted problems repaired.
- Excavated drop inlet sediment trap Annual inspection. Keep outlet clear of debris and excess vegetation and any noted problems repaired.
- Vortex Separator: Clean out bi-annually or as recommended by manufacturer.
- Oil & Grit Separator: Clean out bi-annually or as recommended by manufacturer.
- Detention basin: Annual inspection. Keep outlet clear of debris and excess vegetation and any noted problems repaired. Proper disposal of contaminants
- Underground detention basins: Annual inspection. Jet and vacuum any excess debris or sediment and any noted problems repaired.
- Catchbasins: Annual inspection. Keep outlet clear of debris and excess vegetation. Clean sumps and any noted problems repaired.



STATE OF MICHIGAN

DMB Infrastructure Services, Design and Construction Division Soil Erosion and Sedimentation Control Program

SOIL EROSION AND SEDIMENTATION CONTROL GUIDEBOOK

DETAILS AND SPECIFICATIONS

February 2002





MICHIGAN DEPARTMENT OF MANAGEMENT AND BUDGET S-E-S-C KEYING SYSTEM

1

KEY	BEST MANAGEMENT PRACTICES	SYMBOL	WHERE USED
ERO	OSION CONTROLS		
E1	SELECTIVE GRADING AND SHAPING		To reduce steep slopes and erosive velocities.
E2	GRUBBING OMITTED		For use on steep slopes to prevent rilling, gullying, and reduce sheet flow velocity or where clear vision corridors are necessary.
E3	SLOPE ROUGHENING AND SCARIFICATION		Where created grades cause increased erosive velocites. Promotes infiltration and reduces runoff velocity.
E4	TERRACES		On relatively long slopes up to 8% grades with fairly stable soils.
E5	DUST CONTROL		For use on construction sites, unpaved roads, etc. to reduce dust and sedimentation from wind and construction activities.
E6	MULCH		For use in areas subject to erosive surface flows or severe wind or on newly seeded areas.
E7	TEMPORARY SEEDING	ALL STATES	Stabilization method utilized on construction sites where earth change has been initiated but not completed within a 2 week period.
E8	PERMANENT SEEDING	Mary Mary Mary Color	Stabilization method utilized on sites where earth change has been completed (final grading attained).
E9	MULCH BLANKETS		On exposed slopes, newly seeded areas, new ditch bottoms, or areas subject to erosion.
E10	SODDING		On areas and slopes where immediate stabilization is required.
E11	VEGETATED CHANNELS	Manufacture and the Committee	For use in created stormwater channels. Vegetation is used to slow water velocity and reduce erosion within the channel.
E12	RIPRAP	-1000	Use along shorelines, waterways, or where concentrated flows occur. Slows velocity, reduces sediment load, and reduces erosion.
E13	GABION WALLS		On newly created or denuded stream banks to reduce velocity until permanent stabilization is achieved or on existing banks to retard erosive velocities.
E14	ENERGY DISSIPATOR		Where the energy transmitted from a concentrated flow of surface runoff is sufficient to erode receiving area or watercourse.
E15	TEMPORARY SLOPE DRAIN		Where surface runoff temporarily accumulates or sheet flows over the top of a slope and must be conveyed down a slope in order to prevent erosion.
E16	SLOPE DRAIN		Where concentrated flow of surface runoff must be permanently conveyed down a slope in order to prevent erosion.

B = BIOENGINEERING



MICHIGAN DEPARTMENT OF MANAGEMENT AND BUDGET S-E-S-C KEYING SYSTEM

KEY	BEST MANAGEMENT PRACTIÇES	SYMBOL	WHERE USED
E17	CELLULAR CONFINEMENT SYSTEMS		Used on steep slopes and high velocity channels.
E18	PLASTIC SHEETS	-5-	Used on exposed slopes, seeded areas, new ditch bottoms, and areas subject to surface runoff and erosion. Used as a liner in temporary channels and to stabilize stockpiles.
E19	TEMPORARY DRAINAGEWAY/ STREAM CROSSING		Use on construction sites where stream/drainageway crossings are required.
E20	TEMPORARY BYPASS CHANNEL		Use within existing stream corridors when existing flow cannot be interrupted, and at culvert and bridge repair sites
E21	LIVE STAKING	B 1/2	In areas requiring protection of slopes against surface erosion and shallow mass wasting.
EF	ROSION / SEDIMENT CO	NTROLS	
ES31	CHECK DAM		Used to reduce surface flow velocities within constructed and existing flow corridors.
ES32	STONE FILTER BERM	A80.	Use primarily in areas where sheet or rill flow occurs and to accommodate dewatering flow.
ES33	FILTER ROLLS	BAA	In areas requiring immediate protection of slopes against surface erosion and gully formation and for perimeter sediment control.
ES34	SAND FENCE		For use in areas susceptible to wind erosion, especially where the ground has not yet been stabilized by other means.
ES35	DEWATERING		Use where construction activities are limited by the presence of water and dry work is required.
ES36	DIVERSION DIKE/BERM		Within existing flow corridors to address or prevent erosion and sedimentation, or on disturbed or unstable slopes subject to erosive surface water velocities.
ES37	DIVERSION DITCH		In conjunction with a diversion dike, or where diversion of upslope runoff is necessary to prevent damage to unstabilized or disturbed construction areas.
ES38	COFFERDAM/SHEET PILINGS	***	Constructed along or within water corridor or waterbody to provide dry construction area.
ES39	STREAMBANK BIOSTABILIZATION	В	For use along banks where stream and riparian zones may have difficulty recovering from the long—term effects of erosion.
S40	POLYMERS		To minimize soil erosion and reduce sedimentation in water bodies by increasing soil particle size.
S41	WATTLES	BYA	In areas requiring protection of slopes against surface erosion and gully formation.

B = BIOENGINEERING



MICHIGAN DEPARTMENT OF MANAGEMENT AND BUDGET S-E-S-C KEYING SYSTEM

KEY	BEST MANAGEMENT PRACTICES	SYMBOL	WHERE USED
	SEDIMENT CONTROLS	Service C	
S51	SILT FENCE		Use adjacent to critical areas, to prevent sediment laden sheel flow from entering these areas.
S52	CATCH BASIN SEDIMENT GUARD		Use in or at stormwater inlets, especially at construction sites.
S53	STABILIZED CONSTRUCTION ACCESS		Used at every point where construction traffic enters or leaves a construction site.
S54	TIRE WASH		For use on construction sites where vehicular traffic requires sediment removed from its tires in highly erosive areas.
S55	SEDIMENT BASIN		At the outlet of disturbed areas and at the location of a permanent detention basin.
S56	SEDIMENT TRAP		In small drainage areas, along construction site perimeters, and above check dams or drain inlets.
S57	VEGETATED BUFFER/FILTER STRIP		Use along shorelines, waterways, or other sensitive areas. Slows velocity, reduces sediment load, and reduces erosion in areas of sheet flow.
S58	INLET PROTECTION FABRIC DROP	Amenica Company	Use at stormwater inlets, especially at construction sites.
S59	INLET PROTECTION FABRIC FENCE		Use at stormwater inlets, especially at construction sites.
S60	INLET PROTECTION STONE		Use around urban stormwater inlets.
			No.
	10/2	100 C	-3
			`
		8 Total	200
		72	

B = BIOENGINEERING

SECTION 8 - ACTION PLAN

The Broad Goals were refined by the Middle Flint River Watershed workgroup. They were then ranked reviewed by stakeholders and the public. Throughout the process, specific actions or concerns were proposed by the public or stakeholders and implemented whenever possible to create Goals 1 through 5, their objectives and specific actions. Goal 6 and 7 is taken from the NPDES Ph 2 permit language. Goal 8 was added to address sustainability issues that did not fit under the other goals.

Public Act (PA) 342 of 1939

In 2001, the Board of Commissioners of Genesee County made a resolution to establish the Genesee County Drain Commissioner's Office the agency for the County to provided for the management and operation of a system of storm water management services pursuant to the above act, to enable the County and cities, townships and charter townships located within the County to comply with the requirements of the Phase II regulations and also to engage in other watershed management activities necessary for the public health and welfare of the residents of those cities. townships and charter townships. Because of the PA 342, the Drain office was able to sign a contract with the communities to provide services.

(See Section 7 for details)

Throughout the action plan under the Labor Hours & Material cost estimate section many of the line items indicate E342C. This code indicates that these are services provided or costs included in the contract between the Drain office & the communities.

Although all Genesee County Communities have signed a contract with the Drain office to provide services, only those Phase II communities that have a certificate of coverage (permitees) are shown in the action plan.

Genesee County is the NPDES permit holder. Within the action plan, various County departments are named as the responsible agency for specific actions.

Specific actions within the action table that must be performed or done by each permitee are highlighted in gray. Other actions are done by committee or when necessary, by contract with a third party.

Schedule: Definitions of terms

S	Short term (Before May 1, 2009)
L	Long term (after May 1, 2009)
W	Wish List (no commitment or means)
N/A	Not Applicable
С	Complete (specific action complete)
0	Ongoing (currently being done and
	will continue being done)

Other Definitions

E342C	Contract for Services between
	Communities and Drain Office
TBD	To be Determined
BMP	Best Management Practices
MM	Monitoring & Mapping
PE	Public Education
NRCS	Natural Resources Conservation
	Service
FRWC	Flint River Watershed Coalition
SWM	Genesee County Drain Commissioner's
	Office- Surface Water Management
WWS	Genesee County Drain Commissioner's
	Office-Water and Waste Management
Ad hoc	The Ad hoc Committees are formed
	to work on a specific objective until
	complete.

^{*} Oakland County made commitments under different WMP's see page 121

GOAL #1 - PROTECT PUBLIC HEALTH

Objective Ordinance to have septic systems inspected at "time of sale"	Action Draft an ordinance requiring inspection of septic systems at time of property sale. (County Wide) Develop fee	Responsible Parties Health Dept WWS BMP Committee	Schedule S	Labor Hours & Material cost estimate E342C 80-100 hours \$5,000 - \$10,000	Evaluation Mechanism Draft ordinance is produced and adopted by Committee
	structure options for septic ordinance.	WWS BMP Committee	3	80-200 hours \$5,000 - \$10,000	outlines fee options and evaluates the practicality of each of them. Adoption of a funding options
	Responsible permitees will adopt new ordinance for septic inspection. Non Responsible Permitees will support the ordinance.	County Phase II Permitees	S	E342C 20- 100 hours legal fees per comm.	No. of communities supporting ordinance.
	Responsible permitees will make appropriate staff available to be trained on enforcement.	Health Dept or responsible permitee	S	E342C \$300-\$2000 100-400 hours	Attendance to Training
	Enforcement of the new septic ordinance	Health Dept or responsible permitee	L	Cost and Hours TBD	No. of Inspections Long Term Failure Rate Trend.Improvement in water quality, especially in rural areas.
	Develop & implement septic system tracking program for evaluation purposes.	Health Dept SWM	L	Cost and Hours TBD	No. of Inspections Long Term Failure Rate Trend

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
1 a	1	Y	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'
	2	Y	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'
	3	Υ	May 09'	N/A	May 09'	N/A	May 09'	May 09'	W	May 09'	May 09'	W	May 09'	May 09'	May 09'
	4	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	May 09'
	5	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2011
	6	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2011

Objective Develop Educational Materials For Homeowners With Septic Systems to be Given at "Time of Sale" Main Topic: Septic System Maintenance. Other Topics: Include Lawn Maintenance, Auto Care, Well Water, Household Hazardous Waste	Action Explore funding options. Potentially use advertising to fund costs. Develop partnership with local organizations, such as real estate agents. to promote and distribute information on septic systems. Implement distribution of booklet for new	Responsible Parties PE Committee SWM PE Committee PE Committee Phase II Permitees	Schedule S	Labor Hours & Material cost estimate 40-200 hours of prioritizing and finding funding \$1-\$3 ea 500 - 1000 packets \$500 - \$3000 Total 40-100 hours of development, 20-50 hours of distribution Costs TBD, dependent on distribution	Evaluation Mechanism Memo on options Presentations to appropriate authorities Adoption of a funding option Distribution channels are established and maintained. No. of packets distributed by partners. Count # packets distributed
Disposal, and well protection	homeowners with septic systems.			method	Targeted Public Survey by PEP No. of Volunteers
	Develop tracking mechanism for evaluation purposes.	PE Committee	S	Brochures \$2000- \$10,000; 120 hours of organizing mailing	

Goal Objective	Action	Included in													
1 b	1	Y	Dec 08'												
	2	Y	Dec 08'												
	3	Y	May 09'	May 09'											
	4	Y	May 09'	May 09'											

Objective Ordinance for	Action Draft ordinance to	Responsible Parties WWS	Schedule W	Labor Hours & Material cost estimate E342C	Evaluation Mechanism Draft ordinance is
Disconnectin g of Footing Drains From Sanitary to	disconnect footing drains.	BMP Committee	VV	100-200 hours \$5,000 - \$10,000	produced and adopted by Committee
Reduce Sanitary Sewer Overflows	Develop fee structure options to fund ordinance.	WWS BMP Committee	W	E342C 80-200 hours \$5,000 - \$10,000	Document that outlines fee options and evaluates the practicality of each of them. Adoption of a funding options)
	Responsible Permitees will Adopt new footing drain ordinance. Non- responsible Permitees will support ordinance.	Phase II Permitees	W	E342C 20-100 hours legal fees per comm.	No. of ordinances supported locally
	Responsible permitees will make appropriate staff available to be trained on enforcement.	WWS Phase II Permitees	W	E342C Advertising: \$300-\$2000 100-400 hours	Attendance to Training
	Provide Permitees with education material for homeowners outlining disconnection options that promote storm water infiltration.	PE Committee	W	E342C	Number of disconnections. Percent of those that encourage storm water infiltration.
	Distribute education material through municipalities	PE Committee Phase II Permitees	W	Cost and Hours TBD	Number of education material distributed by each permitee
	Enforce new footing drains ordinance.	WWS Phase II Permitees	W	Cost and Hours TBD	No. of footing drains removed. Long Term SSO Trend
	Develop database and track disconnecting footing drains throughout the community.	WWS Phase II Permitees	W	Cost and Hours TBD	Creation of tracking system. Statistics on "disconnections" No. of Disconnections

Goal Objective Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
1 c 1		W	W	W	W	W	W	W	W	W	W	W	W	W
2		W	W	W	W	W	W	W	W	W	W	W	W	W
3		W	E	W	W	W	W	W	W	W	W	W	W	W
4		W	E	W	W	W	W	W	W	W	W	W	W	W
5		W	E	W	W	W	W	W	W	W	W	W	W	W
6		W	E	W	W	W	W	W	W	W	W	W	W	W
7		Е	E	E	Е	W	Е	W	Е	Е	W	W	W	W
8		E	E	E	Е	W	W	W	E	Е	W	W	W	W

Objective	Action	Responsible Parties	Schedule	Labor Hours & Material cost estimate	Evaluation Mechanism
Identify Existing Wellhead Protection Programs	Work with MDEQ to identify existing wellhead protection programs within watershed	MM Committee Ad hoc Committee	W	Cost and Hours TBD	Done
	Identify responsible parties that would benefit from a Wellhead protection program	MM Committee Ad hoc Committee	W	Cost and Hours TBD	List of potential Wellhead protection programs
	Communities will examine potential to participate in the development of new wellhead protection program	MM Committee Ad hoc Committee	W	Cost and Hours TBD	New wellhead protection program adoption. Future recognition of WHP in WMP
Ordinance for testing drinking water wells	Draft ordinance requiring testing of drinking water wells at time of sale.	Health Dept BMP Committee	W	E342C 100-500 hours \$5,000 - \$15,000	Draft ordinance is produced and adopted by Committee
at time of sale	Develop fee structure options for ordinance.	Health Dept WWS BMP Committee	W	E342C 80-200 hours \$5,000 - \$10,000	Document that outlines fee options and evaluates the practicality of each of them. Adoption of a funding options)
	Permitees to adopt new drinking water well ordinance.	Phase II Permitees	W	E342C 20-100 hours legal fees per community	No. of ordinances supported locally
	Responsible permitees will make appropriate staff available to be trained on new ordinance.	Health Dept or Phase II Permitees	W	E342C Advertising: \$300-\$2000 100-400 hours	Attendance to Training No. of advertisements.
	Permitees to enforce new ordinance.	Health Dept or designated permitee	W	TBD as part of ordinance	# of Inspections Long Term Trend. Improvement in water quality, especially in rural areas.
	Develop and implement tracking system	Phase II Permitees	W	Cost and hours TBD	Number of tests performed Test results
Map arsenic levels for drinking wells	Identify existing arsenic levels that have been tested in the watershed	Health Dept M&M Committee	W	Cost and Hours TBD	Production of a County map indicating arsenic levels
	Make information available to decision makers and general public	To be Determined	W	Cost and Hours TBD	# of hits on website No. of maps distributed. No. of drinking water tests requested.

Goal Objective	Action	Included in SWPPI		City of Davison			City of Swartz Cr.								
1 d	1		E	E	E	W	W	W	W	W	W	W	E	W	W
	2		E	E	E	W	W	W	W	W	W	W	E	W	W
	3	111111111111111111111111111111111111111	E	E	E	W	W	W	W	W	W	W	E	W	W
1 e	1		W	W	W	W	W	W	W	W	W	W	W	W	W
	2		W	W	W	W	W	W	W	W	W	W	W	W	W
	3		W	W	W	W	W	W	W	W	W	W	W	W	W
	4		W	W	W	W	W	W	W	W	W	W	W	W	W
	5		W	W	W	W	W	W	W	W	W	W	W	W	W
	6		W	W	W	W	W	W	W	W	W	W	W	W	W
1 f	1		W	W	W	W	W	W	W	W	W	W	W	W	W
	2		W	W	W	W	W	W	W	W	W	W	W	W	W

GOAL #2 - ESTABLISH A WATERSHED STEWARDSHIP ETHIC AMONG THE PUBLIC

Objective Educate the public about the 7 required education elements (As outlined on page 63)	Action Update www.ClearGenesee Water.org with watershed wide educational material, monitoring results, permit information, meeting information and committees as needed.	Responsible Parties PE Committee	Schedule O	Labor Hours & Material cost estimate E342C Part of Education Media Campaign Budget 80-200 hours/ year	Evaluation Mechanism No. of hits on website and downloads. List of information kept on website.
	Place link on website connecting to above website if available.	Phase II Permitees	S	Cost Varies Time Varies	Counters recording number of hits on permitees websites
	Develop print media to educate public.	PE Committee	С	E342C \$2000-\$5000 60 hours	Print material developed
	Distribute media through municipalities.	SWM Phase II Permitees	0	E342C Part of Public Ed Budget 20 hours/ year	No. of ad's, print material and units distributed (etc.) by each permitee Social survey
	Develop evaluation method to track effectiveness of media	PE Committee	S	Cost and Hours TBD	No. of ad's, print material and units distributed (etc.) by each permitee Social survey
Direct Mailing to Riparian Land owners (Rivers/Lake s)	Design riparian landowner educational materials emphasizing protecting and managing the riparian corridor.	PE Committee	S	Brochures Part of Education Media Campaign Budget \$2,000-\$10,000	Creation of riparian landowner brochure.
	Develop & maintain a list of riparian landowners.	PE Committee	S	Develop Cost Analysis 20 hours per community	List developed with regularly scheduled updates (5 yrs)
	Implement direct mailings to land owners and updating public education materials.	PE Committee	S	\$4,000 - \$8000 30+ hours	No. of information packets distributed No. of hits on web site. Returned postcard from newsletter
	Develop evaluation method to track effectiveness of program	PE Committee	S	Cost and Hours TBD	No. of information packets distributed No. of hits on web site. Specific Survey

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison			City of Swartz Cr.					Genesee Township	Grand Blanc Township		
2 a	1	Y	E	Е	Е	E	Е	Е	Е	E	Е	E	E	E	Е
	2	Y	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	E
	3	Υ	Е	E	E	E	E	E	E	E	E	E	E	Е	E
	4	Y	Е	E	Е	Е	E	E	E	E	E	Е	Е	E	E
	5	Y	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'
2 b	1	Y	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'
	2	Y	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'
	3	Y	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'
	4	Y	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'	Jun 08'

Objective	Action	Responsible Parties	Schedule	Labor Hours & Material cost estimate	Evaluation Mechanism
Partner with existing household hazardous waste	Meet with existing household hazardous waste program committee. Investigate options to assist program.	PE Committee HHW committee	W	10- 20 hours	Increased demand/use of HHW program
(HHW) program committee to increase awareness	Conduct needs assessment that includes determining collection dates (annually, monthly or weekly) and locations.	Program Organizers PE Committee	W	Cost TBD 40-80 hours	List of potential improvements
and use	Determine feasibility of implementing recommendations from needs assessment.	Program Organizers PE Committee	W	\$1000 - \$5000	Document that outlines fee options and evaluates the practicality of each of them.Adoption of a funding options)
	Implement recommendations from needs study as completely as is feasible and identify future opportunities and actions.	SWM HHW Organizer	W	Cost and time TBD	Long-term: reduction of the presence of HH chemical in water quality monitoring samples.
Enhance Existing Benthic Monitoring Program	Meet with Flint River Watershed Coalition (FRWC) to identified opportunities to develop partnership(s).	MM Committee	С	Cost negligible 5 hours	The 16 sites in Genesee county are tested consistently twice a year
(Description and results on pg 35- 37)	Identify additional stream segments that would be desirable to gather macroinvertebrate sampling data on.	FRWC	С	Costs Negligible 10-20 hours	Additional sites are identified.
	Determine what additional resources are needed to expand the monitoring program.	MM Committee FRWC	0	20 hours to meet to negotiate contract with FRWC	Report of estimated additional resources needed.
	Implement a yearly schedule and set up dead lines displaying when stream sections will be inventory yearly.	FRWC SWM MM Committee	0	E342C contract done by FRWC	Schedule set
	Sign contract with FRWC to provide Benthic Monitoring	FRWC SWM MM Committee	С	\$5150.00 / yr	Sign Contract
	Review Results from past seasons. Current results will be reviewed each year after monitoring.	MM Committee SWM	S	E342C Costs and hours TBD	Trend data is entered and analyzed All monitoring activities should be related together (e.g. road/stream, WQ)
	Conduct monitoring	FRWC	0	Done by FRWC	Track WQ improvements over the permit cycle

Goal Objective	Action	Included in	SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
2 c	1			W	W	W	W	W	W	W	W	W	W	W	W	W
	2			W	W	W	W	W	W	W	W	W	W	W	W	W
	3			W	W	W	W	W	W	W	W	W	W	W	W	W
	4			W	W	W	W	W	W	W	W	W	W	W	W	W
2 d	1	``	1	E	E	E	E	E	E	E	E	E	E	E	E	E
	2	١	Y	E	E	Е	Е	E	Е	E	Е	Е	Е	Е	E	Е
	3	۲	Y	E	E	E	E	E	E	E	E	E	E	E	E	E
•	4	١	1	E	Е	E	E	Е	E	E	E	Е	E	E	E	E
•	5	١	7	Е	E	Е	E	Е	E	E	E	Е	Е	E	Е	E
•	6	١	Y	E	E	E	Е	E	E	E	E	E	E	E	E	E
	7	`	1	E	Е	E	E	E	E	E	E	E	Е	E	E	E

Objective	Action	Responsible Parties	Schedule	Labor Hours & Material cost estimate	Evaluation Mechanism
Enhance Existing Project	Sign Contract with FRWC to administer program	SWM FRWC	С	\$7500 / yr	Contract Signed
GREEN Program (for further information	Identify local schools to participate. Meet with school district representatives	FRWC	0	E342C Done by contract with FRWC	Organizations that participate are identified No. of classes participating in project Green.
see page 38).	Increase number of classes involved with program	FRWC	0		Number of classes participating increase
	Conduct monitoring	FRWC Participating Schools	0	120+ hours/year	Samples of DO, Ammonia, Nitrate, PH, Phosphate, and temperature are collected regularly. Monitoring is completed and results are compiled
	Review Results	FRWC MM Committee	S	E342C Up to \$5000 20 hours/mo	Results provided for all sites. Trend data is entered and analyzed
Stream Crossing Watershed Survey with Photography.	Develop road stream inspection program. (Identify road/stream crossings, information collected)	MM Committee GCRC	С	Partner w/ existing GCRC bridge program. Total Additional Cost \$500- \$2000	Documentation of water and stream characteristics, plant life, foam, trash, etc.
	Determine implementation options and responsibilities.	MM Committee GCRC	С	E342C 20 hours	Memo on options Presentations to appropriate authorities
	Provide training to personnel responsible for completing survey	MM Committee Consultant	0	E342C 20 hours	No. of people trained. Program sustained over time.
	Conduct survey based on a schedule developed	MM Committee GCRC Consultant	S	E342C 80 hours	Schedule is created and implemented. Photos are taken, reports are written
	Review results	MM Committee SWM	S	E342C Costs and hours TBD	Data entered and analysis performed.

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison		1	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	- '	
2 e	1	Y	E	E	Е	E	Е	Е	E	E	Е	E	Е	E	Е
	2	Y	E	E	E	E	E	E	E	E	E	E	E	E	E
	3	Y	Е	E	E	E	E	E	E	E	Е	E	Е	E	Е
	4	Υ	E	E	E	E	E	E	E	E	E	E	E	E	E
	5	Y	Е	Е	E	E	E	E	E	E	Е	E	Е	E	E
2 f	1	Y	E	E	E	E	E	E	E	E	E	E	E	E	E
	2	Y	E	Е	E	E	E	E	E	E	E	E	E	E	Е
	3	Υ	E	E	Е	E	E	E	E	E	E	E	E	E	E
	4	Y	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'
	5	Y	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'	Dec 08'

Objective	Action	Responsible Parties	Schedule O	Labor Hours & Material cost estimate	Evaluation Mechanism
Hot Spot Water Quality Monitoring	Identify initial list of target sites, chemical tests, parameters and collection method.	Committee	0	Cost are as needed, comes out of E342C	Documentation of water quality associated with hot spots.
for MS4's as needed	Determine testing needed for each site.	MM Committee	С	Costs and time will vary	Plan and needs assessment created Advanced sample collection needs to be done by professionals
	Create a protocol manual for fieldwork crews (lab results parameters and collection methods).	Consultant	С	E342C 10 hours	Sites and protocols established
	Schedule and conduct field work done by professionals (Consultants)	Consultant	0	\$1000- \$1500 per site.	Schedule established, WQ samples collected
	Review Results	MM Committee Consultant	0	Database costs are part of contract with Tetra Tech	Trend data is entered and analyzed All monitoring activities should be related together (e.g. road/stream, WQ)

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
2 g	1	Y	Е	Е	Е	E	E	Е	E	Е	Е	Е	E	E	Е
	2	Y	E	E	E	E	E	E	E	E	E	E	E	E	Е
-	3	Y	E	E	E	E	E	E	E	E	E	E	E	E	Е
-	4	Y	Е	E	E	E	E	E	E	E	E	E	E	E	Е
-	5	Y	Е	Е	E	E	E	E	Е	Е	Е	E	Е	Е	Е

GOAL #3 - REDUCE IMPACT FROM PEAK FLOWS

	#3 - NEDOOL IIIII AOI				
		Responsible		Labor Hours & Material cost	
Objective	Action	Parties	Schedule	estimate	Evaluation Mechanism
Storm Water Ordinance	Create a storm water design standards/site plan manual.	SWM	S	E342C 200 - 2000 hrs	Creation of a design manual
	Develop table that will show how much the installed BMP's will reduce or prevent post- construction impacts on water quality	BMP Committee	L	Budget and time will vary for each permitee	Mechanism developed to track quantity and types of pollutants removed by various BMP's
	Draft a stormwater ordinance that refers to the design/site plan manual that considers quantity and quality BMP's.	BMP Committee	S	E342C Costs TBD 40 -200 hrs per committee members	Draft ordinance is produced
	Develop new County site plan review process with the following steps: Step 1: Pre-Development Step 2: Prepare site plan Step 3: Coordinated County Review Step 4: Municipal Review Step 5: Site Plan Step 6: Approval	BMP Committee	L	E342C Costs- \$5000 Hours 200+	Process is adopted and followed by county and communities. New development begins to take different form.
	Develop permit fee structure to cover the cost of processing and enforcement with provision for future adjustments.	BMP Committee	L	E342C 20-100 hours \$2.500 - \$3,000	Document that outlines fee options and evaluates the practicality of each of them.Adoption of a funding option(s)
	Facilitate community acceptance through public forms and information packets.	Phase II Permitees	L	40 -200 hrs per community	Information sessions. No. of information packets distributed by Permitees
	Permitees to approve/adopt ordinance.	Phase II Permitees	L	Budget and time will vary	No. of Communities that adopt ordinance,
	Responsible permitees will make appropriate staff available to be trained on the storm water ordinance, process and design manual.	BMP Committee	L	\$500 10 hours	No. of participants in training Advertising of training
	SWM Permitees to enforce new storm water ordinance.	Phase II Permitees	L	3 - 4 staff \$120-160 K/yr	No. of citations No. of developments going thru the process.

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township							00
3 a	1	Υ	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'
-	2	Y	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009
	3	Y	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'
	4	Y	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009
	5	Y	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009
	6	Y	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009
	7	Υ	2009	2009	2009	2009	Е	2009	2009	2009	2009	2009	2009	2009	2009
	8	Υ	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
	9	Y	2010	2010	2010	2010	Е	2010	2010	2010	2010	2010	2010	2010	2010

Objective	Action	Responsible Parties	Schedule	Labor Hours & Material cost estimate	Evaluation Mechanism
Pursue restoration projects on natural watercourses	Develop list of pollution problems along Natural Watercourses not covered by IDEP. (I.E.Bank erosion)	MM Committee	W	Negligible	Work list is developed. Regular updating of inventory
	Identify problem areas and prioritize.	MM Committee	W	Negligible	List problem areas as committee becomes aware of them. Problems ranked.
	Determine mechanism under which maintenance/repair can be done to Natural Watercourses	MM Committee	W	Will have to be funded outside of E342C. Grants are most likely	List of options is created
	Provide maintenance or repair to natural watercourse	MM Committee Phase II Permittees	W	E342C 200+ hours Costs TBD	Corrective measures proposed and implemented
Preserve existing floodplains and wetlands	Establish criteria that will be used to Identify and prioritize existing wetlands and floodplains	SWM	W	100 + hours Cost nominal	Criteria created
from being filled or developed	Identify existing floodplains and wetlands	SWM	W	E342C 120 hrs @ \$50 hr =\$6000 FEMA floodplain is start	List created
	Prioritize existing floodplains and wetlands based on amenity and ability to protect	SWM	W	E342C 40 hrs @ \$50 hr=\$2000	Prioritization list is developed.
	Determine mechanism under which floodplains & wetlands can be preserve (May include ordinances)	Ad hoc Committee Phase II Permitees	W	Cost shared, TBD	List of options is created.
	County and communities implement recommended mechanism's).	County Phase II Permitees	W	Cost shared, TBD	Plan for protection is devised. Permitees follow plan. Reduction in the rate of loss of wetlands / floodplain dev.

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
3 b	1		W	W	W	W	W	W	W	W	W	W	W	W	W
	2		W	W	W	W	W	W	W	W	W	W	W	W	W
	3		W	W	W	W	W	W	W	W	W	W	W	W	W
	4		W	W	W	W	W	W	W	W	W	W	W	W	W
3 c	1		W	W	W	W	W	W	W	W	W	W	W	W	W
	2		W	W	W	W	W	W	W	W	W	W	W	W	W
	3		W	W	W	W	W	W	W	W	W	W	W	W	W
	4		W	W	W	W	W	W	W	W	W	W	W	W	W
	5		W	W	W	W	W	W	W	W	W	W	W	W	W

Objective Monitor water guantity to	Action Gather data from	Responsible Parties MM Committee	Schedule W	Labor Hours & Material cost estimate E342C Costs and hours	Evaluation Mechanism Establish baseline
measure hydraulic	existing stream gauges and corresponding rain gauges.			TBD	measure
change within watercourses	Track water flows as they relate to rain events	SWM	W	E342C Costs and hours TBD	Use baseline measure to gage future flows vs. current flows
	Review Results	SWM	W	E342C Costs and hours TBD	Trend data is entered & analyzed All monitoring activities should be related together (e.g. road/stream, WQ)
	Add stream/ precipitation gages as needed in key locations.	MM Committee WWS	W	E342C Costs and hours TBD	Gauges added.
Produce demonstration projects for (Low Impact Development) for new and retrofit sites	Identify potential existing sites for retrofit with bio-retention. Either on permittee property or by education of private development.	BMP Committee	W	Costs and hours TBD	Sites identified and opportunities for redevelopment evaluated.
	Create education materials for permitees and developers	BMP Committee	W		Relationships have been developed and an indication of their willingness to partner on a project.
	Educate developers on the benefits of incorporating low impact development into their site design.	BMP Committee	W	Costs and hours TBD	Documentation of potential funding schemes and sources.
	Develop mechanism for providing funding or incentives to implement low impact development.	BMP Committee	W	Not part of the E342C Budget	# of sites built
	Have demonstration sites built.	Developer or Permittee	W	Costs and hours TBD	Flow meters or other measurement devices.
	Track reduction of flow/pollutants	SWM	W	Costs and hours TBD	# of Field trips, Presentations, signage, etc.

Goal Objective	Action	Included in SWPPI		City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township		Flint Township		Grand Blanc Township		
3 d	1		W	W	W	W	W	W	W	W	W	W	W	W	W
	2		W	W	W	W	W	W	W	W	W	W	W	W	W
	3		W	W	W	W	W	W	W	W	W	W	W	W	W
	4		W	W	W	W	W	W	W	W	W	W	W	W	W
3 e	1		W	W	W	W	W	W	W	W	W	W	W	W	W
	2		W	W	W	W	W	W	W	W	W	W	W	W	W
	3		W	W	W	W	W	W	W	W	W	W	W	W	W
	4		W	W	W	W	W	W	W	W	W	W	W	W	W
	5		W	W	W	W	W	W	W	W	W	W	W	W	W
	6		W	W	W	W	W	W	W	W	W	W	W	W	W

GOAL #4 - CREATE, RESTORE & ENHANCE RECREATIONAL USE

Objective Educate Public about recreational opportunities	Action Promote recreational programs (website, brochures, and community news.)	Responsible Parties PE Committee Phase II Permitees	Schedule S	Labor Hours & Material cost estimate E342C – Costs and hours TBD	Evaluation Mechanism # of hits on recreation page of website # of flyers distributed
near/ on the water	Distribute materials on recreational programs through municipalities	PE Committee Phase II Permitees	S	E342C- Costs and hours TBD	No. of brochures, web hits, etc. Social survey.
Protect /Expand Parks Trails and River Walk System	Coordinate with existing Greenways Initiative to compile a list of existing and proposed greenways	PE Committee	W	E342C Costs and hours TBD	Meeting with Greenways List of proposed areas compiled.
•	Prioritize list for protection and for future enhancements (e.g. increased accesses)/ acquisition of property- if necessary	PE Committee	W	Costs TBD 80 200 hours for committee & contractor	List of prioritized areas is created.
	Develop plan for acquiring land (along water) for recreation/ Wildlife protection	PE Committee	W	E342C - Costs TBD 80 200 hours for committee & contractor	Acres of Land Acquired. List of methods developed
	Implement plan based on list of priorities and sign contracts if necessary	PE Committee SWM Phase II Permitees	W	E342C - Costs TBD 80 200 hours for committee & contractor	Acres of Land Acquired. Natural land vs. developed land calculations

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison		City of Grand Blanc	City of Swartz Cr.		Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township		Genesee County
4 a	1	Y	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Е
	2	Y	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Е
4 b	1		W	W	W	W	W	W	W	W	W	W	W	W	W
	2		W	W	W	W	W	W	W	W	W	W	W	W	W
	3		W	W	W	W	W	W	W	W	W	W	W	W	W
	4	## (1 H H H H H H H H H H H H H H H H H H	W	W	W	W	W	W	W	W	W	W	W	W	W

GOAL #5 - RESTORE & PROTECT AQUATIC LIFE, WILDLIFE & HABITAT

Objective Establish vegetative buffer areas adjacent to sensitive	Action Draft Buffer Strip Ordinance	Responsible Parties BMP Committee	Schedule L	Labor Hours & Material cost estimate E342C 100-500 hours \$5,000 - \$15,000	Evaluation Mechanism Draft ordinance is produced
areas	Develop fee structure options for buffer strip ordinance.	BMP Committee	L	E342C \$5000	Document that outlines fee options and evaluates the practicality of each of them. Adoption of a funding option(s)
	Permitees adopt new ordinance.	County Phase II Permitees	L	20- 100 hours legal fees vary by community	No. of ordinances supported locally
	Responsible permitees will make appropriate staff available to be trained about the new buffer ordinance.	To be determined	L	10 hours per community staff costs vary by community	Attendance to Training
	Permitees to enforce new stream buffer strip ordinance.	Phase II Permitees	L	Enforcement costs will vary by community	Citations issued. No. of miles of buffer strips implemented.
	Develop tracking method for enforcement	Phase II Permitees	L	Costs and hours TBD	Citations issued. No. of miles of buffer strips implemented
Protect key locations of threatened and endangered species and habitat	Identify key locations of threatened and endangered species and habitat. using Natural Features Inventory	MM Committee	W	Ongoing Program with MSUE 60 hours for committee, 100 hours for contractors	List created
	Develop plan to protect areas, or stabilize and enhance habitat	MM Committee	W	E342C 200 = hours Costs TBD	Develop Plan and Options for implementation
	Adopt plan	Phase II Permitees	W	Costs and hours TBD	Plan is adopted
	Permitees to implement protection plan for threatened/endangered species.	Phase II Permitees	W	Costs and hours TBD	Plan is implemented locally. No. of Acres of habitat areas are preserved.

Goal	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton			Clayton Township			Flint Township		Grand Blanc Township		Genesee County
5 a	1	Y	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
	2	Y	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
	3	Υ	2011	2011	E	2011	Е	2011	2011	2011	2011	2011	2011	2011	2011
	4	Y	2011	2011	2011	2011	2011	2011	2011	2011	2011	2011	2011	2011	2011
	5	Υ	2012	2012	Е	2012	E	2012	2012	2012	2012	2012	Е	2012	2012
	6	Y	2012	2012	E	2012	Е	2012	2012	2012	2012	2012	2012	2012	2012
5 b	1		W	W	W	W	W	W	W	W	W	W	W	W	W
	2		W	W	W	W	W	W	W	W	W	W	W	W	W
	3		W	W	W	W	W	W	W	W	W	W	W	W	W
	4		W	W	W	W	W	W	W	W	W	W	W	W	W

GOAL #6 - MDEQ REQUIREMENT - GOOD HOUSEKEEPING ACTIVITIES

Objective	Action	Responsible Parties	Schedule	Labor Hours & Material cost estimate	Evaluation Mechanism
Ensure Maintenance activities, schedules, and inspection procedures for storm	Develop or adopt a BMP manual to provide Permitees with maintenance procedures to be implemented for Good Housekeeping Activities	Phase II Permitees	S	Budget and time will vary for each permitee	BMP manual developed or adopted
water structural controls (SWSC) as appropriate.	Develop schedule for inspection & maintenance procedures of SWSC owned by permitee	Phase II Permitees	S	Budget and time will vary for each permitee	Structural controls Identified. Maintenance and inspection schedule developed
	Permitees will make appropriate staff available to be trained	BMP Committee Phase II Permitees	S	TBD	appropriate staff trained
	Inspect all SWSC owned by permitee according to schedule	Phase II Permitees	S	Budget & time will vary for each permitee	Inspections done according to schedule
	Perform maintenance / repair to SWSC owned by permitee (including but not limited to) • Pipes /	Phase II Permitees	S	Budget and time will vary for each permitee Per procedure	Maintenance of structural controls owned or operated by permitee as needed according to inspection Pipes / culverts
	culvertsDitches		••••••	Per procedure	Ditches
	Catch Basins	-		Per procedure	Catch Basins
	Oil-Grit Separators			Per procedure	Oil-Grit Separators
	Detention (wet/dry)			Per procedure	Detention (wet/dry)
	 Vaults or tanks 			Per procedure	Vaults or tanks
	Infiltration Basin			Per procedure	Infiltration Basin
	Rain Gardens			Per procedure	Rain Gardens
	Porous Pavement			Per procedure	Porous Pavement
	 Vegetated Swales 			Per procedure	Vegetated Swales
	 Constructed wetlands 			Per procedure	Constructed wetlands
	Filter Strips			Per procedure	Filter Strips
	Track inspection and maintenance	Phase II Permitees	S	Budget and time will vary for each permitee	Inspection findings recorded, maintenance performed. Track quantity of pollutants removed or reduced.

Goal Objective	Action	Included in SWPPI	City pf Burton		City of Fenton	City of Grand Blanc	City of Swartz Cr.		Davison Township	Fenton Township		Genesee Township	Grand Blanc Township	Mundy Township	
6 a	1	Y	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'
	2	Y	Jan 09'	Jan 09'	E	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'
	3	Y	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'
	4	Y	Mar 09'	Mar 09'	E	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'
	5	Y	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	Aug 09'	May 09'
		Υ	5/09	5/09	5/09	5/09	5/09	5/09	5/09	5/09	5/09	5/09	5/09	8/09	5/09
		Υ	5/09	5/09	5/09	5/09	5/09	N/A	N/A	N/A	N/A	N/A	5/09	8/09	5/09
		Υ	5/09	5/09	5/09	5/09	5/09	5/09	5/09	5/09	5/09	5/09	5/09	8/09	5/09
		Y	N/A	N/A	5/09	N/A	N/A	N/A	N/A	N/A	N/A	5/09	N/A	N/A	5/09
		 Y	N/A	N/A	N/A	N/A	N/A	N/A	5/09	5/09	N/A	5/09	N/A	8/09	5/09
		Y	N/A	5/09	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5/09
		Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Υ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		 Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Y	N/A	N/A	N/A	5/09	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Y	N/A	N/A	N/A	5/09	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	6	Y	May 09'	May 09'	E	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	May 09'	Aug 09'	May 09'

Objective Implement Controls for reducing or eliminating the	Action Develop schedule & procedures for the following controls on pavement that is owned or operated by	Responsible Parties Phase II Permitees	Schedule S	Labor Hours & Material cost estimate Budget and time will vary for each permitee	Evaluation Mechanism Schedule and O & M procedures developed
discharges of pollutants from streets.	Street Supposing			Per schedule	Street Sweeping
roads, highways, parking lots,	Sweeping Road Salt Application & Storage			Per Procedure	Road Salt Application & Storage
and storage	Dust Control			Per Procedure	Dust Control
yards	Snow Removal			Per Procedure	Snow Removal
	Maintenance Garage / Storage Yards			Per Procedure	Maintenance Garage / Storage Yards
	Road & Bridge Maintenance			Per schedule	Road & Bridge Maintenance
	 Gravel Road Maintenance 			Per schedule	Gravel Road Maintenance
	 Roadside Vegetation 			Per Procedure	Roadside Vegetation
	Track inspection and maintenance of Controls	Phase II Permitees	S	Budget and time will vary for each permitee	Inspection findings recorded, maintenance performed Track quantity of pollutants removed or reduced.
Institute Procedures for the proper disposal of operation and maintenance waste from	Develop procedure for proper disposal of the following waste collected from maintenance of the storm system owned or operated by permitees	Phase II Permitees	S	Budget and time will vary for each permitee	Procedure developed and implemented
the separate storm water	Spoils / sediments				Spoils / sediments
drainage system (from	Floatables / oil				Floatables / oil
street sweeping,	Other Debris / Pollutants				Other Debris / Pollutants
catch basin clean out, etc)	Document disposal method for operation and maintenance waste	Phase II Permitees	S		Track quantity of pollutants removed or reduced

Goal	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
6 b	1	Υ	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'
		Υ	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	N/A	N/A	Mar 09'	N/A	Mar 09'	W	Mar 09'
		Y	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	N/A	Mar 09'
		Υ	N/A	N/A	Mar 09'	N/A	Mar 09'	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Mar 09'
		Υ	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	N/A	N/A	N/A	Mar 09'	N/A	Mar 09'
		Y	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	N/A	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	N/A	Mar 09'
		Y	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Mar 09'
		Υ	Mar 09'	N/A	Mar 09'	N/A	Mar 09'	N/A	N/A	Mar 09'	N/A	N/A	N/A	N/A	Mar 09'
		Υ	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Mar 09'
	2	Y	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'
6 c	1	Y	Jan 09'	Jan 09'	E	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'
		Υ	May 09'	Jan 09'	Е	Jan 09'	May 09'	May 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	May 09'	Jan 09'	May 09'
		Υ	May 09'	Jan 09'	Е	Jan 09'	May 09'	May 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	May 09'	Jan 09'	May 09'
		Υ	May 09'	Jan 09'	Е	Jan 09'	May 09'	May 09'	Jan 09'	Jan 09'	Jan 09'	Jan 09'	May 09'	Jan 09'	May 09'
	2	Υ	May 09'	Mar 09'	Е	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	May 09'	Mar 09'	May 09'

Objective Ensure that flood management projects assess the	Action Evaluate current or create new procedures to place water quality measures on storm water facilities owned	Responsible Parties Phase II Permitees	Schedule L	Labor Hours & Material cost estimate Budget and time will vary for each permitee	Evaluation Mechanism Procedures for determining water quality measures has been evaluated / developed
impacts on the water quality of the receiving waters.	by permitee. Implement procedures on permitee owned facilities	Phase II Permitees	L	Budget and time will vary for each permitee	Identified procedures implemented
	Install BMP's were appropriate on permitee owned facilities pursuant BMP manual	Phase II Permitees	L	Budget and time will vary for each permitee	Identified BMP's Installed
	Assess new projects owned by permitee for water quality impact.	Phase II Permitees	L	Negligible	Assessment done on site plan. Appropriate BMP's shown in design.
Reduce the discharge of pollutants related to application of pesticides, herbicides,	If fertilizers are used, permitee will have soil testing performed, prior to application, and fertilizer application will be based on soil testing results.	Phase II Permitees	S	Budget and time will vary for each permitee	Fertilizer use policy changed if necessary
and fertilizers applied in the permitees regulated area.	If fertilizers are used, permitee will have fertilizer applied by a licensed individual	Phase II Permitees	S	Budget and time will vary for each permitee	Measure reduction or elimination of phosphorous and or fertilizer due to permitee's change in procedure.
	If herbicides are used, permitee will have herbicides applied by a licensed individual and the herbicides applied should be appropriate for use.	Phase II Permitees	S	Budget and time will vary for each permitee	Herbicide use policy changed if necessary Reduce use of herbicide by Permitees
	If pesticides are used outside, permitee will apply sparingly by a licensed individual	Phase II Permitees	S	Budget and time will vary for each permitee	Pesticide use policy changed if necessary Reduce use of pesticides by Permitees
	Pesticides, herbicides and fertilizers kept on site will be stored appropriately in dry, self contained areas that are not connected to the storm water drainage system.	Phase II Permitees	S	Budget and time will vary for each permitee	Procedures reviewed and adjusted if necessary. Material handling SOP adjusted

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
6 d	1	Y	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009
	3	Y	2010	2010	2010	2010	2013	2010	2010	2010	2010	2010	2010	2010	2010
	4	Y	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009
6 e	1	Υ	May 09'	W	W	N/A	N/A	N/A	N/A	Jan 09'	Jan 09'	N/A	Jan 09'	N/A	May 09'
	2	Y	Е	N/A	May 09'	N/A	Jan 09'	Jan 09'	Jan 09'	E	E	Jan 09'	Е	Jan 09'	Е
	3	Y	Е	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Е	N/A	E
	4	Y	N/A	N/A	May 09'	N/A	Jan 09'	N/A	N/A	N/A	N/A	N/A	E	N/A	N/A
	5	Y	Е	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	E

GOAL #7 - MDEQ REQUIREMENT - POST CONSTRUCTION CONTROLS

		Responsible		Labor Hours & Material	
Objective	Action	Parties	Schedule	cost estimate	Evaluation Mechanism
Evaluate and implement site appropriate, cost-effective structural and nonstructural best	Adopt BMPs manual from Objective 3a or develop and adopt a BMP manual to protect water quality in both new development and significant redevelopment	Phase II Permitees	S	Budget and time will vary for each permitee	Assessment is completed. BMP Manual created and adopted by permitees No. of people that use the manual. SOP are adjusted
management practices (BMPs) that prevent or minimize post	Adopt the <u>Objective 3a</u> Stormwater ordinance to enforce BMP manual or develop and adopt individual Stormwater ordinance.	Phase II Permitees	L	Budget and time will vary for each permitee	Necessary ordinances developed and adopted
construction impacts on water quality.	Responsible permitees will make appropriate staff available to be trained on enforcement	Phase II Permitees	L	Budget and time will vary for each permitee	Number trained Number of sites enforced
	Develop tracking system	Phase II Permitees	L	Budget and time will vary for each permitee	Mechanism developed to track number of sites, types of BMP's quantity of pollutants removed reduced
Establish long-term operation and	Review existing O&M practices as it relates to the adopted BMP manual.	Phase II Permitees	S	Budget and time will vary for each permitee	Completion of review. Ability to determine needed O&M procedures
maintenance practices for storm water BMPs for	Develop a procedure to enforce new O & M practices on private storm water systems.	Phase II Permitees	L	Budget and time will vary for each permitee	O&M procedures developed and supported by local communities.
new development and significant redevelopme	Adopt necessary ordinances to enforce new O & M practices on private storm water systems.	Phase II Permitees	L	Budget and time will vary for each permitee	Necessary ordinances developed and adopted O&M manual/ procedures reflect new requirements
nt on private property.	Responsible permitees will make appropriate staff available to be trained on enforcement	Phase II Permitees	L	Budget and time will vary for each permitee	Number trained Number of sites enforced
	Develop tracking system	Phase II Permitees	L	Budget and time will vary for each permitee	Mechanism developed to track number of sites, types of BMP's quantity of pollutants removed reduced

Goal Objective	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
7 a	1	Y	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'	Aug 08'
	2	Y	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	N/A
	3	Y	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
	4	Υ	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
7 b	1	Y	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	Mar 09'	N/A
	2	Υ	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009	N/A
	3	Y	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	N/A
	4	Y	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
	5	Y	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010

GOAL #8 - OPPORTUNITIES FOR SUSTAINABILITY

Objective	Action	Responsible Parties	Schedule	Labor Hours & Material cost estimate	Evaluation Mechanism
Secure funding	Sign E342C contract (through May 1, 2008)	Phase II Permitees	С		Permitee sign contract- see application
options available for	Review E342C contract for renewal	Phase II Permitees	S	TBD	Contract has been reviewed by permitee
implementati on	Sign new contract or develop funding mechanism to support independent program	Phase II Permitees	S	TBD	Permitee either signs new contract based on new permit cycle or permitee pursue implementation of permit with independent funding.
	Identify existing federal, state, and local funding opportunities.	Ad hoc Committee	W	10,000 250-500 Hrs (includes action 3)	Funding Strategies and opportunity document created.
	Coordinate the development of grant proposals.	SWM	W	100-150 hrs	Multi-jurisdictional grants are applied for and received.
Institutionaliz e the committee structure.	Phase II permitee representative to site on PE Committee.	Phase II Permitees GISD	0	100+ hrs/yr for administrator 24+ hrs/yr for members.	Meeting Minutes Action plan items are implemented. Attendance
	Phase II permitee representative to site on BMP Committee.	Phase II Permitees	0	100+ hrs/yr for administrator 24+ hrs/yr for members.	Meeting Minutes Action plan items are implemented. Attendance
	Phase II permitee representative to site on MM Committee.	Phase II Permitees	0	100+ hrs/yr for administrator 24+ hrs/yr for members.	Meeting Minutes Action plan items are implemented. Attendance
	Phase II permitee representative to site on an Ad hoc Committee.	Phase II Permitees	S	TBD	Meeting Minutes Action plan items are implemented. Attendance

Goal	Action	Included in SWPPI	City pf Burton	City of Davison	City of Fenton	City of Grand Blanc	City of Swartz Cr.	Clayton Township	Davison Township	Fenton Township	Flint Township	Genesee Township	Grand Blanc Township	Mundy Township	Genesee County
8 a	1	Υ	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	E	E
	2	Y	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'	Mar 08'
	3	Y	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'	May 08'
	4		W	W	W	W	W	W	W	W	W	W	W	W	W
	5		W	W	W	W	W	W	W	W	W	W	W	W	W
8 b	1	Y	Е	E	N/A	N/A	N/A	Е	N/A	N/A	Е	N/A	N/A	E	Е
	2	Y	N/A	N/A	N/A	Е	N/A	N/A	N/A	N/A	N/A	Е	E	N/A	E
	3	Υ	N/A	N/A	E	N/A	E	N/A	E	E	N/A	N/A	N/A	N/A	E
	4	Υ	W	E	W	W	W	W	E	W	W	W	W	W	Е

Table 8-1: Benefits of each Objective

	Table 8-1: B	enefits of each Objective
	Objectives	Benefits
1a	Ordinance to have septic systems inspected at time of sale	Reduction in bacteria levels in waterways. (D)
1b	Develop education materials for homeowners with septic systems to be given at time of sale	 Increase in level of public awareness of homeowner actions on the health of local waters. (D) Reductions in pollutants generated by homeowners from reaching waterways. (I)
1c	Ordinance to disconnect footing drains from Sanitary	Reduced SSO events. (D)Reduced flashiness in waterways. (D)
1d	Identify existing wellhead protection programs	Avoid duplication of effort, Maximize between program efficiencies. (D)
1e	Drinking water well test at time of sale ordinance	 Protect public health. (D) Record of polluted groundwater. (D, if a database is maintained)
1f	Map arsenic levels for drinking wells	Protect public health. (D)Adjust development priorities. (I)
2a	Educate public on 7 required education elements	Raise public awareness about water quality and quality of life. (D)
2b	Direct mailing to riparian land owners (Rivers/Lakes)	 Change behavior of those having greatest impact on waterways. (D)
2c	Partner with existing household hazardous waste program committee to evaluate existing program and expand program if necessary.	 Additional reductions in volume of household hazardous waste entering waterways. (D)
2d	Enhance existing benthic monitoring program	 Improved understanding on the health of local waterways. (D)
2e	Enhance existing Project GREEN program	Improved understanding on the health of local waterways. (D)
2f	Stream crossing watershed survey with photography.	Improved understanding on the health of local waterways. (D)
2g	Hot spot water quality monitoring for MS4's as needed	Improved understanding on the health of local waterways. (D)
3a	Storm Water Ordinance	Ongoing structural changes to improve the management of stormwater throughout the watershed. (D)
3b	Pursue restoration projects on natural watercourses	 Ongoing structural changes to improve the management of stormwater and minimize flooding throughout the watershed. (D) Reduce volume of sediments entering local waterways (D) Increases in water quality (D)

•

3c	Preserve existing floodplains and wetlands from being filled or developed	 Protection of excess natural storage capacity on the landscape. (D) Protection of vital components of the landscape that provide habitat connectivity and environmental services. (D) Reduced financial burden on communities (floodplain). (D)
3d	Monitor water quantity to measure hydraulic change within watercourses	 Improved understanding on the health of local waterways. (D) Provide information that will help prioritize future activities. (I)
3e	Produce demonstration projects for Low Impact Development for new and retrofit sites	 Help public and developers visualize some of the infrastructure actions being proposed under Phase II. (D) Improve water quality in immediate vicinity. (D)
4a	Promote local recreational opportunities	 Increase public awareness/appreciation and use of local natural resources. (D) Increase desire to protect these resources. (I)
4b	Protect /expand parks trails and river walk system	 Increase public awareness/appreciation and use of local natural resources. (D) Increase desire to protect these resources. (I)
5a	Establish vegetative buffer areas adjacent to sensitive areas	 Reduce pollutant loadings reaching waterways. (D) Allow for more natural stream processes to occur. (D) Wetland/ floodplain protection (D)
5b	Protect key locations of threatened and endangered species and habitat	 Protection of vital components of the landscape that provide habitat connectivity and environmental services. (D) Increases species populations and diversity. (D)
6a	Ensure maintenance activities, schedules, and inspection procedures for storm water structural controls are appropriate.	Reductions in pollutants generated by municipal activities from reaching waterways. (D)
6b	Implement controls for reducing or eliminating the discharges of pollutants from streets, roads, highways, parking lots, and maintenance.	Reductions in pollutants generated by municipal activities on municipal property from reaching waterways. (D)

6c	Institute Procedures for the proper disposal of operation and maintenance waste from the separate storm water drainage system (dredge spoil, accumulated sediments, floatables, and other debris) by street sweeping, catch basin clean out and vacuuming debris.	Reductions in pollutants generated by municipal activities on municipal property from reaching waterways. (D)
6d	Ensure that flood management projects assess the impacts on the water quality of the receiving waters.	 Improved water quality over previous flood management project/infrastructure. (D) Reductions in pollutants generated by municipal activities on municipal property from reaching waterways. (D)
6e	Reduce the discharge of pollutants related to application of pesticides, herbicides, and fertilizers applied in the permitees regulated area.	Reductions in pollutants generated by municipal activities on municipal property from reaching waterways. (D)
7a	Evaluate and implement site appropriate, cost-effective structural and nonstructural best management practices (BMPs) that prevent or minimize the impacts on water quality. *	Reductions in pollutants generated by municipal activities on municipal property from reaching waterways. (D)
7b	Establish long-term operation and maintenance practices for storm water BMPs on private property.	 Long-term maintenance of privately operated stormwater structures this reducing the public's future financial burden. (D)
8a	Secure funding options available for implementation.	 Stormwater control will be implemented at a more rapid rate. (D) Stormwater management will become common practice. (I)
8b	Institutionalize the committee structure.	 Permitees will deliver a uniform program throughout the County. (D) Savings will be realized through the cooperative effort. (D) Action Items will be implemented. (D)

• Action Items will be implemented. (D)

D = Direct Benefit as a result of implementing the objective.

I = Indirect Benefit as a result of implementing the objective.

Oakland County is involved in 5 watersheds. The Rouge, Middle Flint River, Shiawassee (Upper 2 and Main), Huron and **Clinton Main**. The Clinton Main is the primary watershed plan Oakland County is functioning under. Having reviewed the various WMPs they have developed and submitted a SWPPI on May 1, 2007 to comply with their NPDES Ph II permit. The SWPPI was approved for the above 5 watersheds. Oakland County has been invited to our public meetings and SWPPI workshop for their input. Although Oakland County had the opportunity to review our action plan and make commitments, our actions are based on a 342 contract. Therefore please see Oakland County approved SWPPI for their individual commitments. Furthermore, Oakland County does not have any urbanized area within the Middle Flint River WMP.

SECTION 9 - EVALUATION METHODS FOR MEASURING SUCCESS

INTRODUCTION

Watershed planning is meant to be an iterative process that will be continually revised and updated. This Watershed Management Plan (WMP) is a living document and is meant to be used, revised as new information becomes available, and altered to fit the changing needs of the watershed. This section establishes an overall program framework which emphasizes the importance of an on-going iterative process that consists of three elements: Program Planning, Program Implementation, and Effectiveness Assessment. The relationship between the three elements is presented in Figure 9-1. Portions of this chapter are based on "A Framework for Assessing the Effectiveness of Jurisdictional Urban Runoff Management Programs" developed by the San Diego Municipal Storm Water Co-Permittees (October 16, 2003).




Figure 9-1 Program Elements

PERMIT REQUIREMENTS

Watershed management is intended to be a tool in a comprehensive and systematic approach to balancing land uses and human activities to meet mutually agreed upon social, economic, and environmental goals and objectives in a drainage basin. As required by the NPDES Wastewater Discharge General Permit, the WMP must include the following, all of which are intended to be done in the context of significant public participation:

- 1. Assess the nature and status of the watershed ecosystem. (Section 3)
- 2. Define long-term goals and short-term objectives for the system. (Section 6)
- 3. Determine actions needed to achieve long-term goals and short-term objectives. (Section 8)
- 4. Assess both benefits and costs of each action. (Section 8 and 9)
- 5. Implement desired actions by a specified schedule and permittee commitments.
- 6. Evaluate the effects of the implemented actions and progress toward goals and objectives.
- 7. Re-evaluate goals and objectives as part of an interactive process (MDEQ, 1997).

Development of this document has included Steps 1, 2 and 3 above, and some elements of Step 4. As communities and agencies review this document, and opportunities arise, site or program-specific information will be generated to develop greater detail regarding the costs and benefits of each action. The implemented actions presented in Section 8 will be assessed for cost-benefit and effectiveness based on volunteer watershed monitoring as presented in this section. Based on the results of the assessment, planned actions will be revised.

Communities must develop funding mechanisms to implement the WMP. Arrangements will be made to provide start-up funding for implementing recommendations. Development of proposals should involve the creation of detailed information regarding what BMPs are to be implemented, the locations of these BMPs, anticipated costs, and information regarding who will be responsible for implementation.

Under Public Act 342, Genesee County established a Storm Water Management System. Those Communities in Genesee County that signed a contract with the Genesee County Drain Commissioner's Office were:

Township of Argentine

Township of Atlas

Charter Township of Clayton

Township of Davison

Charter Township of Fenton

Charter Township of Flint

Charter Township of Flushing

Township of Forest

Township of Gaines

Charter Township of Genesee

Charter Township of Grand Blanc

Charter Township of Montrose

Charter Township of Mt. Morris
Charter Township of Mundy

Township of Richfield

Township of Thetford

Charter Township of Vienna

City of Burton

City of Clio

City of Davison

City of Fenton

City of Flushing

City of Grand Blanc

City of Linden

City of Montrose

City of Mt. Morris

City of Swartz Creek

Village of Gaines

Village of Goodrich

Village of Otisville

As part of the PA 342 contract these communities and Genesee County have pledged contribute monetarily to fund the various aspects of the Watershed Plans from fiscal year 2004 through 2008. A new contract will be negotiated upon the completion of this cycle.

The annual budget not to exceed \$500,000.00 has been set countywide. Currently the budget is set with the Public Education Program budgeted up to \$80,000/year, the Monitoring and Mapping program budgeted up to \$40,000/year and IDEP program and other minor expenses is allocated the remainder of the annual budget. The budget is broken up among the following responsibilities:

- (a) the Public Education Program Subcommittee, with responsibility for public education and participation; For those Services relating to Implementation Activities for which the Public Education Program Subcommittee is responsible, the Local Share thereof shall be allocated to each Municipality on the basis of a fraction, the numerator of which is the population for such Municipality at the beginning of such Fiscal Year and the denominator of which is the population for all Municipalities at the beginning of such Fiscal Year
- the Monitoring and Mapping Subcommittee, with responsibility for the illicit discharge program, which will identify and map all municipal discharges to open waters; and for those Services relating to Implementation Activities for which the Monitoring and Mapping Subcommittee is responsible, the Local Share thereof shall be allocated to each Municipality on the basis of a fraction, the numerator of which is the weighted sum (determined as hereinafter provided) of the developed parcels in such Municipality at the beginning of such Fiscal Year and the denominator of which is the weighted sum of the developed parcels in all Municipalities at the beginning of such Fiscal Year. For purposes of this subsection (b), the weighted sum of developed parcels in each Municipality shall be determined by assigning one (1) unit for each developed residential parcel and four (4) units for each developed commercial

^{*}Bolded Coummunites are part of the Middle Flint Watershed


- and industrial parcel and then adding the total number of assigned units for all developed parcels in such Municipality.
- the New Construction Standards Subcommittee, with responsibility for (c) construction standards, redevelopment standards, oversight of all watersheds and the preparation of the pollution prevention program known as the Storm Water Pollution Prevention Initiative; and for those Services relating to Implementation Activities for which the New Construction Standards Subcommittee is responsible, the Local Share thereof shall be allocated as follows: The Local Share of the cost of such Services that consist of administrative costs relating to the establishment of the five planning areas for the System (Cass River, Lower Flint, Middle Flint, Upper Flint and Shiawassee, hereinafter individually referred to as a "Planning Area" and collectively as the "Planning Areas") and the development of the standardized templates for the Planning Areas shall be allocated equally among the Planning Areas, and within each Planning Area shall be allocated to each Municipality therein on the basis of the equivalent acreage in each Municipality, using the same methodology for calculating equivalent acreage that the County Drain Commissioner would use for purposes of establishing drain assessments for benefiting parcels in a drainage district under Chapter 7 of the Drain Code (hereinafter referred to as the "Equivalent Acreage Methodology"). The Local Share of the cost of all other Services for which the New Construction Standards Subcommittee is responsible shall be allocated to the specific Planning Area to which such Services relate and within such Planning Area shall be allocated to each Municipality therein on the basis of the Equivalent Acreage Methodology.

Outside Genesee County each NPDES Phase II Community has its own arrangement either to do their own IDEP and education or have contracted with another watershed group to mange it for them. Oakland County Drain Commissioner's Office is responsible for doing their own IDEP for county drains.

Within the Middle Flint River Watershed, there are 3 grant projects. The Genesee County Drain Commissioner's Office has received 2 of those grants. There is a 319-grant for watershed planning specifically for the Kearsley Creek and a CMI grant was received to pilot an IDEP program for the Gibson Drain, which is located within the Swartz Creek Watershed. U of M CAER has received a 319 grant for the Swartz Creek Watershed.

PROGRAM PLANNING

The program planning phase requires a significant amount of public participation as public input is sought to characterize the watershed and develop and prioritize goals and objectives for the watershed. This phase can be broken down into the four steps shown below:



While the elements of program planning interact in a cyclical manner, developing goals and objectives typically initiates the cycle. However, program planning also occurs following the effectiveness assessment phase if changes to the WMP are necessary.

Goal and Objective Development (Section 6)

Goal and Objective development was completed as part of this WMP and was accomplished through activities outlined in the Public Participation Plan (PPP). Discussions at watershed committee meetings and stakeholder workshops helped to prioritize long-term watershed goals that would impact water quality within the watershed. It was important to involve the public as much as possible in the development process to gain support for implementation.

Action Development (Section 8)

To implement the goals and objectives, specific actions were developed for each objective. Action development was completed as part of this WMP. The actions were assigned a schedule, responsible party, cost, and measure of success. The measure of success establishes a way to assess the completion or progress of an action. More details concerning measuring the effectiveness of actions are included later in this section.

Measures of Success

Measures of success are essential to assessing the effectiveness of the overall program. Identification of quantifiable measures provides measurability and accountability within the program. To help organize successes and provide a relationship between success types, six success levels are established as shown in Figure 9-2.



Figure 9-2 Success Levels

<u>Level One: Compliance with Activity-Based Permit Requirements</u>- Activities conducted under this level include those that are described or required in the permit. These activities are expected to be beneficial to water quality because they are part of a

successful watershed management plan. The watershed will be addressing these permit requirements including specific requirements of the Storm Water Pollution Prevention Initiative (SWPPI).

<u>Level Two: Changes in Knowledge/Awareness</u>- Changes in knowledge and awareness are targeted through the PPP and Public Education Plan (PEP), such as conducting stakeholder workshops and public briefings. Currently surveys are being used to receive a baseline for public knowledge that can be compared to future surveys.

<u>Level Three: Behavioral Change/BMP Implementation</u>- The desired success of Level Three is behavioral change due to an increase in knowledge. This may be documented through the use of a survey or tracking the number of BMPs installed or retrofitted.

<u>Level Four: Load Reductions</u>- BMPs are used to reduce the amount of pollutants entering local water bodies from storm water runoff. Load reductions may be calculated based on information provided once a BMP is installed. Load reductions may also be estimated for illicit discharges that are removed.

Level Five: Changes in Discharge Quality- Changes in the water quality of storm water discharge show the direct environmental benefit gained by the installation of BMPs and pollution prevention practices. The watershed will be working on this task through their Illicit Discharge Elimination Program (IDEP), which seeks to correct illicit discharges that are discovered through outfall screening and investigation. Should a sample show poor water quality, further sampling and testing will take place to pinpoint the source and work to remove it.

<u>Level Six: Changes in Receiving Water Quality</u>- The ultimate goal of Phase II NPDES Storm Water Legislation is to show improvement in water quality of receiving water bodies. Monitoring will be conducted on a periodic basis to show change in water quality and environmental benefit.

Assessment

Assessment is the process of evaluating the attainment of the measures of success. Measures of success fall within two categories, direct and indirect. Indirect measures deal with degrees of activity or program implementation, while direct measures focus on characterizing water quality and quantifying pollutant loads. Measures of Success Levels One through Three are primarily indirect measures while Levels Four through Six are direct measures.

PROGRAM IMPLEMENTATION

Program implementation is the second phase of the cycle and consists of applying the WMP which was developed or updated during the program planning phase.

Lessons learned and comments on the WMP are compiled during the implementation phase and are subsequently addressed in the effectiveness assessment phase to consider the suggested changes and comments.

EFFECTIVENESS ASSESSMENT

The effectiveness assessment phase consists of a water quality assessment, a program assessment, and an integrated assessment. The integrated assessment facilitates examining the causal relationships between program implementation and changes in water quality.

Water Quality Assessment

Water quality assessment is the analysis of water quality data to draw conclusions on the condition of or changes to the condition of receiving waters or discharges to those waters. The water quality assessment provides a way to assess the attainment of direct measures of success. Long-term assessment is also necessary to ensure that seasonal, annual, and other variables can be identified and are considered when interpreting the results.

Five watershed monitoring methods will be used throughout the watershed to help evaluate the effectiveness of WMP implementation. (Section 7) The five methods include the following:

- Benthic macroinvertebrate monitoring
- Frog and toad survey
- Stream crossing watershed survey and photographs
- Water quality monitoring
- Hot spot testing at hazardous sites

The different monitoring activities will be conducted in close proximity to one another in order to develop relationships between them and a holistic view of a particular area. For example, the photographic monitoring will be done at the macroinvertebrate sites along with the basic water quality monitoring. The road/stream crossing surveys will be done immediately upstream and downstream of the macroinvertebrate sites and will include photographic log files.

Volunteers from the general public will be trained to carry out the monitoring program. The benefits of using volunteers to conduct monitoring include increasing public participation, increasing public education and decreasing the cost of the monitoring program. Including established volunteer programs in the monitoring effort may be beneficial. Established groups include the adopt-a-stream program, public school projects such as GREEN (Global Rivers Environmental Education Network), or other organized activities such as 4H clubs, scouting groups, and senior citizen groups.

Benthic Macroinvertibrate Study

The presence or absence of certain species of benthic macroinvertebrates is a good indicator of the health of a stream. A benthic macroinvertebrate is an organism having no backbone that dwells on the bottom of a water body. The presence of organisms tolerant to pollution and few or no organisms sensitive to pollution indicates pollution in the water.

The Flint River Watershed Coalition (FRWC) in partnership with the University of Michigan – Flint (UM-F) Center for Applied Environmental Research (CAER) has an existing benthic macroinvertebrate volunteer monitoring program in the Flint River Watershed. The watershed will seek to partner with the FRWC to enhance and expand

the existing program. Helping to enhance the existing program may include activities such as advertising, soliciting volunteers, providing equipment, providing additional technical help, public education, analyzing the collected data, or publicizing the results.

Basic Water Quality Monitoring

Typical water quality monitoring parameters may include dissolved oxygen, ammonia, nitrate, pH, phosphate, and temperature. Volunteers will take grab samples at predetermined locations and use simple test kits to conduct the analysis.

There is no existing water quality monitoring program.

Frog and Toad Survey

Like benthic macroinvertebrates, frogs and toads are sensitive to changes in water quality. The absence or decline of a frog and toad population indicates a loss of the quality of their wetland habitat and ultimately their ecosystem. As a result of the concern for the rarity, decline, and population die-off of several species, the Michigan Department of Natural Resources (MDNR) developed the Michigan Frog and Toad Survey.

Genesee County has an existing from and toad survey program which uses volunteers to monitor wetland sites three times annually during early spring, late spring, and summer. At each site, the volunteer listens for frog and toad breeding season calls and makes a simple estimate on the population size. Detailed information is given to the volunteer including how to establish a survey route and a tape or CD of frog and toad calls.

Stream Crossing Watershed Survey with Photograph

The stream crossing watershed survey is an approach used to collect information about the quality of a stream. A standard data collection form is used to ensure uniformity throughout the watersheds. The physical habitat of the site including water characteristics, stream characteristics, plant life, foam and trash presence, substrate type, stream morphology, land use, and corridor description are recorded. Also potential sources of pollution upstream and downstream of the site are identified if apparent.

There is no existing stream crossing watershed survey program.

Hot Spot Water Quality Monitoring

Much of the Flint River Watershed encompasses land which has a history of heavy industrialization. Many large companies settled in this area to begin mass production of cars, auto parts, trucks, metal manufacturing, and other industries. These types of activities have had a host of regulations to promote their cleanup since the promulgation of the Clean Water Act. Prior to this Act however, a number of pollutants were released without realizing their potential impacts on public health and safety and water quality in aquatic environments. In addition to historical pollution, various hot spots of pollution are believed to exist around the five major watersheds in Genesee County.

There is no existing hot spot water quality monitoring program.

Program Assessment

Program assessment involves reviewing the attainment of primarily the indirect measures of success. Measures of success will be reviewed for achievement and if the

desired level of achievement is not attained, an investigation will be conducted to determine possible factors causing failure.

The PEP has developed and administered a phone survey to the public. Besides as a tool to direct the education committee, it can be used as a baseline assessment of where the public's knowledge is now. Future surveys can be used to measure change in knowledge and behavior. Other methods can provide measurable quantities like counting number of hits on the website or how many pounds of household hazardous waste have been dropped off.

Assessing the attainment of the measures of success is a yearly task that will be reported in the annual progress reports. The annual progress report is required to cover decisions made, actions performed, and results for the IDEP, PEP, SWPPI, and any other storm water actions conducted during the previous permit year (The IDEP and PEP are separate documents containing additional actions and measures of success not covered in this WMP.) The annual report must also cover updates of nested drainage system agreements and point source discharges to the storm water system.

Integrated Assessment

The integrated assessment incorporates the water quality assessment and program assessment and evaluates the entire watershed management plan as a whole. The integrated assessment identifies and addresses data gaps in the water quality monitoring program and finds causal relationships between actions taken through the WMP and changes in load reductions, discharge quality, and receiving water quality.

As a result of the integrated assessment, targeted updates and revisions will be made to the WMP for submittal to the MDEQ by the March 1, 2007 deadline indicated on the certificate of coverage.

SUMMARY

The framework presented here is not meant to be inclusive, but rather a guide illustrating the embodiment of the watershed management plan. The emphasis of the plan is to focus on high priority constituents, sources, benefits etc. rather than all potential problems. Attention is given to the importance of long-term assessments that boast strategy rather than ambition.

SECTION 10 - STEPS FOR PLAN SUSTAINABILITY

Below are various ways that the implementation of the watershed plan can be sustained. More than one method is being used in the Middle Flint River Watershed.

OPTIONS FOR SUSTAINABILITY

Analyzing methods for sustainability is a critical component of watershed management planning. Especially since this watershed management plan is being used for Phase II permit compliance. Sustainability means finding a way to keep going to implement the WMP once it is complete. It also means that the plan is being continuously updated and improved to meeting local needs.

Watershed Councils- Michigan's Local River Management

Watershed Councils can be formed through Michigan's Natural Resources and Environmental PA 451 of 1994, Part 311 Local River Management. Watershed groups such as the Clinton River Watershed Council and the Huron River Watershed Council were formed under this act. The Clinton River Watershed Council eventually reorganized to become a 501(c)3 nonprofit organization. This allowed the council to receive additional revenue from grants, businesses and individual membership contributions.

Watershed Councils- Voluntary Partnerships

Watershed groups can also be formed through other means such as a voluntary association of local governments organized to promote cooperative action on water management issues. Watershed groups such as the Partnership for the Saginaw Bay Watershed are formed in this manner.

A key component of sustainability is obtaining and keeping a wide variety of local support. This support and public involvement will keep momentum for implementing this watershed management plan. Local support will also help maintain funding through all available means and open doors for partnerships in areas where other groups have similar missions.

PHASE II LEGAL RELATIONSHIP

Michigan has a number of different methods available for community groups to form into a legal entity. At least six approaches are available under Michigan statutes to lead and assign funding responsibilities for Phase II permitting. These options include the following:

- 1) Drain Code Public Act 40 (1956)
- 2) Inter-Municipal Committee Act Public Act 200 (1957)
- 3) Municipal Sewerage and Water Systems Public Act 233 (1955)
- 4) County Public Improvement Act Public Act 342 (1939)

- 5) County Department and Board of Public Works Public Act 185 (1957)
- 6) Voluntary Cooperation

This section provides a brief summary of how each of these options can be used, and some limitations or considerations for using each option. Any of these options could be used independently or in combination to handle a specific project area.

A summary of the possible Phase II storm water permit leadership options is presented in Table 10-1 Summary of Phase II Storm Water Leadership Options. The title of each option is listed in this table along with the appropriate Michigan Public Act, a statement on how the approach works, limitations, and some areas where these approaches are either in use or are being considered for use.

Table 10-1 Summary of Phase II Storm Water Leadership Options

Option	Title	Public Act	Approach Limitations
1	Drain Code	40 (1956)	Public Health Projects using Chapter 20 Separate projects each drain requires petition/notice
2	Inter-Municipal Committee Act	200 (1957)	Resolutions to study issues or problems Studies only
3	Municipal Sewerage and Water Systems Act	233 (1955)	 Incorporate an Authority Sewage disposal system includes storm sewers Intended for water and wastewater services
4	County Public Improvement Act	342 (1939)	 County Board resolution and/or contracts with any unit of government Sewers include storm water
5	County Department and Board of Public Works	185 (1957)	 County Board action and contract with local government units Sewers include storm water Difficult to start if limited to storm water
6	Voluntary Cooperation or Agreements	None	Attitude of trust and agree to work together Attitude of trust Requires trust and individual accountability

Option 4: County Public Improvement Act (PA 342, 1939)

A County Board of Commissioners can use this act to authorize and provide water, sewer, sewage disposal, and garbage collection and disposal services. As defined in the Act, sewers can include storm sewers to transport and collect storm water. The County Board resolution must designate the county agency to supervise, control, manage, and operate the improvements, and facilities and to provide services. The County agencies eligible for designation include the County Road Commission, the Drain Commissioner, or the Board of Public Works. Services of the County Agency can be provided by contract with any other unit of local government.

The County Agency designated by the County Board is responsible to establish just, equitable, and uniform rates, charges, or assessments to be paid for the services provided. Any contracting unit of government may use the following methods of raising funds to pay for services:

- 1) Annual property tax levy
- 2) Special assessments on property
- 3) Rates or charges to service users
- 4) Tax revenue from the state
- 5) Other funds, which may validly be used for the contracted purpose

This method is currently being used in Genesee County to prepare a watershed permit for the county, except for the City of Flint, which is covered by a Phase I permit.

MIDDLE FLINT RIVER WATERSHED

However, this group is moving forward with implementation plans under Act 342 (Option #4). Not all the communities within the Middle Flint River Watershed have signed contracts with the Genesee County Drain Commissioner's Office, but all those communities within Genesee County have. All the school districts within Genesee County also have signed contracts to be nested jurisdiction under their communities Certificate of Coverage.

SECTION 11 - REFERENCES

Bemish, K. "Development of management guidelines for new and existing septic systems in Washtenaw County, Michigan using a Geographic Information System." Diss. University of Michigan, Ann Arbor, Michigan. pp 14-19. 2001.

Brenner, A.T., Brush, L.A., Martin, J.S., Olsson, K.Y., Rentschler, P.E., and Wolf, J.K., 1999. The Huron River Watershed Council: grassroots organization for holistic watershed management. Watershed Science Technology, 39 (12), 331-337.

Brown, E., A. Peterson, R. Kline-Robach, K. Smith, and L. Wolfson. <u>Developing a Watershed Management Plan for Water Quality: An Introductory Guide</u>. February 2000.

Cave, K., T. Quarsebarth, and E. Harold. "Selection of storm water pollutant loading factors." Rouge River National Wet Weather Demonstration Project Technical Memorandum RPO-MOD-TM34.00. Detroit, Michigan. 1994.

Center for Watershed Protection. "On Watershed Education, Watershed Protection Techniques." Article 127. 3(3): 671-679.

Center for Watershed Protection. "Understanding Watershed Behavior, Watershed Protection Techniques." Article 126,3(3): 671-679.

Center of Watershed Protection. <u>Rapid Watershed Planning Handbook - A Comprehensive Guide for Managing Urbanizing Watersheds</u>. October 1998.

Comer, P.J., et al. Michigan's pre-settlement vegetation as interpreted for the General Land Office Surveys 1816-1856. Michigan Natural Features Inventory. Lansing, Michigan. Digital Map. 1995.

Crowe, C. 1945. The City of Flint grows up; the success of an American community. Harper and Brothers Publishers, New York, New York.

Cwikiel, Wilfred. Michigan Wetlands – Yours to Protect: A Citizen's Guide to Wetland Protection (Third Edition) 2003. Tip of the Mitt Watershed Council, Petoskey, MI 49770.

Delhi Charter Township. "Delhi Charter Township Wellhead Protection Plan." June 1999.

Ellis, F. 1879. History of Genesee County, Michigan, with illustrations and biographical sketches of its prominent men and pioneers. Everts and Abbott Press, Philadelphia, Pennsylvania.

Goforth, Reuben R. "In Search of Native Clams in the Grand and St. Joseph Rivers." Excerpt from State of the Great Lakes, Annual Report for 2000. MDEQ. pp 21-27. March 2001.

Great Lakes Commission. "Assessment of the Lake Michigan Monitoring Inventory; A Report on the Lake Michigan Tributary Monitoring Project." August 2000.

Hartig, John H., Gail Krantzberg, Lisa Maynard, and Michael A. Zarull. <u>Sediment Remediation Can Improve Great Lakes Water Quality</u>. Water Environment Association. pp.12-13. October 1999.

HNTB Team. "Proposal for Regional Growth, Choices for the Future Action Plan." Tri-County Regional Planning Commission.

Huron Pines Resource Conservation and Development Area Council, Inc. <u>Clean Water</u> by Design, Great Lakes Better Backroads Guidebook. Grayling, Michigan. May 1998.

Ingham County Drain Commissioner. "Willow Creek: An Application of Soil Bioengineering." Ingham County Drain Commissioner, DEQ. December 18, 1996.

Jackson County. 2002. Jackson County Web Site, http://www.co.jackson.mi.us/trailway.asp.

Lower One Subwatershed Advisory Group (Canton Community, Plymouth Township, Salem Township, Superior Township, Van Buren Township, Ypsilanti Township, Washtenaw County, Wayne County). "Lower One Rouge River Subwatershed Management Plan." April 2001.

MDEQ. Clean Water Act Section 303(d) List. Michigan Submittal for Year 2000, SWQ-00-018. May 2000.

MDEQ. Office of the Great Lakes. State of the Great Lakes: 2000 Annual Report. March 2001.

MDEQ. "Michigan's Watershed-Based MS4 Voluntary General Permit Draft Guidance." September 1997.

MDEQ. Checklist for an Approved Watershed Management Plan. May 1999.

MDEQ, SWQD. Administrative Rules Part 4. Water Quality Standards of the 1994 PA 451 Part 31. April 2, 1999.

MDEQ, SWQD. <u>Guidebook of Best Management Practices for Michigan Watersheds</u>. October 1998.

Michigan Department of Environmental Quality. "Statewide Ground Water Database". Provided: November 2004.

Michigan Department of Environmental Quality. "Developing a Watershed Management Plan for Water Quality: An Introductory Guide." 2000.

Michigan Department of Environmental Quality – Michigan Water Use Reporting Program. "2002 Self-Supplied Industrial Facilities in Michigan".

Michigan Department of Environmental Quality – Michigan Water Use Reporting Program. "2002 Water Withdrawals for Community Public Water Supply Systems in Michigan".

Michigan Department of Environmental Quality – Michigan Water Use Reporting Program. "2001 Estimated Water Withdrawals for Agricultural Irrigation in Michigan".

Michigan Department of Environmental Quality – Water Division. "Water Quality and Pollution Control in Michigan: 2004 Sections 303(d) and 305(b) Integrated Report". May 2004.

Michigan Department of Community Health. Michigan 2001 Fish Advisory. 2001.

Michigan Department of Mnanagement & Budget, Soil Erosion & Sedimentation Control Manual, 2002

Michigan Department of Natural Resources, Flint River Assessment, 2001

Michigan Economic Development Corporation.

Via: travel.michigan.org/attachments/G13104/Metro_Beach09.jpg. Last accessed: January 13th, 2005.

Michigan Geographic Data Library Web Site, http://www.michigan.gov/cgi/0,1607,7-158-12693---,00.html

Michigan State Section American Water Resources Association, Defining Watershed Management in Michigan: Proceedings of the Second Annual Conference of the Michigan Section American Water Resources Association, pp. 45-49. *Edited by* Ditschman, E.P., Ann Arbor, MI

Michigan Water Resources Commission. Water Resource Conditions and Uses. Lansing, Michigan. 1961.

Michigan State University Institute of Water Resources, MSU Extension, and MDEQ. Nonpoint Source Program, Developing a Watershed Management Plan for Water Quality: An Introductory Guide. February 2000.

Michigan State University Extension, Water Quality Area of Expertise. Protecting Inland Lakes, An Intensive Training Program for Lakeside Residents, Programmer's Guide. 1999.

Mill Creek Subwatershed Stakeholder Advisory Group, Mill Creek Subwatershed Management Plan, September 2003

North Carolina State University. "Picture of boy drinking water" via http://www2.ncsu.edu/ncsu/CIL/WRRI/annual/0203SDWA.html. Last accessed: December 15th, 2004.

Richards, P.L. "Agricultural tile drainage in southeast Michigan: extent, impact, and simulation in hydrological models." Unpublished manuscript. pp1-10. 1999.

Richards, P.L., and A. Brenner. "Potential Contributing Source Areas for Runoff in Glacial Landscapes: Delineation and Modeling with Implications for Urbanization." Water Resource Research, 2001.

River Network web site (http://www.rivernetwork.org/)

Simpson, Jonathan. Milwaukee Survey Used to Design Pollution Prevention Program, Watershed Protection Techniques. Article 138. 1(3): 133-134.

Soil Conservation Service. "Urban Hydrology for Small Watersheds." Technical Release No. 55, pp. 1-1 to 3-9. 1975.

Sorrell, R.C. Computing flood discharges for small ungaged watersheds. MDEQ, Land and Water Management Division. Lansing, Michigan. pp. 1-29. 2001.

Southeastern Wisconsin Regional Planning Commission, Cost of Urban Nonpoint Source Water Pollution Control Measures, June 1991

Spitzley, Christine. "The Road Less Traveled: Understanding and Addressing Groundwater Risks, Wellhead Protection as a Risk Reduction Tool." Tri-County Regional Planning Commission. pp. 244-246. 1999.

State of Michigan. "Michigan Administrative Code." Part 4. Last Revised: April 2, 1999.

United States Department of Agriculture, Natural Resource Conservation Service of Michigan. <u>Water Erosion Prediction and Control, Technical Guide</u>. Lansing, Michigan. pp 1-13. 1995.

United States Department of Agriculture NRCS. Conservation practice standards field office technical guide, Section IV, Vol. I. Lansing, Michigan. 2001.

United States Department of Agriculture Soil Conservation Service, Soil Survey for Genesee County, Michigan, 1972

USDA Soil Conservation Service. Survey report for major and local drainage Portage River Michigan. 35 pp. 1958.

USDA NRCS. 2001. Michigan conservation practice standards field office guide, Section IV, Vol. I. Lansing, Michigan.

U.S. EPA web site (www.epa.gov/owow/tmdl/intro.html).

USEPA web site (http://it.tetratech-ffx.com/stepl/), 2004

USEPA web site (http://www.epa.gov/superfund/sites/), 2004

USGS web site (http://mi.water.usgs.gov/stations.php). 2004

Wiley, M.J., P.W. Seelbach, and S.P. Bowler. "Ecological Targets for Rehabilitation of the Rouge River." Final Report to the Rouge River Wet Weather Demonstration Project

Office. School of Natural Resources and Environment, University of Michigan. Ann Arbor, Michigan. 1998.

Wischmeier, W.H. and D.D. Smith. <u>Predicting Rainfall-Erosion Losses from Cropland East of the Rocky Mountains</u>. USDA Agriculture Handbook No. 282. 1965.

Wischmeier, W.H. and D.D. Smith. <u>Predicting Rainfall-Erosion Losses – A Guide to Conservation Planning</u>. USDA Agriculture Handbook No. 537. 1978

Yorn, M. Septic Tank Density and Groundwater Contamination, Ground Water 23. pp. 586-591. 1985.

Zorn, T.G., P.W. Seelbach, and M.J. Wiley. <u>Patterns in the Distributions of Stream Fishes in Michigan's Lower Peninsula</u>. Michigan Department of Natural Resources, Fisheries Research. Report No. 2035. Ann Arbor, Michigan. 1998.

Zorn, T.G., P.W. Seelbach, and M.J. Wiley. "Distributions of Stream Fishes and their Relationship to Stream Size and Hydrology in Michigan's Lower Peninsula." Transactions of the American Fisheries Society. 131:70-85. 2002.

USDA Soil Conservation Service. Survey report for major and local drainage Portage River Michigan. 35 pp. 1958.

USDA NRCS. 2001. Michigan conservation practice standards field office guide, Section IV, Vol. I. Lansing, Michigan.

Appendix "A"

Table 3-5: Point Sources

		5 3-3. FUIII 3	FACILITY	
DESCRIPTION	PERMIT	MUNICIPALITY	OWNER	STATUS
BROWNFIELD/ ACTIVE UST/OPEN LUST				
(frmr) Zack Co/demo dump	25000352	Flint		Inactive
1854 Remell St	25000263	Flint		Interim Response conducted
4315 S. DORT HWY.	25000653	Burton		Inactive
6208 Woodmoor	25000380	Burton		Evaluation conducted
Auto Brite Collision Inc	25000004	Burton		Interim Response in progress
B & B Paint	25000318	Burton		Interim Response in progress
Carpenter Enterprises	25000028	Fenton		Inactive
Davison Shopping Center	25000366	Davison		Inactive
Delta Tube and Fabrication Corp	63000019	Holly		Inactive
Grand Blanc Disposal Area	25000026	Grand Blanc		Contact Lead Division
High Tech Motors	25000563	Burton		Inactive
Nevilles Waste Collection	25000018	Grand Blanc		Contact Lead Division
Richfield Iron Works	25000022	Flint		Inactive
Southern End of Holiday Drive	25000603	Flint		Inactive
Stephenson Tree Surgeon	25000324	Grand Blanc		Inactive
Tru Green	25000055	Flint		Evaluation conducted
Vassar Road Farm	25000220	Grand Blanc		Inactive
Windiate Park/Dixieland Subdvn	25000689	Flint		Interim Response in progress
A&e Sales	50001963	Grand Blanc		Open
Ac Rochester,flint East	17248	Troy		Open
Action Auto #17	12958	FLINT		Open
Action Auto #2	12980	Lansing		Open
Action Auto #9	12975	Coopersville		Open
Admiral Petroleum Co #36	12978	Coopersville		Open
Agree Development	40562	Farmington Hil		Open
Allen's Cleaners	36499	Grand Blanc		Open
American Auto Collision	39566	Flint		Open
American Realty Associates I	50005390	Flint		Open
Amoco	50001213	Unknown		Open
Amoco Oil #5099	5719	Livonia		Open
Amoco Oil #9774	4935	Flint		Open
Atlas Township	36531	Goodrich		Open
Auto City Service	41176	Not Recorded		Open
Auto City Service #2	16722	Fenton		Open
Auto-wares	50001163	Unknown		Open
B & B Paint	18533	Flint		Open
B & M Cartage Co Inc.	9445	CLIO		Open
Bentley Community Schools, S. Be	1165	Burton		Open
Betty Owen - Former Collision Shop	41797	Groveland Town		Open
Bionic Starter And Alternator, I	1977	Burton		Open
Bishop Airport - Skybolt	37502	Flint		Open
Bob Peranis Sport Shop	50002167	Unknown		Open
Bob's Tire	50000582	FLINT		Open

DESCRIPTION	PERMIT	MUNICIPALITY	FACILITY OWNER	STATUS
BROWNFIELD/ ACTIVE UST/OPEN LUST			OWNER	
Boron	50001581	Unknown	Open	
BP Oil #4313	34678	Detroit	Open	
Brandon Twp Fire Dept	12573	Ortonville	Open	
Brandon Twp Hall	7782	Ortonville	Open	
Brandon's Service	18705	Flint	Open	
Bristol Point Shell #16	18965	Novi	Open	
Bristol Rd Site	50001964	Unknown	Open	
Bristolwood	18964	Philadelphia	Open	
Camp Tamatac	50000720	Unknown	Open	
Carman-ainsworth Bus Garage	9144	Flint	Open	
Citizens Bank	50000550	Unknown	Open	
City Auto Parts Of Flint	36482	Flint	Open	
Clark #1849	12243	Coopersville	Open	
Clark Station #1361	12289	Troy	Open	
Clark Station #2000	12249	Grand Blanc	Open	
Clark Store #1605	12235	Coopersville	Open	
Cms #28	13379	Springfield	Open	
Cms Ortonville	50001573	Not Recorded	Open	
C-my Video	50001427	Unknown	Open	
Coley & Swanson	34684	Flint	Open	
Conlee Oil Co	571	Clio	Open	
Crestwood Memorial Cemetery	36309	Fenton	Open	
Danhausen, Floyd & Ruth	37137	Fenton	Open	
Davison Gas & Oil #5	33416	Davison	Open	
Davison Oil #9	33415	Ortonville	Open	
Davison Oil & Gas	50005149	Davison	Open	
Davison Oil & Gas #17	34122	Davison	Open	
Davison Oil & Gas Co #3	33252	Davison	Open	
Davison Oil & Gas Co #6	33269	Davison	Open	
Dawn Donuts	19050	Flint	Open	
Dort Hwy Site	50002024	Unknown	Open	
Dort Site	50002172	Unknown	Open	
Dort Sunoco Inc.	18392	Flint	Open	
Dr Hugh Grover	40486	Flint	Open	
Duncon Donuts/marathon 2077	19048	Flint	Open	
Dunkin Donut #2100	21899	Flint	Open	
Dunkin Donuts/marathon 2086	19049	Flint	Open	
East Holly Village Inc	38193	Holly	Open	
Eastland Shell	33280	Flint	Open	
Fire Station #8	7357	Flint	Open	
Fleet Admin - 12th St Yard	13341	Flint	Open	
Flint Riggers & Erectors	7863	Bloomfield Hil	Open	
Former Bob's Sunoco Service	50005214	Unknown	Open	
Former Boron Oil	50002766	Unknown	Open	
Former David Gray Property	50005232	Unknown	Open	
Former Gary's Transmission	38962	FLINT	Open	
Former Gas Station	50002038	Davisburg	Open	
			0,000	

DESCRIPTION	PERMIT	MUNICIPALITY	FACILITY	STATUS
BROWNFIELD/	7 21 ((()))	WOTTON ALTT	OWNER	
ACTIVE UST/OPEN LUST	20745	Crand Dlane	0.00	_
Former Gasoline Station	39745	Grand Blanc	Opei	
Former Independent Oil	50002696	Unknown	Ope	
Former Jerry's Standard	50002709	BURTON	Opei	
Former Mobil	50005492	Unknown	Opei	
Former Pete's Sunoco	50002722	Philadelphia	Opei	
Former Texaco	50005491	Unknown	Opei	
Former Thrall	50005236	Morrice	Opei	
General Motors Corp	1461	FLINT	Opei	
Genesee County Detention Center	50001827	FLINT	Opei	
Glenns Auto Parts	38096	Bay City	Opei	n
GM Tg-flint Assembly	17757	Flint	Opei	n
Goodwill Industries	15182	Flint	Oper	n
Government Center	38459	Grand Blanc	Oper	n
Grand Blanc Amoco	19461	Bloomfield Hil	Оре	n
Grand Blanc Golf Club	33107	Grand Blanc	Oper	n
Grand Blanc Marathon	17682	Holly	Opei	n
Grand Trunk Western Rr Engine Ho	10859	Iron Mountain	Oper	n
Great Lakes Technology Center	7501	FLINT	Oper	n
Groveland Fire Department	14480	Holly	Oper	n
Groveland Oaks County Park	7768	Waterford	Орег	n
Hamiltons Of Ortonville	18579	Ortonville	Ope	n
Hank Graff Chevrolet	8734	Davison	Ope	n
Hariston Shell	18954	Dearborn	Ope	n
Holly Hills #8	18952	Fenton	Ope	n
J & J Service	34682	Flint	Oper	n
Jet Gas, Flint	16951	Springfield	Oper	n
John's Steak House Pizzeria & Ba	35644	Goodrich	Oper	n
Kanrock Tire Corporation	20347	Fenton	Oper	n
Kearsley 21	4163	Flint	Oper	n
Kfc #7322-085	40537	IRVINE	Oper	n
Kustom Equipment Warehouse, Inc.	38338	Burton	Oper	n
Letavis Cloth Wash, S. Saginaw	34815	SWARTZ CREEK	Opei	n
Lina's Petro Inc.	18528	Burton	Oper	n
Little Caeser's Pizza	40276	Ortonville	Opei	n
Maple Point Shell	18953	Saginaw	Opei	n
Marathon Flint Oil #4	17679	Flint	Opei	n
Marathon Station, (former)	50001705	Unknown	Opei	n
Marathon, Miller Road, Rel. 2, 1	18150	Grand Blanc	Opei	
Maratrhon #8751	9408	Springfield	Opei	
Mass Transit Authority	15106	Flint	Opei	
Michigan Bell Telephone	11644	Dallas	Opei	
Mid America Plaza	37869	FLINT	Opei	
Mobil #03-cot	3188	Swartz Creek	Opei	
Mobil/1-stop Food Stores	504	Davison	Opei	
Morgan's Market	37413	Grand Blanc	Opei	
Mottard Enterprises #17	8088	Grand Blanc	Opei	
Mr Housni Fayz	39705	Dearborn Hts	Opei	
111 1 1000 111 1 UyZ	00700	Doubbillillo	Ореі	

DESCRIPTION	PERMIT	MUNICIPALITY	FACILITY OWNER	STATUS
BROWNFIELD/ ACTIVE UST/OPEN LUST				
Mr P's Wash World	50002624	FLINT	Open	
Nell	50002229	Unknown	Open	
NRT Owner	50002211	Unknown	Open	
Oak Hill Auto Restoration	36650	Davison	Open	
Old Station, 2519 W. Grand Blanc	33539	Grand Blanc	Open	
One Stop Food Store #15	510	Davison	Open	
Orval Opperthauser	40272	Ortonville	Open	
Pepsi Cola, Flint	19381	Detroit	Open	
Quick Sav #29	2198	Flushing	Open	
Quick Sav Foods Inc	13027	Flushing	Open	
Quick Save Food Store, #4, Fento	2777	Flushing	Open	
Richfield Iron Works	50000562	Unknown	Open	
Rohman, Fred	50001897	Flint	Open	
Roller Skating Club	50002144	Unknown	Open	
Runyan Lake Food Center	5175	Fenton	Open	
Sarra Inc	18393	Not Recorded	Open	
Schaefer Bakeries	73	LANSING	Open	
Shepherd, Mary	37663	Fenton	Open	
Speedway #8764	1656	BRIGHTON	Open	
Speedy Q Market #44	5226	Port Huron	Open	
	50002159	Unknown	_	
Spring Drug Store			Open	
Sun Austin Express #3	4157	Flint	Open	
Sunoco	4154	Farmington Hil	Open	
Sunoco	14457	Davison	Open	
Sunoco, Fenton Road, Release 1,	4160	Flint	Open	
Sunshine Food Stores, Burton #11 Swartz Creek Comm Sch Bus	2199	Flint	Open	
Garage	1259	Swartz Creek	Open	
Swartz Creek, City Of, Morrish R	50000836	Unknown	Open	
Tom Ryan Distributing	20363	Flint	Open	
Total #2575	9414	Springfield	Open	
Total Sta 0534	50001439	Unknown	Open	
Total Station	9404	Springfield	Open	
Town Pride Carpets	41359	Davison	Open	
Trinity Lutheran Church	42008	Davison	Open	
Union Super Stop #20	8104	Lansing	Open	
United #6254	17024	Springfield	Open	
United Cleaners, Inc.	849	Burton	Open	
United Station #6255	9819	Coopersville	Open	
Vacant Former Gas Station	50002447	Unknown	Open	
Vacant Garage	39677	Alpena	Open	
Valley Petroleum	1372	Swartz Creek	Open	
,	37879	Swartz Creek		
Valley Petroleum		_	Open	
Vern Van Y Elementary School	41571	Burton	Open	
Victor George Oldsmobile	6530	FLINT	Open	
Wash World Inc	1886	Flushing	Open	
Water Dept (service Center)	13339	Flint	Open	
Watkins & Himelhoch Inc	12835	Burton	Open	

			5.00 ITM	
DESCRIPTION	PERMIT	MUNICIPALITY	FACILITY OWNER	STATUS
BROWNFIELD/ ACTIVE UST/OPEN LUST				
White Pizza & Party Store	40531	Burton	Ope	n
Wiltic Chemical Co	7436	Davison	Ope	n
		OVERLAND		
Yellow Freight System Inc (flt)	2021	PARK	Ope	<u>n</u>
1-stop Food Store/Mobil	00000510	Flint		
7-eleven Store # 163	00018953	BURTON		
7-eleven W/gas - Store #158	00038633	FLINT		
A J Mini Mart	00009277	Flint		
ABE Petroleum	00018963	Flint		
Ac Delco Systems	00017154	FLINT		
Admiral Petroleuim #144	00012243	Flint		
Admiral Petroleum #105	00009819	Flint		
Admiral Petroleum #42	00004171	Swartz Creek		
Admiral Petroleum Co #31	00012975	FLINT		
Admiral Petroleum Co #36	00012978	Burton		
Admiral Petroleum Co. #123	00012339	Flint		
Admiral Petroleum Co. #124	00012235	Flint		
Al Serra Chevrolet Inc	00015108	Grand Blanc		
Amir Mini-mart	00040233	Mount Morris		
Atherton Oil Inc	00012969	Flint		
Averill Ave Complex Plant 6	00017249	FLINT		
Belford Motor Sales Inc	00006085	DAVISON		
Belsay & Atherton Shell	00033268	Burton		
Belsay No 17	00019050	Burton		
Bishop Airport Maintenance	00036799	FLINT		
Bishop International Airport	00009604	Flint		
BP Gas Station	00019453	Burton		
Brisol Torrey Inc	00040438	Flint		
Burton Dpw	00004612	Burton		
Bus Garage	00001124	Goodrich		_
Bus Garage Jewett Trail	00001176	GRAND BLANC		_
Car Rental Facility	00039246	FLINT		
Castle Plaza	00039300	Grand Blanc		
Central Transport	00003298	Flint		
Church & Sons Auto Center	00035022	Goodrich		
City Of Burton Police/fire	00007777	Burton		
Conlee Oil Co	00000571	OTISVILLE		
Corrigan Sunoco North	00004172	Flint		
D & N Food & Gas Inc	00037622	Grand Blanc		
Dave Kemerko	00033415	Davison		
Davison Central Office	00011212	Davison		
Davison Maintenance Facility	00033727	DAVISON		
Davison Shopping Center	00038067	Davison		
Delphi Energy & Engine Mgr Systs	00017248	Flint		
Delphi Energy & Engine-div Gmc	00017269	FLINT		
DMJ Corp	00033416	Davison		
Dort-fill-up Inc	00038637	Flint		
•				

DESCRIPTION	PERMIT	MUNICIPALITY	FACILITY	STATUS
BROWNFIELD/ ACTIVE UST/OPEN LUST			OWNER	
Dortwood Amoco Service #19	00004935	Flint		
Duncon Donuts/marathon 2077	00004933	Flint		
Dunkin Donuts / Marathon 2086	00019049	Flint		
E Z Run EDS	00036513	Flint		
	00021823	Flint		
Estes Express Lines	00007477	Flint		
E-z Run Of Grand Blanc	00016990	Grand Blanc		
FinaTec LLC	00018389	Flint		
Fire Station #5	00007354	Flint		
Fire Station #8	00007357	Flint		
Flint East Co	00011702	Flint		
Flint Golf Club	00000352	Flint		
Flint Grand Traverse Gar & Strm	00011644	Flint		
Flint Riggers & Erectors	00007863	Burton		
Flint Stone	00038520	Flint		
Flint Water Plant	00037075	Flint		
Former Bond Shell	00004152	Flint		
Former Eastland Shell	00033280	Burton		
Former Viking Oil Co	00034678	Flint		
Garb-Ko Inc	00004154	Burton		
Generous Phone Company Inc	00021567	Flint		
Genesee County Association For Retarded Citiz	00005160	Flint		
Genesee Valley Center	00007562	FLINT		
GM Flint Assembly	00017757	Flint		
Gm Truck & Bus Group-flint Metal	00017247	FLINT		
Goodwill Ind Of Mid-michigan	00015182	Flint		
Grand Blanc Amoco	00019461	Grand Blanc		
Grand Blanc Central Office	00011723	Grand Blanc		
Grand Blanc Clark	00012249	Grand Blanc		
Grand Blanc Service Inc	00014316	Grand Blanc		
Hank Graff Chevrolet Inc	00008734	Davison		
Hill Road Citgo	00019455	Flint		
Holly Hills Sunoco	00018952	Grand Blanc		
Holly Road BP	00005661	Grand Blanc		
Kajy Hill Inc	00004160	FLINT		
Kearsley Community Schools	00007190	Flint		
Koegel Meats	00007256	Flint		
Kroger #115	00039431	FLINT		
Kroger #711	00041251	Swartz Creek		
Kroger D-406	00040994	Burton		
Maintenance & Operations Dept	00014453	Flint		
Marathon Flint Oil #4	00017679	Flint		
Marathon Unit #1937	00017070	Swartz Creek		
Meijer Gas Station #44	00010130	Flint		
Meijer Store #29	00033323	Burton		
Michigan Gasoline Traders Inc	00034043	Davison		
Mobil / 1 Stop Food Stores	00034122	Flint		
MODILY 1 OLOP 1 OOU OLOTES	00010121	1 11111		

DESCRIPTION	PERMIT	MUNICIPALITY	FACILITY OWNER	STATUS
BROWNFIELD/ ACTIVE UST/OPEN LUST				
Mobil 1-stop	00035602	Davison		
Mobil 1-Stop Food Store	00000507	Flint		
Mobil\1-stopfood Stores	00016717	Burton		
Modern Ind Inc	00017287	Flint		
MTS Burton	00039348	Burton		
Myers School	00036457	GRAND BLANC		
Obeid, Inc.	00003188	Swartz Creek		
Old Forestry Division Compound	00036783	Flint		
Point Amoco	00019460	Flint		
Quick Sav #29	00002198	Goodrich		
Quick Stop Petreluem	00018392	Flint		
Quick-sav Food Store #4	00002777	Fenton		
Quick-Save #1	00013027	Swartz Creek		
Qussama Chaar	00008088	CLIO		
Road Runner Express	00040642	Burton		
Ross Properties	00041962	Grand Blanc		
Runyan Lake Food Center	00005175	Fenton		
Saginaw Lease	00018954	FLINT		
Sam Kallabat	00018705	Flint		
Speedway #2222	00017501	Burton		
Speedway #2206	00017519	Flint		
Speedway #2227	00017505	FLINT		
Speedway #2240	00041921	Davison		
Speedway #2375	00017540	Grand Blanc		
Speedway #5518	00018163	Burton		
Speedway #5524	00037941	Flint		
Speedway #6254	00017024	Flint		
Speedway #8393	00013379	Flint		
Speedway #8403	00009867	Davison		
Speedway #8591	00014195	Grand Blanc		
Speedway #8748	00002005	Flint		
Speedway #8749	00009404	FLINT		
Speedway #8752	00016951	Flint		
Speedway #8763	00021607	Grand Blanc		
Speedway 8753	00016957	Flint		
Speedy Q Mkt-craigs Food Store	00005226	FLINT		
Star Truck Rentals Inc	00018359	Flint		
Stewart Elementary School	00040793	Flint		
Sunoco	00014457	Davison		
Sunoco Miller/i75	00018955	Flint		
Superior Pontiac-cadillac	00013388	Flint		
T & T Petro Inc	00018528	Burton		
Thomas Investment Properties LLC	00010320	Flint		
Thompson Exit Shell	00041373	Fenton		
Tom Oconnor	00010719	Swartz Creek		
	JUUUUJJZ	JWaitz Oleck		
Tom Ryan Dist Co Inc	00020363	Flint		

DESCRIPTION	PERMIT	MUNICIPALITY	FACILITY	STATUS
BROWNFIELD/ ACTIVE UST/OPEN LUST			OWNER	
Valley Petroleum	00001372	Swartz Creek		
Wash World Inc	00001372	Grand Blanc		
Zip's Party Store	00033256	Davison		
NPDES ARE Freight System Flint	MICEIOIEE	Flint	Drivata	
ABF Freight System-Flint	MIS510155	Flint	Private	
ACCI-Flint-West Bristol	MIS510526	Flint	Private	
Allied Systems Ltd-Flint	MIS510158	Flint	Private	
Atlas Oil Co-Flint Bulk Plt	MIS510651	Flint	Private	
Barrett Paving-Burton	MIS510163	Burton	Private	
Barrett Paving-Flint Plant 114	MIS510159	Flint	Private	
B-B Paint Corp-Flint	MIS510160	Flint	Private	
Bishop International Airport	MIS510162	Flint	Private	
Burton Auto Parts	MIS510166	Burton	Private	
Cadence Innovation-Grand Blanc	MIS510307	Grand Blanc	Private	
Citizens Disposal-Grand Blanc	MIS510201	Grand Blanc	Private	
Coca-Cola Company-Flint	MIS510202	Flint	Private	
Con-way Freight-XFL	MIS510393	Burton	Private	
Crown Enterprises-Flint	MIS510544	Flint	Private	
Delphi E-Flint East	MIS510078	Flint	Private	
Fernco Inc-Davison	MIS510210	Davison	Private	
Flint Boxmakers Inc	MIS510231	Burton	Private	
Frito-Lay-Gateway DC-Flint	MIS510646	Flint	Private	
GCRC-Atlas Maint Garage	MIS510235	Goodrich	Private	
GCRC-Flint Maint Garage	MIS510236	Flint	Private	
Genesee Packaging Inc	MIS510241	Flint	Private	
Genesee Polymers Corp	MIS510242	Burton	Private	
GMC-Flint Engine South	MIS510556	Flint	Private	
GM-MFD-Flint Metal Center	MIS510327	Flint	Private	
GM-MFD-Flint Tool & Die	MIS510392	Flint	Private	
GM-MFD-Grand Blanc Plant	MIS510328	Grand Blanc	Private	
GM-Van Slyke Utilities Group	MIS510613	Flint	Private	
Grand Blanc Cement Products	MIS510255	Grand Blanc	Private	
Grand Blanc Processing-Holly	MIS510283	Holly	Private	
Grand Trunk WRR-Flint	MIS510404	Flint	Private	
Great Lakes Waste-Flint	MIS510584	Flint	Private	
Inter-City Auto Parts-Flint	MIS510259	Flint	Private	
J & S Auto Salvage-Flint	MIS510260	Flint	Private	
Kens Redi-Mix Inc	MIS510257	Goodrich	Private	
Laidlaw Transit-Fenton	MIS210520	Fenton	Private	
Landaal Packaging-Iron St	MIS510623	Burton	Private	
Levy-Ace Asphalt & Paving-Plt3	MIS510025	Burton	Private	
M J Manufacturing-Burton	MIS510156	Burton	Private	
-				
Mass Trans Authority-Flint Matalforming Teach Inc. Burton	MIS510396	Flint	Private	
Metalforming Tech Inc-Burton	MIS510232	Burton	Private	
Metro Fabricators Inc-Burton	MIS510271	Burton	Private	
Mich ARNG-Flint Armory-OMS 3	MIS510273	Flint	Private	
Mid-State Plating Co-Flint	MIS510272	Flint	Private	

DESCRIPTION	PERMIT	MUNICIPALITY	FACILITY OWNER	STATUS
NPDES				
Paragon Mfg-Fenton	MIS510557	Fenton	Private	
Premiere Packaging Inc	MIS520014	Flint	Private	
Qualitor-McGuane Industries	MIS510164	Burton	Private	
Quality Way Products	MIS510669	Holly	Private	
Raw Car Grp-Contour Fab-Fenton	MIS210687	Fenton	Private	
Richfield Iron Works Inc-Flint	MIS510152	Flint	Private	
Ring Screw LLC-Gainey Dr	MIS510674	Holly	Private	
Ring Screw LLC-Holly Dist Ctr	MIS510284	Holly	Private	
Ring Screw LLC-Holly Oper	MIS510285	Holly	Private	
Schmald Tool & Die Inc	MIS510292	Burton	Private	
Spooner Sales Inc	MIS510356	Flint	Private	
Stokes Steel Treating-Flint	MIS510295	Flint	Private	
Stone Transport-Flint Stone	MIS510233	Flint	Private	
Tiger Auto Salvage	MIS510297	Burton	Private	
TMI-Holly	MIS510299	Holly	Private	·
UPS-Flint	MIS510302	Flint	Private	
US Fence-Flint	MIS510600	Flint	Private	

Data from USEPA National Priorities list; MDEQ Brownfields- USTfields Database; MDEQ Active NPDES permits list.